#### Lecture 1 - Numbers and Notation

Dr. Robert Lowe

Division of Mathematics and Computer Science
Maryville College





#### Outline

Quantitative Language

Evaluating Expressions





#### Outline

Quantitative Language

Evaluating Expressions









 You have been taught a litany of rules and procedures, but no ideas.





- You have been taught a litany of rules and procedures, but no ideas.
- Your textbooks were lacking in text. Lots of color, lots of problems, no substance!





- You have been taught a litany of rules and procedures, but no ideas.
- Your textbooks were lacking in text. Lots of color, lots of problems, no substance!
- Being bad at math was socially acceptable, and you seized the opportunity because memorizing rules and procedures is boring.







#### Image Source:

https://www.maa.org/press/
periodicals/convergence/
mathematical-treasure-ishango-bone





Tally Marks 40,000 years old



#### Image Source:

https://www.maa.org/press/

mathematical-treasure-ishango-bone





- Tally Marks 40,000 years old
- Ishango Bone 20,000 years old, may have been a rudimentary calculator



#### Image Source:

https://www.maa.org/press/

periodicals/convergence/

mathematical-treasure-ishango-bone





- Tally Marks 40,000 years old
- Ishango Bone 20,000 years old, may have been a rudimentary calculator
- Formal mathematics, as we know it today, really started about 3000 years ago



#### Image Source:

https://www.maa.org/press/

periodicals/convergence/

mathematical-treasure-ishango-bone





# **Ancient Numeral Systems - Roman Numerals**





# **Ancient Numeral Systems - Roman Numerals**

Representing Numbers as Figures





# **Ancient Numeral Systems - Roman Numerals**

- Representing Numbers as Figures
- Example: Roman Numeral System

	Numerals		Transitions	
ĺ	ı	1		
	٧	5	IV	4
	Χ	10	IX	9
	L	50	XL	40
	С	100	XC	90
	D	500	CD	400
	М	1000	CM	900







 Arithmetic was usually done with some sort of manipulative aid (counting board, abacus, etc).





- Arithmetic was usually done with some sort of manipulative aid (counting board, abacus, etc).
- Roman numeral arithmetic is difficult. (Let's Try it)





- Arithmetic was usually done with some sort of manipulative aid (counting board, abacus, etc).
- Roman numeral arithmetic is difficult. (Let's Try it)

$$\mathbf{0} I + I = ?$$





- Arithmetic was usually done with some sort of manipulative aid (counting board, abacus, etc).
- Roman numeral arithmetic is difficult. (Let's Try it)





- Arithmetic was usually done with some sort of manipulative aid (counting board, abacus, etc).
- Roman numeral arithmetic is difficult. (Let's Try it)

  - 2 III + I =?





- Arithmetic was usually done with some sort of manipulative aid (counting board, abacus, etc).
- Roman numeral arithmetic is difficult. (Let's Try it)
  - $\mathbf{0} \ \mathbf{I} + \mathbf{I} = ?$
  - 2 III + I =?





- Arithmetic was usually done with some sort of manipulative aid (counting board, abacus, etc).
- Roman numeral arithmetic is difficult. (Let's Try it)

$$\mathbf{0} \ \mathbf{I} + \mathbf{I} = ?$$

$$\mathbf{0} \ \mathbf{V} - \mathbf{I} = ?$$

$$\bigcirc$$
 V  $\times$  IV =?







Image Source:

https://www.mathematics-monster.Maryville

 Introduced to the Western world by Al-Khwarizmi, but was invented in India



Image Source:

https://www.mathematics-monster.Maryville com/glossary/Al-Khwarizmi.html

- Introduced to the Western world by Al-Khwarizmi, but was invented in India
- Digits 0-9



Image Source:

https://www.mathematics-monster.wille Maryville com/glossary/Al-Khwarizmi.html

- Introduced to the Western world by Al-Khwarizmi, but was invented in India
- Digits 0-9
- Positional value system






Image Source:

https://www.mathematics-monster.Maryville























$$1 + 1 = ?$$







$$\mathbf{0} \ 1 + 1 = ?$$







$$1 + 1 = ?$$

$$2 3 + 1 = ?$$









$$1 + 1 = ?$$

$$2 3 + 1 = ?$$

$$4 5 - 1 = ?$$









$$1+1=?$$

$$2 + 1 = ?$$

$$4 5 - 1 = ?$$

$$5 \times 4 = ?$$









#### Outline

Quantitative Language

Evaluating Expressions









• Fundamental operations: +, −, ×, ÷





- Fundamental operations: +, −, ×, ÷
- Alternate notations for multiplication: 3 × 5, 3 ⋅ 5, 3(5), 3 \* 5





- Fundamental operations: +, −, ×, ÷
- Alternate notations for multiplication:  $3 \times 5$ ,  $3 \cdot 5$ , 3(5),  $3 \cdot 5$
- Alternate notations for division:  $4 \div 2$ ,  $\frac{4}{2}$ ,  $2)\overline{4}$ , 4/2









 Convention PEMDAS - Parenthesis, Exponent, Multiply, Divide, Add, Subtract





- Convention PEMDAS Parenthesis, Exponent, Multiply, Divide, Add, Subtract
- Multiplication and Division are the same operation, so is Add and Subtract

Ties are broken left to right





- Convention PEMDAS Parenthesis, Exponent, Multiply, Divide, Add, Subtract
- Multiplication and Division are the same operation, so is Add and Subtract

Ties are broken left to right

• Example:  $3^2 + 4 \times 2 - 16 \div (2 + 2)$ 









 Writing very large or very small numbers is very error prone.





- Writing very large or very small numbers is very error prone.
- We usually only really care about the first few values (more on this later).





- Writing very large or very small numbers is very error prone.
- We usually only really care about the first few values (more on this later).
- Base 10 gives us a way to do this!





- Writing very large or very small numbers is very error prone.
- We usually only really care about the first few values (more on this later).
- Base 10 gives us a way to do this!
- Large numbers have 0's at the right hand side. This is effectively multiplying by 10. So we can use exponents:

$$1,200,000 = 1.2 \times 10^6$$





- Writing very large or very small numbers is very error prone.
- We usually only really care about the first few values (more on this later).
- Base 10 gives us a way to do this!
- Large numbers have 0's at the right hand side. This is effectively multiplying by 10. So we can use exponents:

$$1,200,000 = 1.2 \times 10^6$$

 Small numbers of 0's between the decimal point and nonzero digits. This is effectively dividing by 10:

$$0.0000012 = 1.2 \times 10^{-6}$$



