

TECHNICAL ANALYSIS SCREENER 2 HEIKEN ASHI

Software Requirement Specification (SRS) Document

Sprint Implementation

Project Timeline: 07.11.2022 to 12.11.2022

INDEX

1. Introduction	3
 1.1 Background. 1.2 Purpose. 1.3 How Stock Screeners Work. 1.4 Key Project Objectives. 1.5 Functional Overview. 1.5.1 Header Files. 	3 3 4 4 4
2. Design Overview	5
3. Heikin-Ashi	6
3.1 What is a Heikin-Ashi?	6
3.2 Heikin-Ashi Formula	6
4. Detailed System Design	8
4.1 Data Flow Diagram	8
4.2 Data Overview	9
5. Environment Description	9
5.1 Time Zone Support	9
5.2 Language Support	9
5.3 User Desktop Requirements	9
5.3.1 Integration Requirements	10
5.3.2 Network	10
5.3.3 Configuration	10
6. References	10

1. INTRODUCTION

A stock screener is a set of tools that allow investors to quickly sort through the myriad of available stocks and increasing Exchange-traded funds according to the investor's own criteria. Stock screeners are most typically available on brokerage trading platforms (usually free), but there are also some independent subscription-based stock screeners available. Stock screeners allow investors to employ their own methodology about what makes a stock or ETF valuable (longer-term traders) or spot a potential trading opportunity (shorter-term traders).

1.1 BACKGROUND

Technical analysis is an approach to predicting future price movements based on identifying patterns in prices, volume and other market statistics. Technical analysis usually proceeds by recording market activity in graphical form and then deducing the probable future trend from the pictured history. The premise is that prices exhibit various geometric regularities, which, once identified, inform the trader what is likely to happen next. This in turn allows the trader to run a profitable trading strategy. Technical analysis is prevalent in financial markets and is readily accessible in practitioner texts such as pring (2002), in the form of tools provided by online brokers such as Barclays Stockbrokers (www.stockbrokers.barclays.co.uk) as well as in the form of commentary in the financial and investment press.

1.2 PURPOSE

Technical stock screeners allow you to filter stocks according to many of the same price-dependent technical indicators that you would use on a stock chart. So, technical screeners can be extremely valuable for traders who normally trade momentum, reversal, or other short- and medium-term strategies.

1.3 HOW STOCK SCREENERS WORK

Stock screeners allow investors to weed through the extensive field of potential financial investments using their own criteria. Users begin the process by selecting certain investing parameters, based on their personal requirements.

For example, a fundamental investor may be most interested in market capitalization, analyst recommendations, earning per share (EPS), operating cash flow, multi-year return on investment (ROI), dividend yield, and the like. A technical trader would be more interested in moving average

levels/crossovers, relative strength index (RSI) levels to indicate momentum, average directional index (ADX) readings to indicate strength, and chart patterns, among others.

1.4 KEY PROJECT OBJECTIVES

- To supply capital To achieve this task, ownership in a private corporation is sold to the public in the form of shares of stock. Funds received from the sale of stock contribute to the firm's capital formation.
- To inspire savings This inspires people to save their income by making a profit. Continuous purchase and sale of securities on a stock exchange lead to the evaluation of their prices.
- To develop economy It helps economic development by supplying the capital to the industries.
- To protect fraudulently It is also to ensure that no fraudulence occurs in a transaction.
- To do long-term financing Commercial banks generally disburse the short-term loan. So, supplying long-term finance is an objective of the stock exchange.

1.5 FUNCTIONAL OVERVIEW

1.5.1 HEADER FILES

- stdio.h
- stdlib.h
- string.h

2.DESIGN OVERVIEW

Name of the Module	File Operations
Handled by	Uppu Nimeesha
Description	Declared files in the valid format and extension and researched about read and write operations.

Name of the Module	Add, Delete and Update operations and error detection
Handled by	Remala Venkata Laxmi Nikhila
Description	Researched and developed all the conditions and functions on add, delete and update.

Name of the Module	Add,Delete and Update operations and error detection
Handled by	Bana Vijaya Laxmi
Description	Developed code on add, delete and update operations and implementation.

Name of the Module	Add, Delete and Update operations and error detection
Handled by	Rontala Ruchitha
Description	Developed code on add, delete and update operations and implementation.

Name of the Module	Designed dataflow diagrams and flow charts and testing tools
Handled by	Baradi Bindhu
Description	Designed dataflow level 0,level 1 diagrams and flow charts and testing the functionalities.

3. HEIKIN-ASHI

3.1 What Is a Heikin-Ashi?

The Heikin-Ashi technique is used by technical traders to identify a given trend more easily. Hollow white (or green) candles with no lower Shadows are used to signal a strong Uptrend, while filled black (or red) candles with no upper shadow are used to identify a strong downtrend.

The Heikin-Ashi trading technique was developed by Munehisa Homma in the 1700s. The technique shares some characteristics with the traditional candlestick charts used in trading but differs in how the values for candlesticks are computed. In Japan, the word Heikin means "average" or "balance," and the word Ashi means "bar" or "foot." Hence, Heikin-Ashi means "average bar," resonating with the trading technique, which uses the average price of the security.

3.2 Heikin-Ashi Formula

When calculating the Heikin-Ashi formula, we use the open-close data from the previous period and the open-high-low-close (OHLC) data from the current

period. Modified OHLC values are displayed as candlesticks. The computations are as given below:

Heikin-Ashi Close = (Open() + High() + Low() + Close)/4

Heikin-Ashi Open = (HA Open(-1) + HA Close(-1))/4


Heikin-Ashi High = Max (High0, HA Open0, HA Close0)

Heikin-Ashi Low = Min(Low0, HA Open0, HA Close0)

Where:


- **HA** Heikin-Ashi
- -1 Prior period figures
- **0** Current period figure


Heikin-Ashi data can be of different time frames, i.e. intraday, weekly, or monthly, etc. The HA Open is always set to the midpoint of the body of the previous bar, and the HA Close is calculated as the average price of the current bar. The HA High is the highest value among the current high, HA Open, and HA Close. HA Low is the lowest value among the current low, HA Open and HA close.




4. DETAILED SYSTEM DESIGN

4.1 DATA FLOW DIAGRAM





4.2 DATA OVERVIEW



5.ENVIRONMENT DESCRIPTION

5.1 Time Zone Support: IST- Kolkata

5.2 Language Support: English

5.3 User Desktop Requirements

- 64-bit processor, 1.50 GHz or faster
- At least 10 GB free hard drive space
- At least 1 GB RAM Server

5.3.1 Integration Requirements

• Language: C

• Tools: Valgrind, ctags

• Complier: gcc

• Linux Environment

5.3.2 Network: End to End

5.3.3 Configuration:

Operating System: Linux environment

6. REFERENCES

The references are:

- 1. P. Růčková. Finanční analýza. Praha: Grada Publishing a. s. ISBN 987-80-271-2028-4 (2019)
- 2. B. Graham. Inteligentní investor. Praha: Grada Publishing a. s. ISBN 978-80-247-1792-0 (2007)
- 3. D. Gladiš. Akciové investice. Praha: Grada Publishing a. s. ISBN 978-80-247-5375-1 (2015)
- 4. D. Gladiš. Naučte se investovat. Praha: Grada Publishing a. s. ISBN 80-247-1205-9 (2005)

5. Rejnuš, O., 2014. Finanční trhy. Praha: Grada Publishing a. s. ISBN 987-80-247-3671-6 (2014)