


A PROPOSAL FOR PROJECT ARES · RÉMI COUTURE

Twenty-two training games, already playable.

What I have built for Ares on my own initiative, why it teaches, how it fits the platform, and a plan to keep building games for Circadence and its clients.

THE TRAILER

All 22 games in seventy seconds.



What is in it

- The original eight, profiled in this proposal.
- Eight more built since, from incident scoping to firewall rule order.
- Six remixes of the Games Hub titles, with new twists.

Play them all

remiclassic.github.io/ares-cyber-games: every game, each with a how-to-play video. Real gameplay, an original soundtrack, cut to the beat.

THE SHORT VERSION


I have twenty-two working educational games for Ares. I would like to keep making them.


22
games, each playable from briefing to debrief in a browser

318
automated tests, all passing, covering the learning rules of every game

21
different genres, from isometric strategy and SQL hunts to a card duel, a physics sticker pile and an orbital shooter


0
ranges to spin up. Each game is a static bundle that embeds in a course page


















What this is

Real training content, not mock-ups: authored scenarios, evidence, policies, queries, and a written explanation for every important mistake. The next pages quote it.

Why it matters to Ares

Missions need a live range. These need nothing. They give learners practice between missions, give sales a demo that runs anywhere, and fill slots the platform has already reserved for games.

What I am asking

Keep me on to take these from prototype to production with the games and content teams, and to keep building new ones. I have set out three ways to do that, including a half-time option.

THE ORIGINAL EIGHT

One skill each. Three to five minutes. A debrief that explains the result.

GAME	PLAYS LIKE	WHAT THE LEARNER PRACTISES	AUTHORED CONTENT
Network Defense Keep Finance Online	Isometric strategy	Routes and dependencies, reading evidence, writing a scoped access rule, backup routes that keep policy	3 rounds, 3 traffic flows, 10 evidence lines, 4 policy lines, 2 reasoning checkpoints, a final no-hint challenge
Phishing Speed Drill The Payroll Request	Timed inbox	Sender, reply-to and real link destination; when to report, mark safe, or verify by phone	8 messages (3 phishing, 3 legitimate, 2 need verification), 32 cues, each with a reason
Incident Triage Race The Busy Morning	Alert board	Prioritising by evidence and business impact, not the severity tag; revising when facts change	6 alerts, 29 timeline evidence items, 18 authored assessments, 2 mid-shift updates
SOC Dashboard Challenge A Strange Login	Investigation case	Telling discriminating evidence from evidence that fits both stories; proportionate response under time	2 hidden truths with identical openings, 9 evidence items in 2 variants, 11 timed events
Cyber Dispatch First Shift	Dispatcher desk	Asking the right questions, giving the safe next step in time, handing off only what is confirmed	6 reports across 2 shifts, 38 questions, 26 facts, 24 guidance options
Query Hunt Unusual Access	SQL investigation	WHERE, GROUP BY, ORDER BY, JOIN on real tables, and not over-claiming from the results	5 challenges, 4 tables, 2 datasets, real SQLite running in the browser
Cloud Command First Orbit	Arcade flight	Capacity through a dependency, cost against availability, least privilege, the IaaS responsibility split	3 checkpoints, 11 evidence items, 12 justifications with feedback, 7 permissions
Privilege Path Puzzle Who Can Read Payroll	Graph puzzle	Tracing nested groups and inherited grants, and making the smallest fix that keeps business access	3 puzzles, 22 nodes, 13 access checks each with a business reason

EIGHT MORE, BUILT SINCE

Same rules: one skill each, every mistake explained, lazy strategies proven to lose.

GAME	PLAYS LIKE	WHAT THE LEARNER PRACTISES	AUTHORED CONTENT
Secure Stack	Physics sticker pile	Matching each threat to the control that really stops it; wrong drops explain why	5 islands, 17 threats and defences, a reason for every pairing, a field guide
Spot the Phish	Inbox with a coach	Reading an inbox: report, verify another way, or continue safely	10 messages, then 4 transfer messages; hosted on its own site
Blast Radius	Deduction puzzle	Scoping a compromise from aggregate sensors before containing it	3 cases with 2 truths each, every case proven solvable within its triage budget
Defense in Depth	Defence planning board	Layering controls across the attack chain while attackers adapt	3 waves, 16 ATT&CK techniques, 15 controls with cost and friction
Counterplay	Card duel	Reading raw telemetry, naming the technique, playing the response that removes it	3 incidents, 16 techniques with look-alikes, 22 response cards
Bit by Bit	Gear workbench	Binary, subnet masks, sizing a subnet, finding the network an alert came from	10 tasks, every wrong answer explained
Rule Order	Rule-ordering puzzle	First-match firewall logic, shadowed rules, default action, least privilege	4 change tickets with test packets; the fewest changes found by search
Spot the Risks	Hidden-object scene	Physical and social-engineering risks at the office and at home, with decoys	2 illustrated scenes, 13 risks and 4 decoys, an issue and fix for each

SIX REMIXES OF THE GAMES HUB

The hub games' topics, rebuilt around a judgment twist.

REMIX	REMIX OF	THE TWIST
Pattern Patrol	RegExile (games team)	Regex as detection engineering: catch the attack, not the noise
Port Authority	Portflow (games team)	Ports by policy: allow, block or upgrade cleartext
Confidence Board	Trivialoot (games team)	A six-category board with confidence wagers that reward calibration
Chain Breaker	Cylitaire: Kill Chain (games team)	Rebuild an incident on the kill chain, then break it earliest
Tactic Orbit	Astro-Defense (games team)	Tag incoming techniques with their tactic to raise the shield
Blind Spots	Threat Modeler (games team)	Place sensors on a budget; scored on how early each attack path is seen


Why remix


The hub games teach recall of frameworks well. Each remix keeps the topic and asks for a decision on top: a detection that must not over-fire, a confidence you must own, a chain you must break early.


How they were made

From each game's topic and key art only. No code, levels, text or art copied, and every remix credits its original. They are an offer to the games team, not a replacement.


Every clip is real play: a decision, a mistake, the explanation, the fix.





















The newer games and the remixes, recorded from the working builds.
































WATCH THE ORIGINAL EIGHT IN THREE MINUTES

The gameplay reel: every game, one mistake, one explanation, one fix.



What to look for


- The learner makes a real decision with real content.
- The game explains a mistake in one or two specific sentences.
- The learner fixes it and sees the result change.

Also in this folder


Download the reel or the slides as a PDF. Every game slide has a Play button.

RECORDED FROM THE WORKING BUILDS

Twenty-two interfaces, one visual language. Dense when it needs to be, never confusing.




Rule editor with a live preview of who the rule allows and denies




Before and after table that proves a fix kept business access




Flight between stations, collecting evidence on the way



"What changed" coach note, with rewind to any decision



Decision replay rebuilt from the learner's own moves




Habits, not just a score: false alarms, misses, skipped checks




Four-part score with response time kept separate



Feedback built from the simulation's own numbers





How it is scored. 40% service delivered, 40% prohibited activity denied, 20% efficiency. Two reasoning checkpoints and the final challenge are recorded separately as learning evidence.

Proved by tests. “Blanket blocking cannot earn the best result” and “backup routes preserve the access policy”, each checked on 8 seeds. 32 tests.

Depth and replay. A new seed changes the traffic order, the attacker’s address and service, and which link fails.

GAME 1 OF 8 · ISOMETRIC STRATEGY

Network Defense: Keep Finance Online

Teaches: How routes and dependencies keep a service up, how to read evidence, and how to write an access rule that stops the attacker without stopping the business.

EVIDENCE ON SCREEN

“Source 198.51.100.23 is not on any approved list and is outside the company network.” “Destination: Finance — Remote desktop admin (RDP 3389).” “Pattern: repeated sign-in attempts, each with a different username.”

AFTER A COMMON MISTAKE


“You connected Finance straight to the Gateway. Invoices reached Finance, but Finance couldn’t reach its database on the Core server, so each one failed. Services depend on other services — a path from the internet isn’t enough.”


FINAL CHALLENGE, NO HINTS

“Which single rule best fits the policy?” Answer: `DENY 203.0.113.200 → HR : Admin console`

Why it sticks. The learner watches a rule succeed or fail on live traffic, so cause and effect are remembered together.

Where it fits Ares. Fits the reserved packet-gate and network-segmentation slots. Firewall and ACL rules are listed as untapped.





How it is scored. 100 for the best response, +20 per strong cue cited, a streak bonus, and a speed bonus that only counts after a correct decision. A false alarm scores zero.

Proved by tests. Always-report, always-safe and always-verify each "stay out of the top two ratings". "Slow but correct play still earns the top rating." 53 tests.

Depth and replay. 8 messages, 32 cues. The first message is guided and untimed; later batches are shuffled per seed.

GAME 2 OF 8 · TIMED INBOX DRILL

Phishing Speed Drill: The Payroll Request

Teaches: Reading the sender, the reply-to and the real link destination, backing a call with evidence, and knowing when only a phone check can settle it.

A LOOK-ALIKE DOMAIN

`helpdesk@acme.example.it-notices.example` "A domain is read from the right. This address belongs to it-notices.example; 'acme.example' is only a label in front of it."

A GENUINE ADDRESS, STILL NOT SAFE

A bank-change request from a real colleague's address: "The address is genuine, but a matching address doesn't prove who is typing. Mailboxes get compromised."

AFTER A FALSE ALARM


"This was a real payslip notice. External mail and a generic greeting are not evidence by themselves; the domain, link, and timing all matched. False alarms slow down real work."


Why it sticks. Citing the evidence before deciding builds the habit of looking, not guessing.

Where it fits Ares. Fits the reserved phish-sprint slot. Suits awareness training for every employee, not only analysts.

Incident Triage Race: The Busy Morning

Teaches: Setting priority from evidence and business impact, linking alerts that are one incident, and revising when new facts arrive.





How it is scored. Points for the best or a defensible lane, a matching reason, revising on new evidence and correct links. Missed criticals and needless escalations cost points. Time is reported separately.

Proved by tests. “Never treats the severity tag as a valid justification.” “Rewards revising when evidence changes, not standing still.” 13 tests.

Depth and replay. 6 alerts, 29 evidence items, 2 updates over 3 rounds, with a 7-moment replay in the debrief.

TAGGED “LOW” IN THE QUEUE

A new device on an account that “approves outgoing payments”. “The quietest alert in the queue turns out to be an attacker with a working sign-in on the payments portal. Business impact, not the severity tag, sets the urgency.”

A MID-SHIFT UPDATE

“Infrastructure confirms change ticket CHG-4471: backups moved to a new offsite storage provider this morning… Nothing else in the queue is explained by it.”


A JUSTIFICATION THAT ALWAYS SCORES ZERO


“The severity tag says so.”

Why it sticks. Being wrong about the quiet alert, then seeing why, is the lesson people repeat to colleagues.

Where it fits Ares. Matches the design guide’s “Alert Triage” concept. A natural team game for workshops.

GAMEPLAY RECORDED FROM THE WORKING BUILD · QUOTES FROM THE GAME’S DATA FILE





How it is scored. Outcome 40, decisions 36, reasoning 24. “Each call is judged on what you knew at the time, not on how the case turned out.”

Proved by tests. “No single blind opening wins in both variants.” “Investigating first is not always right: delay lets the incident progress.” 13 tests.

Depth and replay. The seed decides whether it is a compromise or approved work. Practice mode can rewind to any decision.

GAME 4 OF 8 · SOC INVESTIGATION CASE

SOC Dashboard Challenge: A Strange Login

Teaches: Separating evidence that discriminates between explanations from evidence that fits both, and responding in proportion while data is leaving.

SAME OPENING, TWO POSSIBLE TRUTHS

Compromise: “OUTLOOK.EXE → WINWORD.EXE (Invoice_Q3_revised.docm) → powershell.exe -WindowStyle Hidden -EncodedCommand …” Approved work: “Task Scheduler → powershell.exe -File QuarterClose-Export.ps1”.

EVIDENCE THAT PROVES NOTHING


“A passed prompt shows that someone tapped Approve. Intruders get prompts approved too, so this fits both explanations.”

AFTER OVER-REACTING

“You had strong evidence that this was approved work and contained anyway. The business paid for an interruption the evidence did not support.”

Why it sticks. Two truths with the same opening teach that the right call comes from evidence, not from matching a familiar story.

Where it fits Ares. A step up from triage toward analyst missions, and a warm-up before a range investigation.





How it is scored. Four parts of 25 per report: evidence gathered, priority, guidance and handoff. Response time is shown but kept out of the score.

Proved by tests. "Escalating everything as high scores poorly." "Asking every question before acting is not the best run." 24 tests.

Depth and replay. 6 reports over 2 shifts, 38 questions, 24 guidance options. The second shift changes which report is benign.

GAME 5 OF 8 · DISPATCHER DESK

Cyber Dispatch: First Shift

Teaches: Asking the questions that matter, giving the safe next step before harm lands, and handing off only what the evidence confirms.

A REPORT COMES IN

"Hi! I just got an MFA prompt but I'm not signing in right now. I'm at my desk. Is this legit?" Asking reveals: "The prompt shows a Mail sign-in from Rotterdam. She is in the Lisbon office."

THE SAFE STEP, IN TIME


"Turn off Wi-Fi and unplug the network cable now. Leave the laptop switched on."


A HARMFUL STEP AND ITS CONSEQUENCE

"Reply to the email and ask them to confirm the new details." → "The sender 'confirmed' their own request, and Elena queued the payment."

Why it sticks. Recoverable harm: the learner sees the damage a bad instruction causes, then gets to put it right.

Where it fits Ares. Covers first response and handoff, part of the incident response lifecycle listed as untapped. Good for help desks.





How it is scored. Out of 1,000: correct results, evidence cards, interpretation and conclusion. A right conclusion without its evidence scores zero. Hints are counted, never deducted.

Proved by tests. “Accepts equivalent queries written differently.” “Never grants evidence for running a query.” Real SQLite runs in the tests. 31 tests.

Depth and replay. A second dataset makes the highest failure count the wrong account to follow. Guided tiles or written SQL.

GAME 6 OF 8 · SQL INVESTIGATION

Query Hunt: Unusual Access

Teaches: Filtering, aggregating and joining real log tables, reading the result correctly, and telling a suspicious observation from a confirmed conclusion.

A QUERY THE LEARNER PRODUCES

```
SELECT account_id, COUNT(*) AS attempts FROM logins WHERE result = 'failure' … GROUP BY account_id ORDER BY attempts DESC
```

WHEN THE LEARNER JUMPS AHEAD

“Repeated failed logins alone do not establish compromise: they show attempts. Which evidence shows what happened after them?”

THE DEBRIEF NAMES THE LIMITS

“The records do not show who was at the keyboard, how the password was obtained, or that data left the device.”

Why it sticks. Writing the query is retrieval practice. Being stopped from over-claiming teaches analytic discipline.

Where it fits Ares. Fits the reserved log-hunt slot. Log analysis is listed as untapped.





How it is scored. Continuity 35%, policy 30%, resources 15%, justification 20%. A failed access review marks the security objective failed whatever the score.

Proved by tests. “Adding capacity helps only where capacity is the constraint.” “Does not let a high score hide a failed security objective.” 18 tests.

Depth and replay. 3 checkpoints, 11 evidence items. Fly manually or on autopilot; flying is reported apart from the learning score.

GAME 7 OF 8 · ARCADE FLIGHT

Cloud Command: First Orbit

Teaches: Finding the real capacity constraint through a dependency, balancing availability against cost, least privilege, and who is responsible for what on IaaS.

REQUIREMENTS

“Serve at least 99% of checkout requests at the peak.” “Keep 10% headroom above the expected peak on every service in the request path.” “Cost ceiling: 120 credits for the 2-hour surge window.”

AFTER SCALING THE WRONG SERVICE


Checkout “has enough capacity, but each request calls” the Payments API, “which can serve only” 1,200 rps. More checkout instances “cannot help until” it has capacity.


LEAST PRIVILEGE

A backup account holds 7 permissions. “Reading a snapshot requires keys:use on that key. The ticket does not mention it.”

Why it sticks. The numbers in the feedback come from the simulation, so the explanation matches exactly what the learner did.

Where it fits Ares. Cloud security is listed as untapped. The arcade layer shows the same content can carry a lighter style.





How it is scored. 100 for solving, a bonus for matching the minimum number of changes, points for correct predictions, and 40 for explaining it right first time.

Proved by tests. “Never treats connectivity as authorization.” Each puzzle “cannot be solved with fewer changes than par” and “fails when access is removed for everyone”. 25 tests.

Depth and replay. 3 puzzles, 22 nodes, 13 access checks. Inspect, predict, test, change, verify, explain.

GAME 8 OF 8 · ACCESS GRAPH PUZZLE

Privilege Path Puzzle: Who Can Read Payroll

Teaches: Tracing nested groups and inherited grants to find every route to a file, then making the smallest change that closes it without breaking business access.

THE BRIEF

“An engineer opened a payroll file. Nobody remembers giving them access.” Hidden in the graph: “Added during a payroll deadline two years ago so Finance could get in quickly.”

A CHECK THE FIX MUST STILL PASS

“svc-backup · Write · Ledger — must be denied”: “A backup job copies data. It never needs to change it.”

AFTER A WRONG EXPLANATION

“Signing in is authentication: it proves who Alex is. What Alex may open is authorization, and that came from a grant.”

Why it sticks. Predict, test, then explain: the learner commits to an answer before seeing the result.

Where it fits Ares. Matches the design guide’s “IAM Auditor” concept. Identity and access is listed as untapped.

WHY PEOPLE REMEMBER IT

Each game is built on how people learn, not on points and badges.

RETRIEVAL PRACTICE

The learner produces the answer

They write the SQL, build the rule, place the alert, choose the fix. Producing an answer builds memory that reading and recognising do not.

IMMEDIATE, SPECIFIC FEEDBACK

Every mistake explains itself

Feedback names the decision and the reason, at the moment it happens. Network Defense alone has about 19 explanation templates.

SAFE FAILURE

Consequences without damage

A wrong call queues a fraudulent payment or cuts off a working laptop, in fiction. The learner sees the cost, then gets to fix it.

JUDGMENT, NOT RECALL OF FACTS

Evidence before conclusion

Inspecting never classifies for you. Weak evidence never counts as proof. A correct conclusion without its evidence scores zero in Query Hunt.

REFLECTION

A debrief that replays your decisions

Choice, observed result, why, and how it connects to the mission. Network Defense rebuilds the exact moment from the command log.

SHORT AND REPEATABLE

Five minutes, different next time

Seeds and variants change traffic, attackers, the failing link, or which report is benign, so a replay is practice and not memorisation.

One rule runs through all twenty-two: **the game score and the learning evidence are recorded separately.** As one debrief puts it, “this record is evidence, not a grade.” That is what makes the result usable for reporting.

TWENTY YEARS OF GAME CRAFT, APPLIED TO TRAINING

The hard part of a learning game is balance. I test it the way a game studio would.

If a learner can win by doing the same thing every time, the game teaches that habit. So every game has tests that prove the lazy strategy loses.

LAZY STRATEGY	WHAT THE TESTS PROVE
Block everything	“Blanket blocking cannot earn the best result”, checked on 8 seeds
Report every email	Always-report, always-safe and always-verify each “stay out of the top two ratings”
Escalate everything	“Penalizes escalating everything alarming” and “penalizes monitoring everything”
Trust the label	“Never treats the severity tag as a valid justification”
Always investigate first	“Investigating first is not always right: delay lets the incident progress”
Isolate, flag or bet on everything	Newer games too: isolate-all stays under 60, flagging everything can’t reach 100, and “certain” on everything loses
Go fast	“Slow but correct play still earns the top rating”; speed only counts after a correct decision

The first ten seconds

A guided, untimed first step in each game. The learner acts before they read a manual, the way a good game tutorial works.

An economy that forces trade-offs

Action points, analyst slots, credits and case minutes are all limited. Limited resources are what turn knowledge into decisions.

Feedback you can feel

Routes light up, tokens bounce off a rule, a service goes dark. Shape and icon back up colour, so the signal never depends on colour alone.

A reason to play again

Ratings, a clean-run target, and a variant that changes the right answer. Query Hunt’s second dataset makes the highest count the wrong account to follow.

TEST NAMES QUOTED FROM THE PROJECT’S TEST SUITES · 318 OF 318 PASSING

BUILT LIKE A PRODUCT, NOT A DEMO

These are engineered to be reviewed, tested, embedded and extended.

Content lives in one file per game

Scenarios, evidence, policy and explanations sit in a single data file, apart from the code. A content developer or SME can review and change the teaching without touching the engine.

The rules run without a browser

Each game's simulation is pure logic, separate from the screen. That is why 318 tests can check the learning rules in under two seconds.

Deterministic and replayable

The same seed and the same commands always give the same result. It powers the debrief replays, and it would let the platform verify a result on the server.

A host contract already written

Each game posts started, statement, completed and navigate messages to its host page, with an activity ID per scenario. A draft integration document describes the payloads.

SME review packs ready to sign

Four games come with a review sheet, and the fourteen newer ones with a design doc ending in an SME checklist. Each lists every objective, simplification and explanation for an expert to approve, correct or reject.

Accessible by design

Keyboard play, focus-trapped dialogs, screen-reader announcements, and reduced-motion and larger-text settings. Layouts stack for small screens.

~30,000
lines of TypeScript, including tests

22 pages
one static page per game, one build

0 servers
no backend, no range, no sign-in


AI-assisted
I design and direct, and build with AI tooling. That is how one person ships this much.

Twenty-two games beside the hub's six.

The original eight. Judgment under pressure: incomplete evidence, limited time and a business to keep running.



Network Defense
Routes, evidence, scoped access rules



Phishing Speed Drill
Sender, link and reply-to evidence



Incident Triage Race
Priority from evidence and impact



SOC Dashboard Challenge
Discriminating evidence, proportionate response



Cyber Dispatch
First response and clean handoff



Query Hunt
SQL log investigation




Cloud Command
Capacity, cost, least privilege




Privilege Path Puzzle
Groups, grants and minimal fixes

Eight more, built since. Scoping, layering, telemetry, subnets, firewall order, awareness.



Secure Stack
Physics sticker pile




Spot the Phish
Inbox with a coach



Blast Radius
Deduction puzzle




Defense in Depth
Defence planning board



Counterplay
Card duel



Bit by Bit
Gear workbench



Rule Order
Rule-ordering puzzle



Spot the Risks
Hidden-object scene

Six remixes. New twists on the six games built by the games team, each credited to its original.



Pattern Patrol
Remix of RegExile



Port Authority
Remix of Portflow



Confidence Board
Remix of Trivialoot



Chain Breaker
Remix of Cylitaire: Kill Chain



Tactic Orbit
Remix of Astro-Defense



Blind Spots
Remix of Threat Modeler

WHERE IT FITS ARES

These add to the Games Hub. They cover ground the platform has already marked as open.

The hub's six games cover ATT&CK tactics, the kill chain, regex, ports, trivia and attack paths. The design guide lists what is still uncovered, and the router holds five empty reserved slots.

OPEN IN THE DESIGN GUIDE OR ROUTER	WHAT I HAVE PLAYABLE
Reserved slot `phish-sprint`	**Phishing Speed Drill**
Reserved slot `log-hunt` · "Log Analysis / SIEM: entirely untapped"	**Query Hunt**, **Pattern Patrol**
Reserved slots `packet-gate`, `network-segmentation-sim` · "Firewall / ACL Rules: entirely untapped"	**Network Defense**, **Rule Order**, **Port Authority**
Tier 2 concept "Alert Triage"	**Incident Triage Race**, **SOC Dashboard Challenge**
"Cloud Security (IAM, exposure): entirely untapped"	**Cloud Command**, **Privilege Path Puzzle**
"Incident Response Lifecycle: entirely untapped"	**Cyber Dispatch**, **Blast Radius**, **Counterplay**, **Chain Breaker**
Awareness for all staff (not on the list)	**Secure Stack**, **Spot the Risks**, **Spot the Phish**

Different from what exists

The hub's games drill recall of frameworks. These drill judgment: what to do with incomplete evidence, limited time and a business to keep running. The two sets complement each other, and six remixes bridge them: the hub games' topics with a judgment twist.

They line up with the team's approval gate

The mechanic collapses without domain knowledge. Accuracy outranks speed. Feedback happens during play. Replay is driven by content. Explicit NICE work-role and KSA mapping is the piece still to add, with the content team.

Small integration step

The hub uses a ready, score-update, complete message flow. My games already post the equivalent events, so each needs a thin adapter, not a rewrite.

GAPS QUOTED FROM DOCS/GUIDES/MINIGAMES (README AND GAME DESIGN GUIDE)

MORE GAMES, IN ANY STYLE

Twenty-one genres so far. The method is what scales, not one look.

How a new game gets made

- **Start from the skill.** One learning objective, one decision the learner keeps getting wrong.
- **Find the mechanic that is the skill.** If you can win without the knowledge, it is the wrong mechanic.
- **Write the content as data.** Scenario, evidence, and an explanation for each mistake, in one reviewable file.
- **Prove the balance.** Tests that show the lazy strategies lose and careful play wins.
- **Hand the SME a review sheet.** Every objective and simplification, ready to approve or correct.

The shared pieces already exist: the seeded random generator, the replay log, the host messages, the accessibility helpers and the build. A new game is a data file, a simulation, a screen and a test file.

What I would build next

CONCEPT	WHY
IR Sequencer	Tier 1 in the design guide. Order the response steps under pressure.
CSF Incident Sorter	Tier 1. Route events to Identify, Protect, Detect, Respond, Recover.
ATT&CK Technique Mapper	Tier 1. Takes the hub from tactic level to technique level.
More cases for every game	New scenarios are content, not code. Query Hunt Case 02, a second phishing inbox, a harder shift.
Team modes for workshops	Head-to-head triage and dispatch for Security Immersion Workshop events, with a shared leaderboard.
Mission warm-ups	A two-minute game before a range mission that drills the one concept the mission depends on.

WHAT IT DOES FOR CIRCADENCE

Games are the cheapest way to add practice, reach and proof to the platform.

Practice that costs nothing to run

A mission allocates live virtual machines. A game is a static page. Learners can practise as often as they like without a range starting up.

A demo that runs anywhere

No sign-in and no install. A prospect can play a round in a meeting, on a booth screen, or from a link in an email, and understand what Ares teaches.

More for every licence

New games widen the catalog between major releases, and give customer admins something fresh to assign.

Content for workshops and events

Short, scored, spectator-friendly games suit Security Immersion Workshops, where dozens of people play at once from a browser.

Evidence for reporting

Each game records decisions and reasoning separately from the score. Once mapped to work roles, that feeds readiness reporting with more than a completion tick.

Ready for the Japanese market


Text is held as data, so games can be localised the same way as the platform. I have already worked on the Japanese strings across the player app.

I have not measured learner outcomes yet, and I am not claiming numbers. The first thing I would do with the team is put these in front of real learners and measure completion, replays and what they get wrong.

HONEST STATUS

They are prototypes. Here is exactly what stands between them and production.

OPEN ITEM	WHAT IT NEEDS
SME review	All content is draft. Four games have review sheets and fourteen have SME checklists; four still need one. I need a few hours of expert time per game.
Learner playtesting	None yet. Internal staff first, then a friendly customer cohort.
Framework mapping	The games do not yet name NICE work roles or KSAs. That mapping should be done with the content team so it matches the catalog.
Platform integration	The host contract is a draft that has not been agreed with the platform team. Course and mission text is mocked.
Localisation	English only today. Japanese follows SME sign-off.
Borrowed art and remixes	Network Defense reuses sprites from another developer, with their go-ahead; I would confirm in writing or replace them. The six remixes credit the games team and need its blessing before they ship.
Depth	Three games have seeded variation, two have a second variant, three have one scenario. More cases are content work.



Why I am showing you the gaps

Because closing them is the job I am asking to do. None of it is research. It is review, integration and content, and I know exactly what each game needs.

THE FIRST 90 DAYS

From twenty-two prototypes to games in the hub, with the team.

DAYS 1 TO 30

Get three in

- Agree the host contract with the platform team and write the hub adapter.
- SME review of Network Defense, Query Hunt and Cloud Command, using the sheets that exist.
- Map those three to NICE work roles and KSAs with the content team.
- Confirm or replace the borrowed art.

DAYS 31 TO 60

Test and widen

- Internal playtest. Measure completion, replays and common mistakes, then fix what confuses people.
- Review sheets and SME pass for Phishing, Triage and SOC.
- Japanese strings for the first three.
- A second case for the game learners replay most.

DAYS 61 TO 90

Finish and extend

- Dispatch and Privilege Path through review and into the hub.
- First new game from the design guide’s Tier 1 list, built with the games team.
- An authoring guide so content developers can add scenarios themselves.
- A short report on what the playtests showed.

These are targets, and they depend on SME and platform time I do not control. I would rather agree the order with you than promise a date I cannot own.

WHAT IS ALREADY ON THE TABLE

This is working software, not a proposal. Starting again would mean rebuilding five things at once.

PIECE	WHAT EXISTS TODAY	WITHOUT IT
Game design	Twenty-two games on twenty-one mechanics, each one built so it cannot be won without the knowledge	Finding a designer who knows both games and cyber training
Authored content	8 phishing messages with 32 cues, 6 alerts with 29 evidence items, 6 dispatch reports with 38 questions, 5 SQL challenges on 2 datasets, 3 access puzzles, 3 cloud checkpoints, and an explanation for every important mistake	Writer and SME time for every scenario from a blank page
Engineering	About 30,000 lines of TypeScript, twenty-one static game pages, one shared pattern	A front-end build from an empty folder
Balance and proof	318 passing tests, including the ones that prove the lazy strategies lose	Finding the exploits the hard way, with real learners
Review and integration	Four SME review packs ready to sign, and a draft host contract with an activity ID per game	Starting both conversations from nothing

Ready to show a customer

Any of the twenty-two can be demoed in a browser today. No range to start, no sign-in, nothing to install. That is a new thing to put in front of a prospect this quarter.

The rare part is the combination

Game design, UX, front-end build, and knowledge of Ares from the inside. My 89 commits in the platform cover the world map, dashboard, debrief and the HUD screens, so these games are built to sit in the product, not beside it.

One owner, low cost

This does not need a new team or new infrastructure. It needs the person who built it, some SME hours, and a small integration step.

COUNTS TAKEN FROM THE GAMES' DATA FILES, TEST SUITES AND DOCS

WAYS TO KEEP THIS GOING

I want to stay and build this with you. Here are three ways to make it work.

PREFERRED

Full time, games and learner experience

Current hours and rate

I move toward the games team. The 90-day plan runs as written, and I keep supporting the player UI I already own: world map, dashboard, debrief and the HUD screens.

REDUCED

Half time, games only

About 20 hours a week

One focus: take the games to production in priority order, then new games. The plan stretches to roughly twice the calendar time. UI work is by request.

MINIMUM

Per game, fixed scope

Agreed game by game

You pick a game. I deliver it reviewed, integrated and tested for an agreed scope. No standing commitment, and the work continues at whatever pace you choose.

What you keep

Twenty-two working games and the person who knows every rule in them. A designer with twenty years of game experience who also builds. Someone already inside the product: the world map, dashboard, debrief and 16 HUD screens are my work.

What stops without an owner

These games are not in the platform repository yet. Without someone to take them through review and integration, they stay prototypes, and the open slots in the hub stay open.

My ask: thirty minutes to play two of them with you, and a decision on which option fits. The games are ready to demo to a customer now; the only open question is who takes them the rest of the way.

RÉMI COUTURE · RCOUTURE@GMAIL.COM