

BI – Tabular Modeling VS
2013

NWCube - Microsoft Visual Studio (Administrator)

FILE EDIT VIEW PROJECT BUILD DEBUG TEAM TOOLS TEST ANALYZE WINDOW HELP

New Project... Ctrl+Shift+N
Open Web Site... Shift+Alt+N
Add to Source Control Team Project...
Add File... Ctrl+N
Close Project From Existing Code...

Month Hierarchies Year - Quarter - Month - Date
Quarter
Year
Of Quarter
Of Year
Of Year

To create a new hierarchy, drag an attribute here.

Time Periods Standard
Years
HalfYears
Quarters
Trimesters
Months
TenDays
Weeks
Days
DayOfWeek
DayOfTenDays
DayOfMonth
DayOfQuarter
DayOfTrimester
DayOfHalfYear
DayOfYear
WeekOfYear
TenDayOfMonth
TenDayOfQuarter
TenDayOfTrimester
TenDayOfHalfYear
TenDayOfYear
MonthOfTrimester
MonthOfQuarter
MonthOfHalfYear
MonthOfYear
TrimesterOfYear
QuarterOfYear
HalfYearOfYear

Solution Explorer Solution 'NWCube' (1 project)
NWCube
Data Sources
Northwind.ds
Data Source Views
Northwind.dsv
Cubes
NorthwindCube.cube
Dimensions
Orders.dim
Products.dim
Employees.dim
Time.dim
Mining Structures
Roles
Assemblies
Miscellaneous

Error List 0 Errors 0 Warnings 0 Messages
Description File Line Column Project

Output Item(s) Saved

Quick Launch (Ctrl+Q) Sign in

Solution Explorer Class View Properties NWCube Solution Properties
Misc
(Name) NWCube
Active config Development|Default
Description
Path C:\Users\Administrat...
Startup project NWCube

(Name)
The name of the solution file.

14:58 DEU 19.08.2014

NWCube - Microsoft Visual Studio (Administrator)

FILE EDIT VIEW PROJECT BUILD DEBUG TEAM TOOLS TEST ANALYZE WINDOW HELP

Quick Launch (Ctrl+Q) Sign in

SSIS Toolbox This tool window can only be used by a SQL Server Integration Services package document.

Employees.dim [Design] Orders.dim [Design] Time.dim [Design] Products.dim [Design]

Dimension Structure Attribute Relationships Translations Browser

Server Explorer Toolbox

New Project

.NET Framework 4.5 Sort by: Default

Recent

Installed

Templates

- Business Intelligence
 - Analysis Services
 - Integration Services
 - Reporting Services
- Visual Basic
- Visual C#
- Visual C++
- Visual F#
- SQL Server
- TypeScript
- JavaScript
- Python
- Other Project Types

Samples

Online

Analysis Services Multidimensional and Data Mini... Business Intelligence

Import from Server (Multidimensional and Data M...Business Intelligence

Analysis Services Tabular Project Business Intelligence

Import from PowerPivot Business Intelligence

Import from Server (Tabular) Business Intelligence

Search Installed Templates (Ctrl+E)

Type: Business Intelligence

An Analysis Services project for creating tabular models.

cube

Data Sources

Northwind.ds

Data Source Views

Northwind.dsv

Cubes

NorthwindCube.cube

Dimensions

Orders.dim

Products.dim

Employees.dim

Time.dim

Dimension Structures

Tables

Assemblies

Miscellaneous

Class View

Properties

NWCube

Development|Default

C:\Users\Administrat

Project NWCube

Name: TabularProject2

Location: c:\users\administrator\documents\visual studio 2013\Projects

Browse...

Solution: Create new solution

Solution name: TabularProject2

Create directory for solution

Add to source control



OK Cancel

(Name) The name of the solution file.

Output

14:58 DEU 19.08.2014

Windows File Explorer Internet Explorer Google Chrome Mozilla Firefox Visual Studio Powerpoint Word Excel



NWTabModel2 - Microsoft Visual Studio (Administrator)

FILE EDIT VIEW PROJECT BUILD DEBUG MODEL TABLE COLUMN TEAM TOOLS TEST ANALYZE WINDOW HELP

Import From Data Source... Select Perspective

SSIS Toolbox Model.bim

This tool window can only be used by a SQL Server Integration Services package document.

Server Explorer Toolbox

Model View Show Hidden Find Metadata ... Calculate Now Calculation Options

Solution Explorer

Search Solution Explorer (Ctrl+U) Solution 'NWTabModel2' (1 project) NWTabModel2 References Model.bim

Error List

0 Errors 0 Warnings 0 Messages Search Error List Description File Line Column Project

Output

This item does not support previewing

Project File The name of the file containing build, configuration, and other information ab...

Properties NWTabModel2 Project Properties

Misc Project File NWTabModel2.smproj Project Folder c:\users\administrator

15:09 DEU 19.08.2014

NWTabModel2 - Microsoft Visual Studio (Administrator)

FILE EDIT VIEW PROJECT BUILD DEBUG MODEL TABLE COLUMN TEAM TOOLS TEST ANALYZE WINDOW HELP

Start | Development Status | Select Perspective | Quick Launch (Ctrl+Q) | Sign in

SSIS Toolbox | Model.bim | Solution Explorer | Properties | Error List | Output

This tool window can only be used by a SQL Server Integration Services package document.

Table Import Wizard

Connect to a Data Source

You can either create a connection to a data source, or you can use one that already exists.

Relational Databases

- Microsoft SQL Server**
Create a connection to a SQL Server database. Import tables or views from the database, or data returned from a query.
- Microsoft SQL Azure**
Create a connection to a SQL Azure database. Import tables or views from the database, or data returned from a query.
- Microsoft SQL Server Parallel Data Warehouse**
Create a connection to a SQL Server Parallel Data Warehouse. Import tables or views in the database, or data returned from a query.
- Microsoft Access**
Create a connection to a Microsoft Access database. Import tables or views from the database, or data returned from a query.
- Oracle**
Create a connection to an Oracle database. Import tables or views from the database, or data returned from a query.
- Teradata**
Create a connection to a Teradata database. Import tables or views from the database, or data returned from a query.
- Sybase**
Create a connection to a Sybase database. Import tables or views from the database,

< Back | Next > | Finish | Cancel

Search Solution Explorer (Ctrl+U)

Solution 'NWTabModel2' (1 project)

NWTabModel2

- References
- Model.bim

Solution Explorer | Class View

Properties

NWTabModel2 Project Properties

Misc

Project File NWTabModel2.smprc
Project Folder c:\users\administrator

Error List

0 Errors | 0 Warnings | 0 Messages

Description | File | Line | Column | Project

Output

This item does not support previewing

15:09 DEU 19.08.2014

NWTabModel2 - Microsoft Visual Studio (Administrator)

FILE EDIT VIEW PROJECT BUILD DEBUG MODEL TABLE COLUMN TEAM TOOLS TEST ANALYZE WINDOW HELP

Start Development Select Perspective

SSIS Toolbox
This tool window can only be used by a SQL Server Integration Services package document.

Model.bim

Table Import Wizard

Connect to a Microsoft SQL Server Database
Enter the information required to connect to the Microsoft SQL Server database.

Friendly connection name: SqlServer SRV1 Northwind

Server name: SRV1

Log on to the server

Use Windows Authentication

Use SQL Server Authentication

User name:

Password:

Save my password

Database name: Northwind

Advanced Test Connection

< Back Next > Finish Cancel

Error List

0 Errors 0 Warnings 0 Messages

Description File Line Column Project

Output

Solution Explorer

Search Solution Explorer (Ctrl+U)

Solution 'NWTabModel2' (1 project)

NWTabModel2

References Model.bim

Solution Explorer Class View

Properties NWTabModel2 Project Properties

Misc Project File NWTabModel2.smprc

Project Folder c:\users\administrator

Project File
The name of the file containing build, configuration, and other information ab...

This item does not support previewing

15:10 DEU 19.08.2014

NWTabModel2 - Microsoft Visual Studio (Administrator)

FILE EDIT VIEW PROJECT BUILD DEBUG MODEL TABLE COLUMN TEAM TOOLS TEST ANALYZE WINDOW HELP

Developer Select Perspective

SSIS Toolbox
This tool window can only be used by a SQL Server Integration Services package document.

Server Explorer

Toolbox

Table Import Wizard

Impersonation Information

Specify the credentials used by the Analysis Services server to connect to the data source when importing and processing data.

Specific Windows user name and password

Connects to the data source using the credentials of the user named below.

User Name: kurs\administrator

Password: *****

Service Account

Connects to the data source using the credentials of the user running the Analysis Service server.

< Back Next > Finish Cancel

Error List

0 Errors 0 Warnings 0 Messages

Description File Line Column Project

Output

Solution Explorer

Search Solution Explorer (Ctrl+U)

Solution 'NWTabModel2' (1 project)

NWTabModel2

References

Model.bim

Solution Explorer Class View

Properties NWTabModel2 Project Properties

Misc

Project File NWTabModel2.smprc

Project Folder c:\users\administor

Project File

The name of the file containing build, configuration, and other information ab...

This item does not support previewing

15:11 DEU 19.08.2014

NWTabModel2 - Microsoft Visual Studio (Administrator)

FILE EDIT VIEW PROJECT BUILD DEBUG MODEL TABLE COLUMN TEAM TOOLS TEST ANALYZE WINDOW HELP

Start Develop Select Perspective

SSIS Toolbox This tool window can only be used by a SQL Server Integration Services package document.

Server Explorer

Toolbox

Model.bim

Table Import Wizard

Choose How to Import the Data

You can either import all of the data from tables or views that you specify, or you can write a query using SQL that specifies the data to import.

Select from a list of tables and views to choose the data to import

Write a query that will specify the data to import

< Back Next > Finish Cancel

Error List 0 Errors 0 Warnings 0 Messages

Description File Line Column Project

Search Error List

Output

Solution Explorer

Search Solution Explorer (Ctrl+U)

Solution 'NWTabModel2' (1 project)

NWTabModel2

References

Model.bim

Solution Explorer Class View

Properties NWTabModel2 Project Properties

Misc Project File NWTabModel2.smprc

Project Folder c:\users\administrator

Project File The name of the file containing build, configuration, and other information ab...

This item does not support previewing

15:11 DEU 19.08.2014

NWTabModel2 - Microsoft Visual Studio (Administrator)

FILE EDIT VIEW PROJECT BUILD DEBUG MODEL TABLE COLUMN TEAM TOOLS TEST ANALYZE WINDOW HELP

Developer Select Perspective

SSIS Toolbox

This tool window can only be used by a SQL Server Integration Services package document.

Server Explorer

Toolbox

Model.bim

Table Import Wizard

Select Tables and Views

Select the tables and views that you want to import data from.

Server: SRV1
Database: Northwind

Tables and Views:

	Source Table	Schema	Friendly Name	Filter Details
<input type="checkbox"/>	Categories	dbo		
<input type="checkbox"/>	CustomerCustomerDe...	dbo		
<input type="checkbox"/>	CustomerDemographics	dbo		
<input type="checkbox"/>	Customers	dbo		
<input type="checkbox"/>	Employees	dbo		
<input type="checkbox"/>	EmployeeTerritories	dbo		
<input checked="" type="checkbox"/>	Order Details	dbo	Order Details	
<input type="checkbox"/>	Orders	dbo		
<input type="checkbox"/>	Products	dbo		
<input type="checkbox"/>	Region	dbo		
<input type="checkbox"/>	Shippers	dbo		
<input type="checkbox"/>	Suppliers	dbo		
<input type="checkbox"/>	Territories	dbo		
<input type="checkbox"/>	Alphabetical list of pro...	dbo		

Select Related Tables Preview & Filter

< Back Next > Finish Cancel

Error List

0 Errors 0 Warnings 0 Messages

Description File Line Column Project

Output

This item does not support previewing

Solution Explorer

Search Solution Explorer (Ctrl+U)

Solution 'NWTabModel2' (1 project)

NWTabModel2

References Model.bim

Solution Explorer Class View

Properties

NWTabModel2 Project Properties

Misc

Project File NWTabModel2.smprc

Project Folder c:\users\administrator

Project File

The name of the file containing build, configuration, and other information ab...

15:12 DEU 19.08.2014

NWTabModel2 - Microsoft Visual Studio (Administrator)

FILE EDIT VIEW PROJECT BUILD DEBUG MODEL TABLE COLUMN TEAM TOOLS TEST ANALYZE WINDOW HELP

Developer Select Perspective

SSIS Toolbox This tool window can only be used by a SQL Server Integration Services package document.

Server Explorer

Toolbox

Model.bim

Table Import Wizard

Importing The import operation might take several minutes to complete. To stop the import operation, click the Stop Import button.

Success Total: 8 Cancelled: 0 Success: 8 Error: 0

Details:

Work Item	Status	Message
Categories	Success	8 rows transferred.
Customers	Success	91 rows transferred.
Employees	Success	9 rows transferred.
Order Details	Success	2.155 rows transferred.
Orders	Success	830 rows transferred.
Products	Success	77 rows transferred.
Shippers	Success	3 rows transferred.
Suppliers	Success	29 rows transferred.
Data preparation	Completed	Details

Stop Import Close

Error List 0 Errors 0 Warnings 0 Messages

Description File Line Column Project

Output

This item does not support previewing

Solution Explorer Solution 'NWTabModel2' (1 project) NWTaModel2 References Model.bim

Properties NWTaModel2 Project Properties

Misc Project File NWTaModel2.smpvc Project Folder c:\users\administrator

Project File The name of the file containing build, configuration, and other information ab...

15:13 DEU 19.08.2014

NWTAB - Microsoft Visual Studio (Administrator)

FILE EDIT VIEW PROJECT BUILD DEBUG MODEL TABLE COLUMN TEAM TOOLS TEST ANALYZE WINDOW HELP

SSIS Toolbox
This tool window can only be used by a SQL Server Integration Services package document.

Model.bim* [Customer]

- Import From Data Source...
- Analyze in Excel
- Process
- Existing Connections...
- Perspectives
- Roles...
- Model View
- Show Hidden
- Find Metadata ...
- Calculate Now
- Calculation Options

ContactTitle	Address	City	Region	PostalCode	Country	Phone			
Marketing Ma...	Sierras de...	Méxic...		05022	Mexico	(5) 555-...			
Owner	Hauptstr. 29	Bern		3012	Switzerland	0452-07...			
Sales Associate	Av. dos L...	Sao P...	SP	05432-043	Brazil	(11) 55...			
Sales Represe...	Berkeley ...	London		WX1 6LT	UK	(171) 5...			
Order Adminis...	Walserwe...	Aachen		52066	Germany	0241-03...			
Owner	67, rue d...	Nantes		44000	France	40.67.8...			
Sales Agent	35 King G...	London		WX3 6FW	UK	(171) 5...			
Sales Manager	Kirchgasse 6	Graz		8010	Austria	7675-342...			
FAMILIA	Familia Arquibaldo	Aria Cruz	Marketing Ass...	Rua Orós...	Sao P...	SP	05442-030	Brazil	(11) 55...
FISSA	FISSA Fabrica In...	Diego Roel	Accounting M...	C/Moralz...	Madrid		28034	Spain	(91) 55...
FOLIG	Folies gourmandes	Martine Rancé	Assistant Sale...	184, chau...	Lille		59000	France	20.16.1...
FOLKO	Folk och fä HB	Maria Larsson	Owner	Åkergrata...	Bräcke		S-844 67	Sweden	0695-34...
FRANK	Frankenversand	Peter Franken	Marketing Ma...	Berliner Pl...	Münc...		80805	Germany	089-087...
FRANR	France restaurat...	Carine Schmitt	Marketing Ma...	54, rue R...	Nantes		44000	France	40.32.2...
FRANS	Franchi S.p.A.	Paolo Accorti	Sales Represe...	Via Monte...	Torino		10100	Italy	011-498...
FURIB	Furia Bacalhau e ...	Lino Rodriguez	Sales Manager	Jardim da...	Lisboa		1675	Portugal	(1) 354...
GALED	Galería del gastr...	Eduardo Saave...	Marketing Ma...	Rambla d...	Barcel...		08022	Spain	(93) 20...
GODOS	Godos Cocina Típ...	José Pedro Fre...	Sales Manager	C/ Romer...	Sevilla		41101	Spain	(95) 55...
GOURL	Gourmet Landcho...	André Fonseca	Sales Associate	Av. Brasil...	Campi...	SP	04876-786	Brazil	(11) 55...
GREAL	Great Lakes Foo...	Howard Snyder	Marketing Ma...	2732 Bak...	Eugene	OR	97403	USA	(503) 5...
GROSR	GROSELLA-Rest...	Manuel Pereira	Owner	5 ^a Ave. L...	Caracas	DF	1081	Venezuela	(2) 283...
HANAR	Hanari Carnes	Mario Pontes	Accounting M...	Rua do Pa...	Rio d...	RJ	05454-876	Brazil	(21) 55...

Categories Customers Employees Order Details Orders Products Shippers Suppliers

Record: ← → 1 of 91

Error List 0 Errors 0 Warnings 0 Messages Search Error List

Description File Line Column Project

Output

Ready

Quick Launch (Ctrl+Q)

Solution Explorer Solution 'NWTAB' (1 project) NWTAB References Model.bim

Properties Customers Table Basic Connection Name SqlServer srv1 Northwind Hidden False Partitions (Click to edit) Source Data (Click to edit) Table Description Table Name Customers Reporting Properties Default Field Set (Click to edit) Table Behavior (Click to edit) Table Name The name of the table, as it is stored in the model

15:20 DEU 19.08.2014

NWTAB - Microsoft Visual Studio (Administrator)

FILE EDIT VIEW PROJECT BUILD DEBUG MODEL TABLE COLUMN TEAM TOOLS TEST ANALYZE WINDOW HELP

Start Develop Select Perspective <Default>

SSIS Toolbox
This tool window can only be used by a SQL Server Integration Services package document.

Model.bim

[CustomerID]

Custo...	CompanyName	ContactName	ContactTitle	Address	City	Region	PostalCode	Country	Phone
CENTC	Centro comercial...	Francisco Chang	Marketing Mana...	Sierras de...	Méxic...		05022	Mexico	(5) 555-...
CHOPS	Chop-suey Chinese	Yang Wang	Owner	Hauptstr. 29	Bern		3012	Switzerland	0452-07...
COMMI	Comércio Mineiro	Pedro Afonso	Sales Associate	Av. dos L...	Sao P...	SP	05432-043	Brazil	(11) 55...
CONSH	Consolidated Hol...	Elizabeth Brown	Sales Represe...	Berkeley ...	London		WX1 6LT	UK	(171) 5...
DRACD							0241-03...		
DUMON							40.67.8...		
EASTC							(171) 5...		
ERNSH							7675-342		
FAMIA							(11) 55...		
FISSA							(91) 55...		
FOLIG							20.16.1...		
FOLKO							0695-34...		
FRANK							089-087...		
FRANR							40.32.2...		
FRANS							011-498...		
FURIB							(1) 354...		
GALED							(93) 20...		
GODOS							(95) 55...		
GOURL							(11) 55...		
GREAL							(503) 5...		
GROSZ							(2) 283...		
HANAR							(21) 55...		

Role Manager

Specify the roles for the tabular project. Roles define a group of users with a set of permissions on the Analysis Services database.

Name	Permissions	Description
Berlin	Read	

New Copy Delete

Details - Berlin

Row Filters Members

Specify DAX expressions that return Boolean values. Only rows that match the specified filters are visible to users in this role.

Table	DAX Filter
Categories	
Customers	=Customers[City] = "Berlin"
Employees	
Order Details	
Orders	

OK Cancel

Error List 0 Errors 0 Warnings 0 Messages

File Line Column Project

Output Ready

Solution Explorer

Search Solution Explorer (Ctrl+U)

Solution 'NWTAB' (1 project)

NWTAB

References Model.bim

Properties

Customers Table

Basic

- Connection Name SqlServer srv1 Northwi
- Hidden False
- Partitions (Click to edit)
- Source Data (Click to edit)
- Table Description
- Table Name Customers

Reporting Properties

- Default Field Set (Click to edit)
- Table Behavior (Click to edit)

Table Name

The name of the table, as it is stored in the model

15:19 DEU 19.08.2014

NWTAB - Microsoft Visual Studio (Administrator)

FILE EDIT VIEW PROJECT BUILD DEBUG MODEL TABLE COLUMN TEAM TOOLS TEST ANALYZE WINDOW HELP

Start Develop Select Perspective <Default>

SSIS Toolbox This tool window can only be used by a SQL Server Integration Services package document.

Model.bim* [CustomerID]

CustomerID	CompanyName	ContactName	ContactTitle	Address	City	Region	PostalCode	Country	Phone
CENTC	Centro comercial... Chop-suey Chinese	Francisco Chang Yang Wang	Marketing Ma... Owner	Sierras de... Hauptstr. 29	Méxic... Bern	Lond... <td>05022</td> <td>Mexico</td> <td>(5) 555-...</td>	05022	Mexico	(5) 555-...
CHOPS	Comércio Mineiro	Pedro Afonso	Sales Associate	Av. dos L...	Sao P...	Aache...			
COMMI	Consolidated Hol...	Elizabeth Brown	Sales Represe...	Berkeley ...	Londo...				
CONSH	Drachenblut Deli...	Sven Ottlieb	Order Adminis...	Walserwe...	Aache...				
DRACD	Du monde entier	Janine Labrune	Owner	67, rue d...	Nante...				
DUMON	Eastern Connection	Ann Devon	Sales Agent	35 King G...	Londo...				
ERNSH	Ernst Handel	Roland Mendel	Sales Manager	Kirchgasse 6	Graz				
FAMIL	Familia Arquibaldo	Aria Cruz	Marketing Ass...	Rua Orós,...	Sao P...				
FISSA	FISSA Fabrica In...	Diego Roel	Accounting M...	C/ Moralz...	Madrid				
FOLIG	Folies gourmandes	Martine Rancé	Assistant Sale...	184, chau...	Lille				
FOLKO	Folk och fä HB	Maria Larsson	Owner	Åkergrata...	Bräcke...				
FRANK	Frankenversand	Peter Franken	Marketing Ma...	Berliner Pl...	Münch...				
FRANR	France restaurat...	Carine Schmitt	Marketing Ma...	54, rue R...	Nante...				
FRANS	Franchi S.p.A.	Paolo Accorti	Sales Represe...	Via Monte...	Torino...				
FURIB	Furia Bacalhau e ...	Lino Rodriguez	Sales Manager	Jardim da...	Lisboa				
GALED	Galería del gastr...	Eduardo Saave...	Marketing Ma...	Rambla d...	Barce...				
GODOS	Godos Cocina Típ...	José Pedro Fre...	Sales Manager	C/Romer...	Sevilla				
GOURL	Gourmet Lancho...	André Fonseca	Sales Associate	Av. Brasil,...	Camp...				
GREAL	Great Lakes Foo...	Howard Snyder	Marketing Ma...	2732 Bak...	Eugen...				
GROSR	GROSELLA-Rest...	Manuel Pereira	Owner	5ª Ave. L...	Carac...				
HANAR	Hanari Carnes	Mario Pontes	Accounting M...	Rua do Pa...	Rio d...				

Categories Customers Employees Order Details Orders Products Shippers Suppliers

Record: ← → 1 of 91

Error List 0 Errors 0 Warnings 0 Messages

Description File Line Column Project

Output

This item does not support previewing

Quick Launch (Ctrl+Q)

Sign in

Solution Explorer Solution 'NWTAB' (1 project)

- Build Solution Ctrl+Shift+B
- Rebuild Solution
- Deploy Solution
- Clean Solution
- Run Code Analysis on Solution Alt+F11
- Batch Build...
- Configuration Manager...
- Manage NuGet Packages for Solution...
- Enable NuGet Package Restore
- New Solution Explorer View
- Calculate Code Metrics
- Add
- Set StartUp Projects...
- Add Solution to Source Control...
- Paste Ctrl+V
- Rename
- Open Folder in File Explorer
- Properties Alt+Enter

NWTAB Solution Properties

Misc

(Name)	NWTAB
Active config	Development x86
Description	
Path	C:\Users\Administrat...
Startup project	NWTAB

(Name)
The name of the solution file.

15:46 DEU 19.08.2014

SharePoint

[DURHSUCHEN](#) [DATEIEN](#) [BIBLIOTHEK](#)

Anzeigen QuickEdit Ansicht erstellen Ansichten verwalten Kategorien und Notizen Link als E-Mail versenden Beliebteste Elemente Benachrichtigen RSS-Feed Freigaben und Verfolgen Als Datenfeed exportieren Verbindung mit Outlook herstellen Mit Office verbinden Bibliothek anpassen Bibliothikeinstellungen Einstellungen

[Start](#)
[Dokumente](#)
PowerPivot-Katalog
[Websiteinhalte](#)

Eigenes Beispiel
 Zuletzt geändert von: KURS\Administrator, Datum: 04.08.2014
 Erstellt von: KURS\Administrator

Tabelle2 **Tabelle1**

HelloWorldPicnic
 Zuletzt geändert von: KURS\Administrator, Datum: 17.07.2014
 Erstellt von: KURS\Administrator

PivotChart **Dates** **Items** **Data for PivotChart** **Quantities**

NMTAB Connection
 Zuletzt geändert von: KURS\Administrator, Datum: 24.07.2014
 Erstellt von: KURS\Administrator

http://srv1/PowerPivot/_layouts/15/adsvsetng.aspx?List=%7B84FA02ED%2D7F60%2D4E91%2

Erweiterte Einst... SQL Server Data T... PowerBI – OneDrive Download Micros...

TOP Central Administration

SharePoint Newsfeed OneDrive Websites KURS\Administrator FREIGEBEN FOLGEN

PowerPivot

Einstellungen ▷ Erweiterte Einstellungen

Start

- Dokumente
- PowerPivot-Katalog
- Websiteinhalte

Inhaltstypen

Geben Sie an, ob die Verwaltung von Inhaltstypen für 'Dokumentbibliothek' zulässig ist. Jeder Inhaltstyp wird in der neuen Schaltfläche angezeigt und kann eine bestimmte Gruppe von Spalten, Workflows und anderen Verhaltensweisen besitzen.

Dokumentvorlage

Geben Sie die Adresse einer Vorlage ein, die als Grundlage für alle Dateien verwendet werden soll, die in dieser Dokumentbibliothek neu erstellt werden. Wenn mehrere Inhaltstypen aktiviert sind, wird diese Einstellung auf der Grundlage von Inhaltstypen verwaltet. [Erfahren Sie mehr darüber, wie Sie eine Vorlage für eine Bibliothek einrichten können.](#)

Vorlagen-URL: [Textfeld]

Dokumente werden im Browser geöffnet.

Geben Sie an, ob browserfähige Dokumente standardmäßig im Client oder im Browser geöffnet werden sollen, wenn ein Benutzer auf sie klickt. Wenn die Clientanwendung nicht verfügbar ist, wird das Dokument immer im Browser geöffnet.

Standardöffnungsverhalten für browserfähige Dokumente:

- In der Clientanwendung öffnen
- Im Browser öffnen
- Serverstandardeinstellung verwenden (im Browser öffnen)

Angepasstes Ziel 'Senden an'

Geben Sie den Namen und die URL für ein angepasstes Ziel 'Senden an' ein, das als Option für diese Liste angezeigt werden

Zielname: (Zum Beispiel: Teambibliothek) [Textfeld]
URL: [Textfeld]

Windows File Explorer Internet Explorer Firefox Microsoft Word Microsoft Excel

15:49 DEU 19.08.2014



PowerPivot

Einstellungen > Listeninhaltstyp

Start

Dokumente
PowerPivot-Katalog
Websiteinhalte

Informationen zum Listeninhaltstyp

Name: BI-Semantikmodellverbindung

Beschreibung: Neue BI-Semantikmodellverbindung erstellen

Übergeordnetes Element: BI-Semantikmodellverbindung


Einstellungen

- [Name und Beschreibung](#)
- [Erweiterte Einstellungen](#)
- [Workfloweinstellungen](#)
- [Diesen Inhaltstyp löschen](#)
- [Einstellungen für die Informationsverwaltungsrichtlinie](#)
- [Einstellungen für den Dokumentinformationsbereich](#)

Spalten

Name	Typ	Status	Quelle
Name	Datei	Erforderlich	Dokument
Titel	Eine Textzeile	Optional	Element

- [Aus vorhandenen Website- oder Listenspalten hinzufügen](#)
- [Spaltenreihenfolge](#)



http://srv1/PowerPivot/PowerPivot-Katalog/Forms/Gallery.aspx

TOP Central Administration

SharePoint

DURCHSUCHEN DATEIEN BIBLIOTHEK

Auschecken Dokumentupload Neuer Ordner Dokument bearbeiten Eigenschaften anzeigen Eigenschaften bearbeiten Freigeben Benachrichtigen Beliebtheitstrends Kopie herunterladen Kopien Workflows Kategorien und Notizen

Auschecken verwerfen Verwalten Freigen und Verfolgen Workflows Kategorien und Notizen

Neues Dokument Dokumentupload Neuer Ordner Dokument bearbeiten

PowerPivot-Katalogdokument Dokument in einem PowerPivot-Katalog

BI-Semantikmodellverbindung Neue BI-Semantikmodellverbindung erstellen

PowerPivot-Katalog

Websiteinhalte

Eigenes Beispiel

Zuletzt geändert von: KURS\Administrator, Datum: 04.08.2014
Erstellt von: KURS\Administrator

Tabelle2 Tabelle1

HelloWorldPicnic

Zuletzt geändert von: KURS\Administrator, Datum: 17.07.2014
Erstellt von: KURS\Administrator

PivotChart Dates Items Data for PivotChart Quantities

NMTAB Connection

Zuletzt geändert von: KURS\Administrator, Datum: 24.07.2014
Erstellt von: KURS\Administrator

Windows File Explorer Internet Explorer Google Chrome Mozilla Firefox Microsoft Visual Studio Microsoft Project Microsoft Word Microsoft Excel

15:52 DEU 19.08.2014

http://srv1/PowerPivot/PowerPivot-Katalog/Forms/AllItems.aspx

TOP Central Administration

SharePoint

DURHSUCHEN DATEIEN BIBLIOTHEK

Newsfeed OneDrive Websites KURS\Administrator FREIGEBEN FOLGEN

PowerPivot-Katalog

Start Dokumente PowerPivot-Katalog Websiteinhalte

Eigenes_Beispiel HelloWorldPicnic NMTAB Connection Northwind_mit_Feldern NW Tab ! NEU Report1 Report2 Report3 Report4 ! NEU Neues Element hinzufügen

Geändert 04.08.2014 14:19 17.07.2014 20:57 24.07.2014 14:13 24.07.2014 12:23 19.08.2014 12:40 24.07.2014 14:06 24.07.2014 14:17 04.08.2014 14:24 19.08.2014 15:47

Geändert von KURS\Administrator KURS\Administrator KURS\Administrator KURS\Administrator KURS\Administrator KURS\Administrator KURS\Administrator KURS\Administrator KURS\Administrator KURS\Administrator

Eigenschaften anzeigen Eigenschaften bearbeiten Auschecken BI-Semantikmodellverbindung bearbeiten

BI-Semantikmodellverbindung bearbeiten Excel starten Konformitätsdetails Workflows Kopie herunterladen Freigegeben für Löschen





PowerPivot

diese website durchsuchen



AS-Linkdatei bearbeiten: NW Tab

Start

- Dokumente
- PowerPivot-Katalog
- Websiteinhalte

BI-Semantikmodellverbindung

Erstellen Sie eine Verbindung mit einem BI-Semantikmodell, das auf einem Analysis Services-Server gehostet oder in einer PowerPivot-Arbeitsmappe eingebettet ist. Nach der Erstellung können Sie die URL der BI-Semantikmodellverbindung als Datenquelle für Excel-Arbeitsmappen, Power View-Berichte oder andere Clientanwendungen, die mit BI-Semantikmodellen verbunden sind, verwenden.

Dateiname

NW Tab.bism

Beschreibung

Verbindungsinformationen

Geben Sie den Speicherort eines BI-Semantikmodells an. Bei PowerPivot-Arbeitsmappen geben Sie einen vollständige URL zu einer Arbeitsmappe ein, die in einer SharePoint-Farm mit PowerPivot für SharePoint gehostet wird. Wenn das BI-Semantikmodell direkt auf einem Analysis Services-Server gehostet wird, geben Sie den Server- und Datenbanknamen ein.

[Klicken Sie hier](#), um weitere Informationen zu dieser Seite zu erhalten.

Arbeitsmappen-URL oder Servername


srv1\tab


Datenbank (bei Verbindung mit einem Server)

NWTABMod

OK

Abbrechen





NWCube - Microsoft Visual Studio (Administrator)

FILE EDIT VIEW PROJECT BUILD DEBUG TEAM DATABASE TOOLS TEST ANALYZE WINDOW HELP

SSIS Toolbox Employee.dim [Design] Orders.dim [Design] Time.dim [Design] Products.dim [Design]

This tool window can only be used by a SQL Server Integration Services package document.

Server Explorer Toolbox

Employees.dim [Design] Orders.dim [Design] Time.dim [Design] Products.dim [Design]

Dimension Structure Attribute Relationships Translations Browser

Attributes Hierarchies Time Periods

Time
Date
Day Of Month
Day Of Quarter
Day Of Year
Month
Month Of Quarter
Month Of Year
Quarter
Quarter Of Year
Year

Year - Quarter - Month - Date

Year
Quarter
Month
Date
<new level>

To create a new hierarchy, drag an attribute here.

Time Periods
Standard
Years
HalfYears
Quarters
Trimesters
Months
TenDays
Weeks
Days
DayOfWeek
DayOff
DayOfMonth
DayOfQuarter
DayOfTrimester
DayOfHalfYear
DayOfYear
WeekOfYear
TenDayOfMonth
TenDayOfQuarter
TenDayOfTrimester
TenDayOfHalfYear
TenDayOfYear
MonthOfTrimester
MonthOfQuarter
MonthOfHalfYear
MonthOfYear
TrimesterOfYear
QuarterOfHalfYear
QuarterOfYear
HalfYearOfYear

New Dimension...
New Linked Dimension...
Sort by name
Paste

Solution Explorer Class View

Search Solution Explorer (Ctrl+U)

Solution 'NWCube' (1 project)

- NWCube
 - Data Sources
 - Northwind.ds
 - Data Source Views
 - Northwind.dsv
 - Cubes
 - NorthwindCube.cube
- Dimensions
 - Orders.dim
 - Products.dim
 - Employees.dim
 - Time.dim
- Structures
 - Roles
 - Assemblies
 - Miscellaneous

Error List

0 Errors | 0 Warnings | 0 Messages

Description File Line Column Project

Output































This item does not support previewing

Sign in

Quick Launch (Ctrl+Q)

14:55 19.08.2014 DEU

Windows Taskbar icons: File Explorer, Edge, Internet Explorer, Google Chrome, Mozilla Firefox, VS Code, Power BI, OneNote, Word, Excel.



NWCube - Microsoft Visual Studio (Administrator)

FILE EDIT VIEW PROJECT BUILD DEBUG TEAM FORMAT DATABASE DATA SOURCE VIEW DIMENSION TOOLS TEST ANALYZE WINDOW HELP

Quick Launch (Ctrl+Q) Sign in

SSIS Toolbox Northwind.dsv [Design] Products 1.dim [Design]* Employees.dim [Design] Orders.dim [Design]

This tool window can only be used by a SQL Server Integration Services package document.

Server Explorer Toolbox

Dimension Structure Attribute Relationships Translations Browser

Attributes Hierarchies Data Source View

Orders City Company Name Country Customer ID Employee ID Order ID Shipper ID

Hierarchy

- Country
- City
- Company Name
- Order ID
- <new level>

To create a new hierarchy, drag an attribute here.

Orders CustomerID OrderID EmployeeID OrderDate RequiredDate ShippedDate Freight ShipVia ShipName ShipAddress ShipCity ShipRegion ShipPostalCode ShipCountry

Customers CustomerID CompanyName ContactName ContactTitle Address City Region PostalCode Country Phone Fax

ShipperID CompanyName Phone

Error List 0 Errors 0 Warnings 0 Messages

Description File Line Column Project

Search Error List

Output

Solution Explorer

Search Solution Explorer (Ctrl+U)

Solution 'NWCube' (1 project)

- NWCube
 - Data Sources
 - Northwind.ds
 - Data Source Views
 - Northwind.dsv
 - Cubes
 - NorthwindCube.cube
 - Dimensions
 - Orders.dim
 - Products.dim
 - Employees.dim
 - Time.dim
 - Products 1.dim
 - Mining Structures
 - Roles
 - Assemblies
 - Miscellaneous

Solution Explorer Class View

Properties Hierarchy Hierarchy

AllMemberName DisplayFolder ProcessingState Unprocessed StructureType Unknown

Advanced

Basic

Misc

Name AllowDuplicateN: True

Name Specifies the name of the object.

Ready

14:53 DEU 19.08.2014

NWCube - Microsoft Visual Studio (Administrator)

FILE EDIT VIEW PROJECT BUILD DEBUG TEAM FORMAT DATABASE DATA SOURCE VIEW DIMENSION TOOLS TEST ANALYZE WINDOW HELP

Sign in

SSIS Toolbox

This tool window can only be used by a SQL Server Integration Services package document.

Server Explorer

Toolbox

Employees.dim [Design] Orders.dim [Design] Time.dim [Design] Products.dim [Design]

Dimension Structure Attribute Relationships Translations Browser

Attributes Hierarchies Data Source View

Products

- Category ID
- Category Name
- Company Name
- Product ID
- Product Name
- Supplier ID

CatProd

- Category Name
- Product Name

SupProd

- Company Name
- Product Name

To create a new hierarchy, drag an attribute here.

Products

- ProductID
- ProductName
- SupplierID
- CategoryID
- QuantityPerUnit
- UnitPrice
- UnitsInStock
- UnitsOnOrder
- ReorderLevel
- Discontinued

Categories

- CategoryID
- CategoryName
- Description
- Picture

Suppliers

- SupplierID
- CompanyName
- ContactName
- ContactTitle
- Address
- City
- Region
- PostalCode
- Country
- Phone

Error List

Output

Ready

Solution Explorer

Solution 'NWCube' (1 project)

- NWCube
 - Data Sources
 - Northwind.ds
 - Data Source Views
 - Northwind.dsv
 - Cubes
 - NorthwindCube.cube
 - Dimensions
 - Orders.dim
 - Products.dim
 - Employees.dim
 - Time.dim
 - Mining Structures
 - Roles
 - Assemblies
 - Miscellaneous

Properties

CatProd Hierarchy

AllMemberName

DisplayFolder

ProcessingState Unprocessed

StructureType Unknown

Advanced

Description

ID Hierarchy

Name CatProd

Basic

Misc

AllowDuplicateName True

Name

Specifies the name of the object.

14:54 19.08.2014 DEU

NWCube - Microsoft Visual Studio (Administrator)

FILE EDIT VIEW PROJECT BUILD DEBUG TEAM FORMAT DATABASE DATA SOURCE VIEW DIMENSION TOOLS TEST ANALYZE WINDOW HELP

Sign in

SSIS Toolbox

This tool window can only be used by a SQL Server Integration Services package document.

Server Explorer

Toolbox

Employees.dim [Design] Orders.dim [Design] Time.dim [Design] Products.dim [Design]

Dimension Structure Attribute Relationships Translations Browser

Attributes Hierarchies Data Source View

Employees Employee ID Reports To

To create a new hierarchy, drag an attribute here.

Employees

- EmployeeID
- LastName
- FirstName
- Title
- TitleOfCourt...
- BirthDate
- HireDate
- Address
- City
- Region

Error List

0 Errors 0 Warnings 0 Messages

Description File Line Column Project

Search Error List

Output

Ready

Solution Explorer

Search Solution Explorer (Ctrl+U)

Solution 'NWCube' (1 project)

- NWCube
 - Data Sources
 - Northwind.ds
 - Data Source Views
 - Northwind.dsv
 - Cubes
 - NorthwindCube.cube
 - Dimensions
 - Orders.dim
 - Products.dim
 - Employees.dim
 - Time.dim
 - Mining Structures
 - Roles
 - Assemblies
 - Miscellaneous

Solution Explorer Class View

Properties

Employee ID DimensionAttribute

DiscretizationMet None
EstimatedCount 0
IsAggregatable True
OrderBy Key
OrderByAttribute
ProcessingState Unprocessed

Basic

Description
FormatString
ID Employee ID
Name Employee ID

Name
Specifies the name of the object.

14:54 19.08.2014 DEU

NWCube - Microsoft Visual Studio (Administrator)

FILE EDIT VIEW PROJECT BUILD DEBUG TEAM DATABASE DIMENSION TOOLS TEST ANALYZE WINDOW HELP

Quick Launch (Ctrl+Q) Sign in

SSIS Toolbox This tool window can only be used by a SQL Server Integration Services package document.

Server Explorer

Toolbox

Employees.dim [Design] Orders.dim [Design] Time.dim [Design] Products.dim [Design]

Dimension Structure Attribute Relationships Translations Browser

Attributes Hierarchies Time Periods

Time Date Day Of Month Day Of Quarter Day Of Year Month Month Of Quarter Month Of Year Quarter Quarter Of Year Year

Year - Quarter - Month - Date

- Year
- Quarter
- Month
- Date

<new level>

To create a new hierarchy, drag an attribute here.

Time Periods

Standard

- Years
- HalfYears
- Quarters
- Trimesters
- Months
- TenDays
- Weeks
- Days
- DayOfWeek
- DayOftenDays
- DayOfMonth
- DayOfQuarter
- DayOfTrimester
- DayOfHalfYear
- DayOfYear
- WeekOfYear
- TenDayOfMonth
- TenDayOfQuarter
- TenDayOfTrimester
- TenDayOfHalfYear
- TenDayOfYear
- MonthOfTrimester
- MonthOfQuarter
- MonthOfHalfYear
- MonthOfYear
- TrimesterOfYear
- QuarterOfYear
- QuarterOfHalfYear
- HalfYearOfYear

Error List 0 Errors 0 Warnings 0 Messages

Description File Line Column Project

Search Error List

Output

Solution Explorer Solution 'NWCube' (1 project)

- NWCube
 - Data Sources
 - Northwind.ds
 - Data Source Views
 - Northwind.dsv
 - Cubes
 - NorthwindCube.cube
 - Dimensions
 - Orders.dim
 - Products.dim
 - Employees.dim
 - Time.dim
 - Mining Structures
 - Roles
 - Assemblies
 - Miscellaneous

Solution Explorer Class View

Properties

Time Dimension

ProcessingRecm: None ProcessingState: Unprocessed

Source: 01.01.1996 - 31.12.2

StringStoresCom: 1050 UnknownMembe: None UnknownMembe: WriteEnabled: False

Basic

Description: Time

Name: Time

Name: Specifies the name of the object.

Ready

14:54 DEU 19.08.2014

NWCube - Microsoft Visual Studio (Administrator)

FILE EDIT VIEW PROJECT BUILD DEBUG TEAM TOOLS TEST ANALYZE WINDOW HELP

Quick Launch (Ctrl+Q) Sign in

SSIS Toolbox Employees.dim [Design] Orders.dim [Design] Time.dim [Design] Products.dim [Design]

This tool window can only be used by a SQL Server Integration Services package document.

Dimension Structure Attribute Relationships Translations Browser

Attributes Hierarchies

Time Date Day Of Month Day Of Quarter Day Of Year Month Month Of Quarter Month Of Year Quarter Quarter Of Year Year

Year - Quarter - Month - Date

- Year
- Quarter
- Month
- Date
- <new level>

To create a new hierarchy, drag an attribute here.

Build Solution Ctrl+Shift+B
Rebuild Solution
Deploy Solution
Run Code Analysis on Solution Alt+F11
Batch Build...
Configuration Manager...
Manage NuGet Packages for Solution...
Enable NuGet Package Restore
New Solution Explorer View
Calculate Code Metrics
Add
Set StartUp Projects...
Add Solution to Source Control...
Paste Ctrl+V
Rename
Open Folder in File Explorer
Properties Alt+Enter

Solution Explorer Solution 'NWCube' (1 project)
NWCube
Data Sources Northwind.ds
Data Source Views Northwind.dsv
Cubes NorthwindCube.cube
Dimensions Orders.dim Products.dim Employees.dim Time.dim
Mining Structures
Roles
Assemblies
Miscellaneous

Error List 0 Errors 0 Warnings 0 Messages Search Error List

Description File Line Column Project

Output Item(s) Saved

Windows File Explorer Internet Explorer Google Chrome Mozilla Firefox Microsoft Visual Studio Microsoft Word Microsoft Excel

14:56 DEU 19.08.2014

Properties NWCube Solution Properties
Misc (Name) NWCube Active config Development|Default Description Path C:\Users\Administrat Startup project NWCube

(Name) The name of the solution file.

http://srv1/PowerPivot/_layouts/15/newsbweb.aspx

Neue SharePoint-Webs... ×

SQL Server Data Tools – B...

PowerBI – OneDrive

TOP Central Administration

SharePoint Newsfeed OneDrive Websites KURS\Administrator FREIGEBEN FOLGEN

PowerPivot

Websiteinhalte › Neue SharePoint-Website

Start Dokumente PowerPivot-Katalog Websiteinhalte

Titel und Beschreibung

Titel: Ppoint

Beschreibung:

Websiteadresse

URL-Name: http://srv1/PowerPivot/ pp

Vorlagenauswahl

Sprache auswählen: Deutsch

Vorlage auswählen:

Zusammenarbeit Enterprise Veröffentlichen

Dokumentcenter
Datenarchiv
Business Intelligence Center
Unternehmenssuchcenter
Basissuchcenter
Visio-Prozessrepository

Eine Website für die Darstellung von Business Intelligence Center-Inhalt in SharePoint.

Berechtigungen

Sie können Zugriffsberechtigungen für Ihre neue Website für dieselben Benutzer erteilen, die Zugriff auf Ihre übergeordnete Website besitzen.

Benutzerberechtigungen:

Berechtigungen wie in übergeordneter Website verwenden
 Eigene Berechtigungen verwenden

16:08 19.08.2014 DEU



PerformancePoint-Inhalt ⓘ

Start

Dokumente

Zuletzt verwendet

Auswahl Volumen

Namens

Aufgaben2014

Projekte2014

wiki

Websiteinhalte

Websiteinhalte

⊕ Neues Element

Nach Inhaltstyp

Alle Elemente

Berichte

...

Element suchen

 Bild Titel

Beschreibung

Anzeigeordner

Geändert von

Geändert

Verantwortliche Person

Version

⊖

Inhaltstyp : PerformancePoint-KPI (1)



Verkaufszahl

...



KURS\Administrator 25. Juli

2.0

⊖

Inhaltstyp : PerformancePoint-Scorecard (1)



ScoreCard

...



KURS\Administrator 25. Juli

2.0

⊖

Inhaltstyp : PerformancePoint-Bericht (3)



ProdukteNachKat

...



KURS\Administrator 25. Juli

2.0



Kunden

...



KURS\Administrator 25. Juli

2.0



Neuer Bericht *

...



KURS\Administrator Vor ungefähr einer Minute

1.0

⊖

Inhaltstyp : PerformancePoint-Filter (1)



LandFilter

...



KURS\Administrator 25. Juli

3.0

⊖

Inhaltstyp : PerformancePoint-Dashboard (1)



LandÜbersicht

...



KURS\Administrator 25. Juli

3.0



Dashboard-Designer

Inhalt
exportierenInhalt
importieren

Erstellen und bearbeiten

Inhalt exportieren Importieren

"Unbenannt" - Dashboard-Designer

Start

Dokumente

Zuletzt verwendet

Auswahl Volumen

Namens

Aufgaben2014

Projekte2014

wiki

Websiteinhalte


Websiteinhalte




Start

Bearbeiten


Erstellen




Zwischenablage



Arbeitsbereich



Element




Änderungen



Importieren

Arbeitsbereichbrowser



SharePoint

Arbeitsbereich

Datenverbindungen

Name

Datenquellenvorlage auswählen

Kategorie:

Alle

Mehrdimensional
Tabellarische Liste

Vorlage:

Analysis
ServicesAus
Excel-Arbeit...

Excel Services SharePoint-L...

SQL
Server-Tabe...

Analysis Services (Datenquelle)

Erstellt eine Datenquelle mit einer Verbindung zu Cubedaten in Microsoft SQL Server Analysis Services.

Geändert von
... KURS\Administrator
... KURS\Administrator
... KURS\Administrator

http://srv1/bi/Lists/PerformancePoint%20Content/By%20Content%20Type.aspx

PerformanceP... SQL Server Data T... PowerBI – OneDrive Homepage - Zent...

TOP Central Administration "Unbenannt" - Dashboard-Designer

SharePoint DURHSUCHEN

Zwischenablage Einfügen Ausschneiden Listen hinzufügen Eigenschaften Löschen Elemente hinzufügen Entfernen Berechtigungen Element überprüfen Umbenennen Unterschiede markieren Änderungen Elemente importieren Importieren

Arbeitsbereichbrowser <>

dsCube

Verbindungseinstellungen

Standardverbindung verwenden

Server: srv1

Datenbank: NWCube

Rollen:

Folgende Verbindung verwenden

Verbindungszeichenfolge:

Cube: NorthwindCube

Datenquelleneinstellungen

Authentifizierung:

Unbeaufsichtigtes Dienstkonto

Alle Benutzer stellen mit dem unbeaufsichtigten Dienstkonto eine Verbindung her

Eingespeichertes Konto verwenden

Alle Benutzer stellen mithilfe der Anmeldeinformationen aus der angegebenen Zielanwendung für Einmaliges Anmelden eine Verbindung her.

Anwendungs-ID: []

Benutzerspezifische ID

Den authentifizierten Benutzernamen als Wert der Eigenschaft "CustomData" der Verbindungszeichenfolge zur Verfügung stellen

Formatierungsdimension: Σ Kennzahlen

Cachelebensdauer: 10 Minuten

Details >

Verwandte KPIs

Name Verantwortliche

Verkaufszahl

Verwandte Scorecards

Name Verantwortliche

ScoreCard

Benutzer: KURS\Administrator Verbunden mit: http://srv1

This screenshot shows the SharePoint Central Administration Dashboard Designer interface. The main window displays the configuration of a data source (dsCube) for a PerformancePoint cube. The 'Editor' tab is selected. In the 'Verbindungseinstellungen' (Connection Settings) section, the 'Standardverbindung verwenden' (Use standard connection) option is selected, with 'srv1' as the server and 'NWCube' as the database. The 'Authentifizierung' (Authentication) section shows 'Unbeaufsichtigtes Dienstkonto' (Unattended service account) selected, with detailed sub-options for users to connect using their service account or a specific application ID. Other settings include a dimension for formatting and a cache lifetime of 10 minutes. To the right, there are lists for 'Verwandte KPIs' (Related KPIs) and 'Verwandte Scorecards' (Related Scorecards), both currently empty. The status bar at the bottom indicates the user is KURS\Administrator and connected to http://srv1.

BI – Tabular Modeling VS 2013.pptx - PowerPoint

FILE HOME INSERT DESIGN TRANSITIONS ANIMATIONS SLIDE SHOW REVIEW VIEW STORYBOARDING

"Unbenannt" - Dashboard-Designer

Start Bearbeiten Erstellen

Zwischenablage Arbeitsbereich Element Änderungen Importieren

Ausschneiden Listen hinzufügen Eigenschaften Löschen Elemente vergleichen Element überprüfen Unterschiede markieren Elemente importieren Kopieren Entfernen Elemente hinzufügen Aktualisieren Umbenennen

Clipboard Einfügen

Arbeitsbereichbrowser < SharePoint Arbeitsbereich

Unbenannt: Arbeitsbereich
Datenverbindungen
NWCube2
PerformancePoint-Inhalt

Name	Typ	Beschreibung	Verantwortliche P...	Geändert	Geändert von
Neu	KPI	zahl		7/25/2014 4:0...	KURS\Administrator
	Filter			7/25/2014 4:0...	KURS\Administrator
	Bericht			7/25/2014 4:2...	KURS\Administrator
	Dashboard			7/25/2014 3:4...	KURS\Administrator
	Indikator			7/25/2014 4:2...	KURS\Administrator
	Scorecard			7/25/2014 4:2...	KURS\Administrator

Einfügen Aus dem Arbeitsbereich entfernen Berechtigungen verwalten... Eigenschaften

Benutzer: KURS\Administrator Verbunden mit: http://srv1/

Click to add notes

SLIDE 34 OF 34 ENGLISH (UNITED STATES) NOTES COMMENTS

16:31 DEU 19.08.2014



Einfügen Kopieren

Elemente hinzufügen Entfernen
AktualisierenBerechtigungen
UmbenennenElement überprüfen
Unterschiede markierenElemente importieren
Änderungen Importieren

suchen



Zwischenablage

Arbeitsbereich

Element

Änderungen

Importieren

Arbeitsbereichbrowser


Entwurf

Abfrage

Eigenschaften


Unbenannt Arbeitsbereich

Datenverbindungen




dsCube


PerformancePoint-Inhalt




Kunden



LandFilter



LandÜbersicht



ProdukteNachKat



ScoreCard



Verkaufszahl

Kunden

Orders City, Orders...	Quantity
Aachen	
Drachenblut Delikate...	160
Albuquerque	
Rattlesnake Canyon G...	1383
Anchorage	
Old World Delicatess...	603
Århus	
Vaffeljernet	792
Barcelona	
Galería del gastróno...	42
Barquisimeto	
LILA-Supermercado	836
Bergamo	
Magazzini Alimentari...	433
Berlin	
Alfreds Futterkiste	174
Bern	
Chop-suey Chinese	465
Boise	

Zeilen

Orders City

Orders Company Name

Spalten

Quantity

Hintergrund

Orders Country

31

Einfügen Kopieren Entfernen Berechtigungen Element überprüfen Elemente importieren

Zwischenablage Arbeitsbereich Element Änderungen Importieren

Arbeitsbereichbrowser <> Editor Eigenschaften

Unbenannt Arbeitsbereich Datenverbindungen dsCube PerformancePoint-Inhalt Kunden LandFilter LandÜbersicht ProdukteNachKat ScoreCard Verkaufszahl

LandFilter

Filterdetails

Typ: Elementauswahl
Datenquellen: dsCube
Anzeigemethode: Mehrfachauswahlstruktur

Filter bearbeiten...

Details >

Verwandte Datenquellen

Name	Verantwo...
dsCube	

Geändert von

KURS\Administrator
KURS\Administrator

Benutzer: KURS\Administrator Verbunden mit: http://srv1

32

33

34

35

36

31

Einfügen Kopieren Entfernen Berechtigungen Element überprüfen Elemente importieren

Zwischenablage

Arbeitsbereichbrowser

Unbenannt Arbeitsbereich

Datenverbindungen

dsCube

PerformancePoint-In

Kunden

LandFilter

LandÜbersicht

ProdukteNachK

ScoreCard

Verkaufszahl

32

33

34

35

36

Filter-Editor

Datenquelle auswählen

Die Werte für den Filter werden von der Datenquelle bereitgestellt.

Datenquelle auswählen

SharePoint-Website Arbeitsbereich

Ansicht wechseln Alle erweitern Alle reduzieren

Name	Typ	Beschreibung	Verantwortl Person	Geändert	Geändert von
dsCube	Bibliothek	Analysis ...	7/25/20... KURS\Admin...		

< Zurück Weiter > Fertig stellen Abbrechen

Benutzer: KURS\Administrator Verbunden mit: http://srv1

32

Einfügen Kopieren Entfernen Berechtigungen Element überprüfen Elemente importieren

Zwischenablage

Arbeitsbereichbrowser

Unbenannt Arbeitsbereich

Datenverbindungen

dsCube

PerformancePoint-Integrations

Kunden

LandFilter

LandÜbersicht

ProdukteNachKategorie

ScoreCard

Verkaufszahl

Elemente auswählen

Wählen Sie Dimensionselemente für den Filter aus.

Datenquelle auswählen

Elemente auswählen

Anzeigemethode auswählen

Filter erstellen

Filterdimension:

Orders.Country

Dimension auswählen...

Filterelemente:

All, Untergeordneten Elemente von "All"

Elemente auswählen...

Standardelementauswahl (angegeben im Dialogfeld "Elemente auswählen"):


Filtermaßnahme:

Standardmaßnahme (Unit Price)

< Zurück Weiter > Fertig stellen Abbrechen

Datenquellen Verantwo...

Benutzer: KURS\Administrator Verbunden mit: http://srv1



Start Bearbeiten Erstellen

34

Ausschneiden
 Kopieren

Listen hinzufügen
 Entfernen

Eigenschaften
 Löschen

Element vergleichen
 Element überprüfen

Elemente hinzufügen
 Aktualisieren

Berechtigungen
 Umbenennen

Unterschiede markieren

Elemente importieren

Zwischenablage

Arbeitsbereich

Element

Änderungen

Importieren

35

Arbeitsbereichbrowser

- Unbenannt Arbeitsbereich
- Datenverbindungen
- dsCube
- PerformancePoint-Inhalt
 - Kunden
 - LandFilter
 - LandÜbersicht
 - ProdukteNachKat
 - ScoreCard
 - Verkaufszahl

Editor Eigenschaften

LandÜbersicht

Seiten

Name	Besitzer	Geändert am
Seite 1	KURS\Administrator	7/25/2014 4:04:51 PM
Seite 2	KURS\Administrator	7/25/2014 4:20:44 PM

Dashboardinhalt

Linke Spalte

LandFilter

Typ: "Filter: "Mehrfachauswahlstruktur""

Felder ablegen, um Verbindungen zu erstellen

- Verfügbarer Felder
- Anzeigebedingung
- LandFilter
- Anzeigewert
- Eindeutiger Elementname

Obere Zeile

ProdukteNachKat

Typ: "Bericht: "Analysediagramm""

- Verbindungen
- LandFilter

Untere Zeile

Kunden

Typ: "Bericht: "Analyseraster""

- Verbindungen
- LandFilter

Details

- Scorecards
 - PerformancePoint-Inhalt
 - ScoreCard
- Berichte
 - PerformancePoint-Inhalt
 - Kunden
 - ProdukteNachKat
- Filter
 - PerformancePoint-Inhalt
 - LandFilter
 - Schaltfläche "Filter anwenden"

36

37

38

39

Benutzer: KURS\Administrator Verbunden mit: http://sv1

Einfügen

Elemente hinzufügen Aktualisieren

Umbenennen

Unterschiede markieren

Elemente importieren

Zwischenablage

Arbeitsbereich

Element

Änderungen

Importieren

Arbeitsbereichbrowser <>

- Unbenannt Arbeitsbereich
- Datenverbindungen
 - dsCube
- PerformancePoint-Inhalt
 - Kunden
 - LandFilter
 - LandÜbersicht
 - ProdukteNachKat
 - ScoreCard
 - Verkaufszahl

Editor Eigenschaften

LandÜbersicht

Seiten

 Neue Seite Seite löschen Seite nach oben verschieben Seite nach unten verschieben

Name	Besitzer	Geändert am
Seite 1	KURS\Administrator	7/25/2014 4:04:51 PM
Seite 2	KURS\Administrator	7/25/2014 4:20:44 PM

Dashboardinhalt

ScoreCard

Typ: "Scorecard"

Felder ablegen, um Verbindungen zu erstellen

 Verfügbare Felder Anzeigebedingung KPI Anzeigewert KPI-ID Name Beschreibung Verantwortliche Person Zelle Anzeigewert Kontext Zeilenelement Anzeigewert Eindeutiger Elementname Spaltelement

Fügen Sie dieser Zone ein Dashboardelement hinzu, indem Sie es hier ablegen.

Details >>

- Scorecards
 - PerformancePoint-Inhalt
 - ScoreCard
- Berichte
 - PerformancePoint-Inhalt
 - Kunden
 - ProdukteNachKat
- Filter
 - PerformancePoint-Inhalt
 - LandFilter
 - Schaltfläche "Filter anwenden"

< III >

Zur Zone hinzufügen



Einfügen

Elemente hinzufügen Aktualisieren

Umbenennen

Unterschiede markieren

Elemente importieren

Start

Dokumen

Zuletzt ver

Auswa

Name

Aufga

Projek

wiki

Websiteir

Websiteir

Zwischenablage

Arbeitsbereich

Element

Änderungen

Importieren



Arbeitsbereichbrowser <>


- Unbenannt Arbeitsbereich
- Datenverbindungen
- dsCube
- PerformancePoint-Inhalt
 - Kunden
 - LandFilter
 - LandÜbersicht
 - ProdukteNachKat
 - ScoreCard
 - Verkaufszahl

Entwurf

Abfrage

Eigenschaften

ProdukteNachKat



Serie

Products Category Name

Untere Achse

Quantity

Hintergrund

Orders Country

Details >>

- Σ Kennzahlen
 - Discount
 - Order Details Count
 - Quantity
 - Unit Price
- Σ Dimensionen
 - Employees
 - Orders
 - Hierarchy
 - City
 - Company Name
 - Country
 - Customer ID
 - Order ID
 - Shipper ID
 - Products
 - CatProd
 - SupProd
 - Category ID
 - Category Name
 - Company Name
 - Product ID
 - Product Name
 - Supplier ID
 - Time
- Benannte Mengen



vo...

37

38

39

40

41

42

Einfügen Elemente hinzufügen Aktualisieren Umbenennen Unterschiede markieren Elemente importieren Importieren

Zwischenablage Arbeitsbereich Element Änderungen Importieren

Arbeitsbereichbrowser <> Editor Eigenschaften ScoreCard

ScoreCard

	Verkaufszahl	
	Ist	Ziel
Calendar 1996	9581	1000 858%
Quarter 1, 1996		1000
Quarter 2, 1996		1000
Quarter 3, 1996	3908	1000 291%
Quarter 4, 1996	5673	1000 467%
Calendar 1997	25489	1000 2,449%
Calendar 1998	16247	1000 1,525%

Details >>

- KPIs
 - PerformancePoint-Inhalt
 - Verkaufszahl
- Metriken
 - Ist
 - Ziel
- Aggregationen
 - Durchschnitt
 - Maximum
 - Minimum
 - Summe
 - Trend
- Dimensionen
 - Employees
 - Orders
 - Products
 - Time
- Eigenschaften
 - Beschreibung
 - Name
 - Verantwortliche Person
- Benannte Mengen
- Formeln festlegen
 - Benutzerdefiniert
 - Uhrzeit

Datenquelle

Einfügen

Elemente hinzufügen Aktualisieren

Umbenennen

Unterschiede markieren

Elemente importieren

Zwischenablage

Arbeitsbereich

Element

Änderungen

Importieren

Arbeitsbereichbrowser <>

- Unbenannt Arbeitsbereich
- Datenverbindungen
 - dsCube
- PerformancePoint-Inhalt
 - Kunden
 - LandFilter
 - LandÜbersicht
 - ProdukteNachKat
 - ScoreCard
 - Verkaufszahl

Editor Eigenschaften

Verkaufszahl

Istwert und Zielwerte

Neuer Istwert Neuer Zielwert X Ausgewählte Metriken löschen Vergleichen

Name	Vergleichen mit	Zahlenformat	Indikatoren	Datenzuordnungen	Berechnung
Ist		(Standard)		Quantity (dsCube)	Standard
Ziel	Ist	(Standard)	██████	"1000" (feste Wer...	Standard

Schwellenwerte

Bewertungsmuster und Indikator festlegen...

Details >>

Verwandte Scorecards

Name Verantwo...

ScoreCard

Verwandte Datenquellen

Name Verantwo...

dsCube

Verwandte Indikatoren

Name Verantwo...

Einfügen

Elemente hinzufügen

Aktualisieren

Umbenennen

Unterschiede markieren

Elemente importieren

Zwischenablage

Arbeitsbereich

Element

Änderungen

Importieren

Arbeitsbereichbrowser <>

- Unbenannt Arbeitsbereich
- Datenverbindungen
 - dsCube
- PerformancePoint-Inhalt
 - Kunden
 - LandFilter
 - LandÜbersicht
 - ProdukteNachKat
 - ScoreCard
 - Verkaufszahl

Editor

Eigenschaften

Dimensionale Datenquellenzuordnung

Kennzahl auswählen:

Quantity

Dimension auswählen:

 Neuer Dimensionsfilter Neuer Zeitintelligenzfilter X

Name	Standard

Elemente aggregieren nach:

Standard

 MDX-Tupelformel verwenden

Quelle ändern...

OK

Abbrechen

Details >

Verwandte Scorecards

Name	Verantwo...
ScoreCard	

Verwandte Datenquellen

Name

dsCube

Verwandte Indikatoren

Name

Einfügen

Elemente hinzufügen

Aktualisieren

Umbenennen

Unterschiede markieren

Elemente importieren

Zwischenablage

Arbeitsbereich

Element

Änderungen

Importieren

Arbeitsbereichbrowser <>

Editor Eigenschaften

- Unbenannt Arbeitsbereich
- Datenverbindungen
 - dsCube
- PerformancePoint-Inhalt
 - Kunden
 - LandFilter
 - LandÜbersicht
 - ProdukteNachKat
 - ScoreCard
 - Verkaufszahl

Datenquellenzuordnung mit festen Werten

Wert:

1000

Quelle ändern...

OK

Abbrechen

Details >

Verwandte Scorecards

Name	Verantwo...
ScoreCard	

Verwandte Datenquellen

Name	Verantwo...
dsCube	

Verwandte Indikatoren

Name	Verantwo...