## display command output examples

```
# remotes::install_github("hemken/statamarkdown")
library(Statamarkdown)
## Stata found at C:/Program Files/Stata18/StataMP-64.exe
## Found an existing 'profile.do'
##
## The 'stata' engine is ready to use.
library(sessioninfo)
Output for this chunk is missing
display "Hello 1"
Hello 1
Output correctly displayed with the first blank line removed
di "Hello 2"
Hello 2
Output from the first command omitted
di "Hello 3"
di "Hello 4"
Hello 3
Hello 4
Checking if these occur without the use of string quotes in the command
display 1
1
di 2
2
di 3
di 4
3
4
csi 75 82 383 366
                      Exposed Unexposed |
                                                   Total
                           75
                                       82 |
                                                     157
           Cases |
        Noncases |
                          383
                                      366 |
                                                     749
```

906

448

Total |

458

```
Risk | .1637555 .1830357 | .1732892
                 Point estimate | [95% conf. interval]
                 |-----
                      -.0192803 | -.0685832 .0300227

.894664 | .6729425 1.189438

.105336 | -.1894383 .3270575

.0532493 |
 Risk difference |
     Risk ratio |
Prev. frac. ex. |
Prev. frac. pop |
                                chi2(1) = 0.59 \text{ Pr>} chi2 = 0.4433
csi 75 82 383 366
                | Exposed Unexposed | Total
                 -+----
                         75
                                      82 |
           Cases |
                                                     157
       Cases | 75 82 |
Noncases | 383 366 |
                                                     749
           Total |
                                 448 |
                         458
            Risk | .1637555 .1830357 | .1732892
                       Point estimate | [95% conf. interval]
                  |-----
Risk difference | -.0192803 | -.0685832 .0300227

Risk ratio | .894664 | .6729425 1.189438

Prev. frac. ex. | .105336 | -.1894383 .3270575
Prev. frac. pop |
                           .0532493
                                           chi2(1) = 0.59 \text{ Pr>} chi2 = 0.4433
sessioninfo::session info()
- Session info ------
 setting value
version R version 4.4.2 (2024-10-31 ucrt)
 os Windows 11 x64 (build 26100)
 system x86_64, mingw32
     RTerm
ui
 language (EN)
 collate English_United Kingdom.utf8
 ctype English_United Kingdom.utf8
tz Europe/London date 2024-12-22
          3.2 @ C:/Program Files/RStudio/resources/app/bin/quarto/bin/tools/ (via rmarkdown)
- Packages -----
 cli
                3.6.3 2024-06-21 [1] CRAN (R 4.4.1)
digest 0.6.37 2024-06-21 [1] CRAN (R 4.4.1) evaluate 1.0.1 2024-10-10 [1] CRAN (R 4.4.1) fastmap 1.2.0 2024-05-15 [1] CRAN (R 4.4.0) htmltools 0.5.8.1 2024-04-04 [1] CRAN (R 4.4.0) knitr 1.49 2024-11-08 [1] CRAN (R 4.4.2) rlang 1.1.4 2024-06-04 [1] CRAN (R 4.4.0) rmarkdown 2.29 2024-11-04 [1] CRAN (R 4.4.2) rstudioapi 0.17.1 2024-10-22 [1] CRAN (R 4.4.1)
 sessioninfo * 1.2.2 2021-12-06 [1] CRAN (R 4.4.0)
Statamarkdown * 0.9.2 2023-12-04 [1] CRAN (R 4.4.0) tinytex 0.54 2024-11-01 [1] CRAN (R 4.4.2)
```

xfun 0.49 2024-10-31 [1] CRAN (R 4.4.1) yaml 2.3.10 2024-07-26 [1] CRAN (R 4.4.1)

[1] C:/Users/tom/AppData/Local/R/win-library/4.4

[2] C:/Program Files/R/R-4.4.2/library

\_\_\_\_\_\_