

AYUSHMAN BHARAT DIGITAL MISSION

Healthcare Professionals Registry (HPR)

Logout, Id_Card, Account/Profile

Document API

Table of Contents

1. HPRID Session API
2. Login Api
3. HPRID Logout Api
4. HPRID ID Card Api
5. HPRID Account/Profile Api

Terminology:

ABDM - Ayushman Bharat Digital Mission

Authorization token -To obtain, the HPR can call 'sessions API' along with the received ClientID and Client Secret. Same must be used in header for other APIs.

Client ID -Post internal approval, Integrator will receive Client ID to access ABDM APIs

Client Secret -Post internal approval, Integrator will receive Client Secret to access ABDM APIs

HPRID—Healthcare professional ID

2. HPRID Gateway Token –

Users need to upload document to their HPR profiles via upload documents APIs.

Add the accessToken received from the **HPRID Gateway Token** API for authorization and add the token as hpr_token from HPRID Login api.

Once you have the HPR Id and the password is set, head to the swagger page of HPR Id <https://apihspsbx.abdm.gov.in/v4/int/swagger-ui/index.html?urls.primaryName=HPID>

Expand the “Authentication” tab and select “/v1/auth/authPassword” API. Please fill in the request body and execute this API. Save the “token” returned in the response as it will be used in header of HPIDs API.

HPRID Login API

Users can get HPR Token in three ways.

- i. Login Via Password API or
- ii. Login Via Mobile OTP API or
- iii. Login Via Aadhar OTP API

Users can get HPR token by choosing any given option

i. Login Via Password

Users need to input HPR id and password to get HPR token.

Add the accessToken received from the **HPRID Gateway Token** API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://apihspsbx.abdm.gov.in/v4/int/api/v1/auth/authPassword
Request Body	<pre>{ "idType": "hpr_id", "domainName": "@hpr.abdm", "hprId": "kapilku*****aswat@hpr.abdm", "password": "K@pil&&&&2" }</pre>

Sample Response
{

```

    "token": "eyJhbGciOiJSUzUxMiJpYWRvdGFuZ3FwVWVqaLaE_3FNwvK1Tu8LUuP5rKs27ssssssadassssssssssssssssssZfq-
HToaqcaV9O3ztFE9b4mPulaC3hxUHYLV82bys8roYfv5ICcbqkp4xsBBuWrRQAsrQii7Rk-SsssssssssssssssoR-
wfpAJ9uE8Ap_51Ww0ZTTEZ89Cv1um2p3DaM87jm02TiFLCFb26UitRdRK5H-pj8dHyeXNXO8M6Nt-g",
    "expiresIn": 1739713114,
    "refreshToken": null,
    "refreshExpiresIn": 0
}

```

ii. Login Via Mobile OTP

Users need to follow the following steps to get HPR token

1	Send OTP
2	Get Public Certificate
3	HPRID Verify OTP
4	Login with HPRID

1. Send OTP

Add the accessToken received from the **HPRID Gateway Token** API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://apihspsbx.abdm.gov.in/v4/int/api/v2/auth/loginViaMobileSendOTP
Request Body	<pre> { "mobile": "9900005000" } </pre>
Sample Response	<pre> { "txnId": "061c660d-8752-4639-945d-e77a7ea6f564", "mobileNumber": null } </pre>

2. Get Public Certificate

Users need to get public certificate to encrypt the OTP.

Method	Get
URL	https://apihspsbx.abdm.gov.in/v4/int/api/v1/auth/cert

Response Body

```
-----BEGIN PUBLIC KEY-----
MIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEA6avEoNMbZDts7RHc1SihYeLvGPYV76mh2ncU2FAyCkK3ubE/7
UE2HkimL4ftAqFN3fcKv8430oV3gAuvrk/5sIOoG8NOMrVflnakdFZyDae66MHVuc1Rzrv8fKDRFRz8UTa1S2xZ9uXRCieQC
eBxeHmDtgcyGDfQzqcTOLGCpU6tLWda/QhW7zeUpowglBknhlf2nf916lsM1fWnO7qVUBh6E3PXoLrW4NtvOwEMh3V6
2BNGzNmW3u8hxdp+uSe3Us/t4WFJRUQRnAhO5IDAzojqkWYHkYZTDvidLBvfoX7ZbBPz03u42AOm/uDu4gG/oYqeB5zX
e7qJ1ecLu5QIDAQAB
-----END PUBLIC KEY-----
```

3. HPRID verify OTP

After receiving public certificate user needs to encrypt OTP with the public key using RSA Encryption Algo RS512. RSA Encryption to encrypt the data. Cipher Type - RSA/ECB/PKCS1Padding. online tool to encrypt data [click here](#)

Add the accessToken received from the **HPRID Gateway Token** API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://apihspsbx.abdm.gov.in/v4/int/api/v2/auth/loginViaMobileSendOTP
Request Body	<pre>{ "otp": "1W/rIffFrI/wOeGmI7BhfAGu20To1EQ7HowREwXVlKKMDUfI/VIQoHs9ocbw + ", "txnId": "fc6d879c-e535-4ff1-9443-5dc6031efcc1" }</pre>

Sample Response

```
{
  "txnId": "fc6d879c-e535-4ff1-9443-5dc6031efcc1",
  "mobileLinkedHpIdDTO": [
    {
      "hprIdNumber": "***-****-0326-3829",
      "name": "Test",
      "hprId": "*****@hpr.abdm"
    }
  ]
}
```

3. Login with HPRID

Add the accessToken received from the **HPRID Gateway Token** API for authorization.

Key: Authorization

Method	Post
URL	https://apihpsbx.abdm.gov.in/v4/int/api/v2/auth/login/userAuthorizedToken
Request Body	<pre>{ "hpId": "71-6347-4142-2778", "txnId": "9d130a33-5a9a-4cea-8e47-f9d1b8916329" }</pre>
Response Body	<pre>{ "token": "eyJhbGciOiJSUzUxMiJ9.eyJocHJJE51bWJlciI6IjcxLTZyNDctNDE0Mi0yNzc4IiwibW9iaWxlIjoioiOTk1MzkwNTg2MCIscImhwcklkIjoia2FwaWxrdWlhcncmFzd2F0QGhwci5hYmRtIiwic3ViIjoianZlbnRtNm0Ny_PUxzHXOUz-moB_M22WNoUyI2i7brcoSp2Zf_ttuCMi-jaDNJVwNqUnXnJzt3MRezdZuYdv6cTsqmqzV4LgijTQ_mshaPYUx7GvLsCszZLgaBCWrl-KFGps85rWgnNNFa6JXExplUjAms-Im2UxxB0LbZ0vPddXIKh3JWg", "expiresIn": 1739456384, "refreshToken": null, "refreshExpiresIn": null }</pre>

For login via Aadhar OTP you need to follow the following steps.

1	Send OTP
2	Verify OTP

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://apihpsbx.abdm.gov.in/v4/int/api/v1/auth/init
Request Body	<pre>{ "idType": "hpr_id", "domainName": "@hpr.abdm", "authMethod": "AADHAAR OTP", "hprId": "71-6347-4142-2778" }</pre>

Sample Response
<pre>{ "txnId": "061c660d-*****-e77a7ea6f564", "mobileNumber": null }</pre>

2. Verify OTP

Users need to input otp and txnId from above API Send Aadhar OTP.

Add the accessToken received from the **HPRID Gateway Token** API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://apihpsbx.abdm.gov.in/v4/int/api/v1/auth/confirmWithAadhaarOtp
Request Body	<pre>{ "otp": "350991", "txnId": "d4f16edb-2f69-4032-8803-bb6a8fc6e01c" }</pre>

Sample Response
<pre>{ "token": "eyJhbGciOiJSUzUxMiJ9pdcGj5g20EZ-fnOsZ7hVoCrk8cJLe02f3BDuVm_ks7YATADPJ71LYsfC-4Zk77BywdpXzVKBHqypYugElsAxaY2wu9rw2wwSqIAge6xEwAKe7fpQnNQzLLFZ97tHM50lsqzwW2WaQYTXhMsxxEs7su0QoUhWT1UOuK6R_corac1-G00LqhBIimWx9_-A5uaAVwoFP81fLm15OLs8CI7nuA8siqpCtnOt0ZYpVGbIEdyYrswieuyRg", "expiresIn": 1739715555, "refreshToken": null, "refreshExpiresIn": null }</pre>

3. HPRID Logout Api –

Use this api to log out the profile.

Note: Use the login api to get the Authorization api to get the access token.

Key: Authorization

Value: <Your Access Token goes here>

Method	Get
URL	https://apihpsbx.abdm.gov.in/v4/int/v4/auth/logout

Response Body

```
User Profile LoggedOut Successfully!!
```

4. HPRID Id Card Api –

Use this api to get Id Card when user is admin verified.

Note: Use the login api to get the Authorization api to get the access token.

Key: Authorization

Value: <Your Access Token goes here>

Method	Get
URL	https://apihspsbx.abdm.gov.in/v4/int/v1/account/getIdCard

Response Body

```
{
  "pdf":
  "iVBORw0KGgoAAAANSUheUgAABi8AAATiCAIAAABNyeFBAACAAE1EQVR4Xuy9d3gcy3bY+f7XJUHexEwip0EGSIIGCRI5EDnnR
DAi50wQiSRIAMw5k5c3PUnPtj5lWdHyWvauJXklWw6Svnxk2fJaetZqvZK99tPW0ae6urqqJwAYEOC95Pf75hv0VPc0J1RX/ea
cU9/50+3fP/8XfzC7+LS8ZfhIbmtOYtkOR7aP//HNfoxjzvBBNvsmMzZZ+cD3GOB3/AO/1A/8UgH/1A8C0j4ISP8gMOODwMwPA
rM2BWVtDs72Cc3dEnZiqyN/q6OA2OI08CEigC2RhQwfK5sjChREy5VBz6WwJaKQ8WfK0UeRrR9HFrPbrRHFm8OLNoUXb4oo3Rx
dsSWu5sODjR8fObUt5fyO9M4dGV07Mrt3ZlnYkdm1LuzM7N6V3bPvxEBQ8UR4xYyji6iCnBUzirQdnqItQwrnw4tmyLYfb390
sJOj51VcMlkUPGFwKKJ1cCOEFiyGVxyIbB4LKBolGD3g0rGg0snQssnwyunHFXTedUzETWzEbWao3ZGEF4zDVRPh1UBoZVTjJC
Ki4zg8kmZoLILOnKDECR0dYSUXZDRGwjCKi4K1EfLJsPKJsPLlJrKLrLbMPxT4iL7PLC3ILxql1FzyVF7OaL+CsOBhNddCePMM
8Lr5h118xFlV1dMZP216IaF2KbF+Oal+BYgrnnRu8Q2LQj0Rxn0vMgisuCMuOZrFpquAo3zcQ1XYjmX2W1cw9X4xoWExsWEJk5
802KcdBqMmMZrjGhB07Xo5msxzQuXLQt4u7T/zO3EtgdJnU+OdD872vMiufel4Fjfq+P9rxkpA58xUgff6NBD1Iy116GHBMpDb
N+0oc8zRr7MHP0qe+xr7zD6ddaIDWy7ibrXV8iXEl9kj33ujKzRN4zMkc8yhl+nD71KG3yZ0v/8WO/T5J4nR7oeHe58mNTx4FD
7/UPt7PZBYvvDxPZHie2PXXCo44kL9PaeoB9nxSR1PtXRmynYnhLteLdtYcKZuzHN19kXk76eAuWb66id9wT9K78s6KmJGhbWH
fmLELDt0lFobwMgxzvUjX8CYOejxrEnvS7CkWRoldktUEPdKH8HY8zFMsTLNVgZtbH/dTjVJirzziLfan2Wb7eOS9996T07/99
ttqitYFUNQopfwdO3ZUVgFX8Ji/CXJsncfHEET3x27+jsJq1DkJBmHweGSGqbDrOMqFcdzvaIskMWWp7JZHALZnyWfZOVMO4kW
WfIGC7Uml/jWdgwimK4Ndx4FXveobwM8tJqFD6gD/HOrQu06gKCHNPBOOmkk0rsGIUn+8lPftIsX/iH980335yHlilbVrhSRjD
jicB73/teu8Tk5BZbbMGjRxxxhH3M0ZgkdkMSJxTILPhn1FNPlWKWkAQ+9KEPydEzzjiJCohi8JsZ35cUq+SQQw6Ro6gEMwAmB
FgE51gZzGYS5dl2280a4dWpUT/96U95Cnx4cUThY8s2mvF4fHBwcES3T1UcvdiTp3ABV5lUpEa9+OKLJ598spQHb3/727PZrF3
O4Otf/7pZ/thjj8XPil3I4Omnn5ZcbEucmaf0Mro//OEPRvVLDj30UPy62YXy4Jf00ksvNQWyyw8/vHxTq1qNAl/+8pf13CWOb
DSdxEYee+wxMypqgw02ePjhh+1CDtWpUfilNddarlixAJoyXUhrFEVR5j+qRk2B7z3wkeAKerle+uAAID8qFEAAAAA5EeNagAA
ACA/ahQAAAAA+VGjAAAAAMiPGgUAAABAftQoAAAAAPKjRgEAAACQHhUKAAAAAgPyoUQAAAAADkR40CAAAAD9qFAAAAAAD5UaMAAA
AAyI8aBQAAAEb+1CgAAAAA8qNGAQAQAAJAFnQoAAACA/KhRAAAAAAORHjQIAAAAgP2oUAAAAAP1RowAAAAADijxoFAAAAAQH7UKAAA
AADyo0YBAAAAk8B1CgAAAI8qFEAAAAA5EeNagAAACA/ahQAAAAA+VGjAAAAAMiPGgUAAABAftQoAAAAAPKjRgEAAACQHhUKAAA
AAgPyoUQAAAAADkR40CAAAAD9qFAAAAAAD5UaMAAAAAyI8aBQAAAEb+1CgAAAAA8qNGAQAQAAJAFnQoAAACA/KhRAAAAAAORHjQIA
AAAgP2oUAAAAAP1RowAAAAADijxoFAAAAAQH7UKAAAAADyo0YBAAAAk8B1CgAAAI8qFEAAAAA5EeNagAAACA/ahQAAAAA+VGjAA
AAAMiPGgUAAABAftQoAAAAAPKjRgEAAACQHhUKAAAAAgPz8HyYcQwGA08AAAAAE1FTkSuQmCC"
```

5. HPRID Account/profile Api –

This api is used to get the users personal information.

Add the accessToken received from the **HPRID Token** API for authorization.

Key: Authorization

Value: <Your Access Token goes here>

Method	Get
URL	https://apihspbx.abdm.gov.in/v4/int/v1/account/information

Sample Response:

```
{
  "hprIdNumber": "71-6*****-2778",
  "hprId": "kaxxxxxx@hpr.abdm",
  "mobile": "99539xxxx",
  "firstName": "First_name",
  "middleName": "Kumar",
  "lastName": "LastName",
  "name": "Full name",
  "yearOfBirth": "1934",
  "dayOfBirth": "1",
  "monthOfBirth": "2",
  "gender": "M",
  "email": "kapxxxxxx@gmail.com",
  "profilePhoto": "/9j/4AAQSkZJRgABAgAAQABAAD/2wBDAAgGBgcGBQgHBwcJCQgKDBQNDAsLDBkSEw8UHRofHh0aHBwgJC4nICslxwcK-
DcpLDAXNDQ0Hyc5PTgyPC4zNDL/2wBDAQkJCQwLDBgNDRgyIRwhMjlyMjlyMjlyMjlyMjlyMjlyMjlyMjlyMjlyMjlyMjlyMjlyMjlyMjly-
yMjlyMjlyMjlyMjlyMjlyMjlyMjlyLWAAARCAIAKADASIAAhEBAxEB/8QAHwAAAQUBAQEBAQEAAAAAAAAAAAECAwQFBgcICQoL/
+3OPWse8S2u7f91IWnC+ZuDenUdf84ooqolaC4CWsQ2XFy7YGDuzjPQE4qW0u3keNPMMSbZEbFcEMOSD+FFFWM//Z",
  "stateCode": "35",
  "districtCode": "638",
  "subDistrictCode": null,
  "villageCode": null,
  "townCode": null,
  "wardCode": null,
  "pincode": "202138",
  "address": " MO.MALIPURA WARD 18 KASBA KHAIR DISTRICT KHAIR Khair Khair",
  "kycPhoto": "/9j/4AAQSkZJRgABAgAAQABAAD/2wBDAAgGBgcGBQgHBwcJCQgKDBQNDAsLDBkSEw8UHRofHh0aHBwgJC4nICslxwcK-
DcpLDAXNDQ0Hyc5PTgyPC4zNDL/+3OPWse8S2u7f91IWnC+ZuDenUdf84ooqolaC4CWsQ2XFy7YGDuzjPQE4qW0u3keNPMMSbZEb-
FcEMOSD+FFFWM//Z",
  "stateName": "ANDAMAN AND NICOBAR ISLANDS",
  "districtName": "",
  "subdistrictName": null,
  "villageName": "Khair",
  "townName": "Khair",
  "wardName": null,
  "authMethods": [
```

```
"AADHAAR_BIO",
"DEMOGRAPHICS",
"PASSWORD",
"MOBILE_OTP",
"AADHAAR_OTP"
],
"kycVerified": true,
"verificationType": null,
"verificationStatus": "false",
"categoryId": 1,
"categoryName": "Doctor",
"categorySubId": 1,
"categorySubName": "Modern Medicine ",
"emailVerified": false,
"categories": null,
"new": false
}
```