

AYUSHMAN BHARAT DIGITAL MISSION

Healthcare Professionals Registry (HPR)

Update Password Document API

Table of Contents

1. HPRID Session API
2. Login Api
3. Password Update Api

Terminology:

ABDM - Ayushman Bharat Digital Mission

Authorization token -To obtain, the HPR can call 'sessions API' along with the received ClientID and Client Secret. Same must be used in header for other APIs.

Client ID -Post internal approval, Integrator will receive Client ID to access ABDM APIs

Client Secret -Post internal approval, Integrator will receive Client Secret to access ABDM APIs

HPRID—Healthcare professional ID

2. HPRID Gateway Token –

Users need to upload document to their HPR profiles via upload documents APIs.

Add the accessToken received from the **HPRID Gateway Token** API for authorization and add the token as hpr_token from HPRID Login api.

HPRID Login API

Users can get HPR Token in three ways.

- i. Login Via Password API or
- ii. Login Via Mobile OTP API or
- iii. Login Via Aadhar OTP API

Users can get HPR token by choosing any given option

i. Login Via Password

Users need to input HPR id and password to get HPR token.

Add the accessToken received from the **HPRID Gateway Token** API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://apihspsbx.abdm.gov.in/v4/int/api/v1/auth/authPassword
Request Body	<pre>{ "idType": "hpr_id", "domainName": "@hpr.abdm", "hprId": "kapilku****aswat@hpr.abdm", "password": "K@pil&&&2" }</pre>

Sample Response

```
{
  "token": "eyJhbGciOiJSUzUxMiJajVWwVqaLaE_3FNwvK1Tu8LUuP5rKs27ssssssadassssssssssssssssssZfq-
HToaqcaV9O3ztFE9b4mPulaC3hxUHYLV82bys8roYfv5ICcbqkp4xsBBuWrRQAsrQii7Rk-SsssssssssssssoR-
wfpAJ9uE8Ap_51Ww0ZTTEZ89Cv1um2p3DaM87jm02TiFLCFb26UitRdRK5H-pj8dHyeXNXO8M6Nt-g",
  "expiresIn": 1739713114,
  "refreshToken": null,
  "refreshExpiresIn": 0
}
```

ii. Login Via Mobile OTP

Users need to follow the following steps to get HPR token

1	Send OTP
2	Get Public Certificate
3	HPRID Verify OTP
4	Login with HPRIID

1. Send OTP

Add the accessToken received from the **HPRID Gateway Token** API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://apihpsbx.abdm.gov.in/v4/int/api/v2/auth/loginViaMobileSendOTP
Request Body	{ "mobile": "9900005000" }
Sample Response	
{ "txnId": "061c660d-8752-4639-945d-e77a7ea6f564", "mobileNumber": null }	

2. Get Public Certificate

Users need to get public certificate to encrypt the OTP.

Method	Get
URL	https://apihpsbx.abdm.gov.in/v4/int/api/v1/auth/cert

Response Body
-----BEGIN PUBLIC KEY----- MIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEA6avEoNMbZDtjs7RHc1SihYeLvGPYV76mh2ncU2FAyCkK3ubE/7 UE2HkimL4ftAqFN3fcKv8430oV3gAuvrk/5sIOoG8NOMrVflnakdFZyDae66MHVuc1Rzrv8fKDRFRz8UTa1S2xZ9uXRCieQC eBxeHmDtgcyGDfQzqcTOLGCPu6tLWda/QhW7zeUpowglBknhlf2nf916lsM1fWnO7qVUBh6E3PXoLrW4NtvOwEMh3V6 2BNGzNmW3u8hxdp+uSe3Us/t4WFJRURnAhO5IDAzojqkWYHkYZTDvidLBvfoX7ZbBPz03u42AOm/uDu4gG/oYqeB5zX e7qj1ecLu5QIDAQAB -----END PUBLIC KEY-----

3. HPRID verify OTP

After receiving public certificate user needs to encrypt OTP with the public key using RSA Encryption Algo RS512. RSA Encryption to encrypt the data. Cipher Type - RSA/ECB/PKCS1Padding. online tool to encrypt data [click here](#)

Add the accessToken received from the **HPRID Gateway Token** API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://apihpsbx.abdm.gov.in/v4/int/api/v2/auth/loginViaMobileSendOTP
Request Body	<pre>{ "otp": "1W/rIffFrI/wOeGmI7BhfAGu20To1EQ7HowREwXVlKKMDUfI/VIQoHs9ocbw + ", "txnId": "fc6d879c-e535-4ff1-9443-5dc6031efcc1" }</pre>

Sample Response

```
{
  "txnId": "fc6d879c-e535-4ff1-9443-5dc6031efcc1",
  "mobileLinkedHpIdDTO": [
    {
      "hprIdNumber": "***-****-0326-3829",
      "name": "Test",
      "hprId": "*****@hpr.abdm"
    }
  ]
}
```

3. Login with HPRID

Users need to pass hprIdNumber and txnId received in the **HPRID verify OTP** Api.

Add the accessToken received from the **HPRID Gateway Token** API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://apihspsbx.abdm.gov.in/v4/int/api/v2/auth/login/userAuthorizedToken
Request Body	<pre>{ "hpId": "71-6347-4142-2778", "txnId": "9d130a33-5a9a-4cea-8e47-f9d1b8916329" }</pre>
Response Body	<pre>{ "token": "eyJhbGciOiJSUzUxMiJ9.eyJocHJJE51bWJlciI6IjcxLTYzNDctNDE0Mi0yNzc4IiwibW9iaWx1Ii-joiOTk1MzkwNTg2MCI6ImhwcklkIjoia2FwaWxrdW1hcnNhcmFzd2F0QGhwci5hYmRtIiwic3ViIjoiaNzEtNjM0Ny_PUxzHX0Uz-moB_M22WNoUyI2i7brcoSp2Zf_ttuCMI-jadNJVwNqUnXnJzt3MRezdZuYdv6cTsqmzV4LgijTQ_mshaPYUx7GvLsCszZLgaBCWrl-KFgps85rWgnNNFa6JXExp1UjAms-Im2UxxB0LbZ0vPddXIKh3JWg", "expiresIn": 1739456384, "refreshToken": null, "refreshExpiresIn": null }</pre>

iii. Login Via Aadhar

For login via Aadhar OTP you need to follow the following steps.

1	Send OTP
2	Verify OTP

1. Send OTP

Add the accessToken received from the **HPRID Gateway Token** API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://apihspsbx.abdm.gov.in/v4/int/api/v1/auth/init
Request Body	<pre>{ "idType": "hpr_id", "domainName": "@hpr.abdm", "authMethod": "AADHAAR OTP", "hprId": "71-6347-4142-2778" }</pre>

Sample Response
<pre>{ "txnId": "061c660d-*****-e77a7ea6f564", "mobileNumber": null }</pre>

2. Verify OTP

Users need to input otp and txnId from above API Send Aadhar OTP.

Add the accessToken received from the **HPRID Gateway Token** API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://apihspsbx.abdm.gov.in/v4/int/api/v1/auth/confirmWithAadhaarOtp
Request Body	<pre>{ "otp": "350991", "txnId": "d4f16edb-2f69-4032-8803-bb6a8fc6e01c" }</pre>

Sample Response
<pre>{ "token": "eyJhbGciOiJSUzUxMiJ9pdcGj5g20EZ-fnOsZ7hVoCrk8cJLe02f3BDuVm_ks7YATADPJ7lLYsfC-4Zk77BywdpXzVKBHqypYugElsAxaY2wu9rw2wwSqIAge6xEwAKe7fpQnNQzLLFZ97tHM50lsqzww2WaQYTXhMsxxEs7su0QoUhWT1UOuK6R_corac1-G00LqhBIimWx9_-A5uaAVwoFP81fLm15OLs8CI7nuA8siqpCtnOt0ZYpVGbIEdyYrswieuyRg", "expiresIn": 1739715555, "refreshToken": null, "refreshExpiresIn": null }</pre>

3. HPRID Password Update Api –

1. Change Password via Mobile OTP

1.1 Send Mobile OTP

Users need to input HPR id to get otp on register mobile number.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://apihspsbx.abdm.gov.in/v4/int/password/recover/byMobile/sendMobileOTP
Request Body	{ "hprId": "amol.hudekar" }

Response Body

```
{  
  "txnId": "7ebad8aa-127b-492f-bd0e-56da716bd39e",  
  "msg": "Please enter OTP sent on your mobile number *****2021",  
  "otp": 0,  
  "mobileNumber": "*****2021"  
}
```

Field Name	Mandatory	Datatype	Size	Comments
hprId	Yes	String		

1.2 Verify Mobile OTP

Users need to input otp in encrypted format which is received on register mobile number and transaction id. After verifying otp use the reset password api to update password.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://apihspsbx.abdm.gov.in/v4/int/password/recover/byMobile/verifyMobileOTP

Request Body	<pre>{ "txnId": "7ebad8aa-127b-492f-bd0e-56da716bd39e", "otp": "CjkBYLfHduhiZor0ygHQa2e1LpXWK8AQaTAv9cA6dKzJC+OrrBm3UylZkZEZaLKF-SPxAUcDc7Bv50doIoVxVI9oKu9hJVzC1RLMPey-WLv6hruqt0KdfPKWstJGcqQg4kh1rL14/0pXfBfA0ry07db1P3s5oVAia7ANPBg0sIVsrXXKV1-tacoxfzx1tKNFUOiqk7o+1+mrG7qV4OJj+RjofbqbnQJIEBoUJCIn7/MTgbmy+OeClXNWUVpxLgx4SxTwDlaGH0PVIUpPjMpFZNjmUvqkvlBWHgTum50dqweEWUInffdr77+zcO5cxNhtaxwm2g0U9xWNmKytRlaf2qhWA==" }</pre>
---------------------	--

Response Body

<pre>{ "verified": true, "txnId": "7ebad8aa-127b-492f-bd0e-56da716bd39e" }</pre>
--

Field Name	Mandatory	Datatype	Size	Comments
txnId	Yes	String		Received in the password/recover/byMobile/sendMobileOTP api
otp	Yes	String		In encrypted format which is received on register mobile number

2. Reset Password

After validating the mobile otp use this api to change/reset the password with the received txn id in sendMobileOTP api.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://apihspsbx.abdm.gov.in/v4/int/password/resetPassword
Request Body	<pre>{ "txnId": "9b78fdfb-3ba4-4707-8913-63c7c5e3a743", "newPassword": "T4Z04P3uw/G9v0XMPmNdLDa-jjr8aD7jW6wMThrXcQS/fYwVDwt6+M2wgnCsfjDY5dViNQJL6REbXs/TAN5SL04HgEMrRsX6McS+g9GTcIQEOCKzYDG2hxrmsf9od7Vc31D79VioRvJrfRyF0vWI1+Wb7t1IPCdLYELq2bXu4OkA9WX4GcsaSmQkIg-dAAnKgDxgorbU2hrs3AULs6SDaRfnPiz9DKMHOjgKNMRFrgCYBi606g6312FcnReK0ZIGt9UeBMDPoVwe-KsnJdj51DgOTavy3Y2RU6b+cYAw4/plSH7j6SVvQmk8LAB1lQZHwbMti9Gy7c3X3z1rDiZRC2A==" }</pre>

Response Body

```
{
  "message": "Password has been changed successfully!"
}
```

Field Name	Mandatory	Datatype	Size	Comments
txnId	Yes	String		Received in the password/recover/byMobile/sendMobileOTP api
newPassword	Yes	String		In encrypted format

3. Change Password via Adhar Link Mobile

3.1 Send Mobile OTP

Users need to input HPR number to get otp on register mobile number.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://apihpsbx.abdm.gov.in/v4/int/password/recover/byAadhaar
Request Body	{ "hprId": "71-3663-1868-2415" }

Response Body

```
{
  "txnId": "9b78fdfb-3ba4-4707-8913-63c7c5e3a743",
  "mobileNumber": "*****8063",
  "msg": "",
  "verified": false
}
```

Field Name	Mandatory	Datatype	Size	Comments
hprId	Yes	String		

3.2 Verify Mobile OTP

Users need to input otp in encrypted format which is received on register mobile number and transaction id. After verifying otp use the reset password api to update password.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://apihpsbx.abdm.gov.in/v4/int/password/recover/confirmByAadhaar
Request Body	{ "txnId": "7ebad8aa-127b-492f-bd0e-56da716bd39e", "otp": "CjkBYLfHduhiZor0ygHQa2elLpXWK8AQaTAv9cA6dKzJC+OrrBm3UylZkZEZaLKF- SPxAUCdc7Bv50doIoVxVI9oKu9hJVzC1RLMPey- WLV6hruqt0KdfPKWstJGcqQg4kh1rL14/0pXfBfAOryO7db1P3s5oVAia7ANPBg0sIVsrXXKV1- tacoxfzx1tKNFUOiqk7o+1+mrG7qV40Jj+RjofbqbnQJIeBoUJCIn7/MTgbmy+OeClXNWUVpxLgx4SxTwDlaGH0 PVIUpPjMpFZNjmUvqkv1BWHgTum50dqweEWUInffdR77+zcO5cxNhtaxwm2g0U9xWNmKytRlaf2qhWA==" }

Response Body

{ "verified": true, "txnId": "9b78fdfb-3ba4-4707-8913-63c7c5e3a743" }
--

Field Name	Mandatory	Datatype	Size	Comments
txnId	Yes	String		Received in the password/recover/byMobile/sendMobileOTP api
otp	Yes	String		In encrypted format which is received on register mobile number

4. Change Password

When we have to change password after login that time use this api.

Note: Use the login api to get the Authorization api to get the access token.

Key: Authorization

Value: <Your Access Token goes here>

Method	Post
URL	https://apihspbx.abdm.gov.in/v4/int/password/change/byPassword
Request Body	<pre>{ "newPassword": "wqpT2eRh1RAw2yl8c6F1HiOhi6zvjfXsr8njTSFYrz4NFJ/y0oE- SOpE2+wc1DTc/W2/UR34i5YJXrpCkDLCoXyGCL4Pq3zBcK6HX13UmyqAh- Zhy0dHyau3/173mNgeb6rc1xN5CK9974yU04BCo4rA- tIyL1PtblEGPUNDcYGeISCyf3E20XTShn00n0kSe4iMyhUX7IF1oQbqdU- QXxsgGEONVPQME10UJ+KHkOg9NGwQqy1Fuk2ggSO5GVXsOHNoF/jGRlhIIHZX0yNdpj1- puWFE17knZKqyqmZ6JFr6uvIxc+L3iU6zd0mq0/Vcys/DwQ3OLY0j4T9solyHoADEg==", "oldPassword": "ewc3YvGS+vQjZn3DZWpYbBx6n7eZVeOpFjEWspxngasKxjvJzUWve0qtjKyRL- WmWlT9Tjq9g05rjTd- soJKIKGmQaVWK3pN5jSu+kqNmZPayVluaizz76iIb6LrIBkv7eMMWD1Dpu1TID8hxMJqilGDyb3T+Qdq2vONQV8 lDRNDbMyYzpqhXsRoK- BRq5IhIU2voVJ1IVgAOrErNT3VCU/wf82kJ1fsD7BAviW1CLLdrq3gSehDW6bTX/N4DDL8zf6bZLemPferjT4t/ hv07CaJEUz+cf2uoczZHuwqqXqCyRsABqHMBm10VPPIDzzf3wSiEVStYHyb0TYa9MXDMCSyQ==" }</pre>

Response Body

<pre>{ "message": "Password has been changed successfully!" }</pre>

Field Name	Mandatory	Datatype	Size	Comments
oldPassword	Yes	String		In encrypted format
newPassword	Yes	String		In encrypted format