

AYUSHMAN BHARAT DIGITAL MISSION

Healthcare Professionals Registry (HPR)

Search HPRID Document API

Table of Contents

1. HPRID Session API
2. Login Api
3. Exist by HPRID
4. Search Api

Terminology:

ABDM - Ayushman Bharat Digital Mission

Authorization token -To obtain, the HPR can call 'sessions API' along with the received ClientID and Client Secret. Same must be used in header for other APIs.

Client ID -Post internal approval, Integrator will receive Client ID to access ABDM APIs

Client Secret -Post internal approval, Integrator will receive Client Secret to access ABDM APIs

HPRID—Healthcare professional ID

2. Exists by HPRID

Use this to check hprid is present or not.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Get
URL	https://apihspsbx.abdm.gov.in/v4/int/v1/search/existsByHprId/{hprid}

Response Body

true

Sample CURL:

```
curl --location 'https://apihspsbx.abdm.gov.in/v4/int/v1/search/existsByHprId/amol.hudekar' \
--header 'Authorization: Bearer eyJhbGciOiJSUzI1NiIsInR5cCI6IkpzZW50L3R1b3R5bGU6ImlwIiwiaXNjaW9kaHR0cHM6Ly9kZXYubmRobS5nb3YuaW4vYXV0aC9yZWZfbXMvY2VudHJhbC1yZWdpc3RyeSI6ImF1ZCI6ImFjY291bnQiLCJzZWl0IiYyMwNDdiOC0wZmUzLWtBxmuzB_NRYixlJcWJ4kfrp8YMHk-DeV7KWD0uS7htAex9AfjMhbT42gpJq5GUIZED1S1LwwW0Shw3maPultEo3nsjVltOGjCdIT3oK5ozvs0fpULOJxGZMg_Zhm-QtO4fcVZIJ6W6UfdtkRsV5Rape5vzk6x_zOKprg'
```

3. HPRID Search Api –

1. Search by HPRID

Use this to get hprid details using Aadhaar number.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Get
URL	https://apihpsbx.abdm.gov.in/v4/int/v1/search/searchByHprId/{hprId}

Response Body

```
{
  "hprIdNumber": "71-1227-xxxx-0212",
  "name": "AXXX TulXXXXm HXXXX",
  "authMethods": [
    "PASSWORD",
    "MOBILE_OTP",
    "AADHAAR_OTP",
    "DEMOGRAPHICS",
    "AADHAAR_BIO"
  ],
  "hprId": "xxx.xxxxx@hpr.abdm",
  "categoryId": "1",
  "subCategoryId": "1"
}
```

2. Search by Mobile

Use this to get hprid details using mobile number.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Get
URL	https://apihspbx.abdm.gov.in/v4/int/v1/search/searchByMobile/{mobile_number}

Response Body

```
[
  {
    "hprIdNumber": "71-1227-xxxx-0212",
    "name": "Axxl Txxxxxm Hxxxar",
    "authMethods": [
      "PASSWORD",
      "MOBILE_OTP",
      "AADHAAR_OTP",
      "DEMOGRAPHICS",
      "AADHAAR_BIO"
    ],
    "hprId": "xxxx.xxxx@hpr.abdm",
    "categoryId": "1",
    "subCategoryId": "1"
  }
]
```