V8 Phase 2 Variance Pack

Mirror Lattice Residual-Stream Bell-Curve Layer

Summary

Phase 2 completed the locked five-run matrix: baseline run_01 plus reruns run_02 through run_05.

All 8 models held the same strongest target layer across all five runs. Seven of eight models were exact-match across reruns run_02 through run_05, while Nemotron was the only live variance row.

Model	Layer	Target mean	Target std	CI95	Last mean	Last std	Note
Mistral	31	247.8512	0.1269	0.1112	143.5944	0.0912	exact-match reruns after baseline
Qwen	34	126.9717	0.3448	0.3023	89.6382	0.0999	exact-match reruns after baseline
Gemma	41	77.1073	0.1126	0.0987	113.2001	0.9212	exact-match reruns after baseline
DeepSeek	26	326.4001	3.1598	2.7697	217.3379	3.5989	exact-match reruns after baseline
Hermes	31	248.1029	0.1162	0.1018	165.3023	0.0332	exact-match reruns after baseline
GLM	38	479.2791	0.0097	0.0085	487.0515	2.0238	exact-match reruns after baseline
Nemotron	40	207.3065	5.9076	5.1783	286.1702	29.9048	only live variance row
SmolLM3	34	20.8301	0.0000	0.0000	11.5828	0.0000	exact-match reruns after baseline

v8 phase2 target delta by run 2026-04-21



v8 phase2 target mean errorbars 2026-04-21



v8 phase2 peak layer stability 2026-04-21



v8 phase2 flagship boundary profiles 2026-04-21