V8 Phase 3 Dimension and Band Pack

Late-Band Geometry and Cross-Family Internal Structure

Summary

Phase 3 moves beyond magnitude alone and reads the bridge as late-band geometry plus peak-dimension structure.

Most rows show a single-layer late band, while Nemotron and SmolLM3 show multi-layer bands. Mistral and Hermes share a strong same-family peak-dimension overlap, while same-hidden-size non-family pairs do not.

Model	Peak	Peak %	Band	Width	Ratio	Style
Mistral	31	96.88	31	1	0.579	target-dominant compression
Qwen	34	94.44	34	1	0.708	target-dominant compression
Gemma	41	97.62	41	1	1.443	readout amplification
DeepSeek	26	92.86	26	1	0.635	target-dominant compression
Hermes	31	96.88	31	1	0.666	target-dominant compression
GLM	38	95.00	38	1	1.024	balanced carry-through
Nemotron	40	95.24	39,40	2	1.271	readout amplification
SmolLM3	34	94.44	34,35	2	0.556	target-dominant compression

Same-Hidden-Size Overlap

Pair	Hidden	Layers	Overlap	Jaccard
Mistral vs Hermes	4096	31/31	6	0.600
Mistral vs GLM	4096	31/38	0	0.000
Qwen vs SmolLM3	2048	34/34	0	0.000
Hermes vs GLM	4096	31/38	0	0.000

Quantum Bridge Handoff

Phase 3 outputs now feed the later PennyLane/Qiskit bridge through normalized geometry features such as peak percentile, band width, target peak, last-to-target ratio, aggregate band dimensions, and same-hidden-size overlap scores where valid.

Bell-state testing remains optional calibration infrastructure for the quantum-stack pipeline itself, not the next required semantic proof rung.

v8 phase3 band width 2026-04-21



v8 phase3 last to target ratio 2026-04-21



v8 phase3 peak percentile 2026-04-21



v8 phase3 same hidden overlap 2026-04-21