After a long beer party and when ready for the check, John and his friends play the *largest sum gar* and whoever wins the game will not have to pay a dime of the check. The largest sum game consists finding the largest sum of consecutive values in a sequence of numbers; the winner is the one quicke to answer.

For example, in the sequence 23, -1, -24, 2, 23 the largest sum of consecutive values is 25 at whoever finds this value first, is the winner of the game.

Although simple (and geeky), the game is challenging because beer and arithmetic do not mix we together. However, since the group of friends are amateur programmers, each have implemented algorithmic solution for finding the largest sum and have agreed to select the winner of the game the form of a programming challenge: they connect their laptops to a central server that produces random sequence of numeric values, run the solutions on this data, and the program quickest to answ wins the game.

John is tired of paying night after night without ever winning the game and he is determined stop this situation tonight. John has hired you to write a highly efficient computer program that cou beat the others in the largest sum game.

Input

The input consists of several test cases, each one defined by a line containing a sequence of N blan separated integers X_1, X_2, \ldots, X_N $(1 \le N \le 10^5, -10^3 \le X_i \le 10^3 \text{ for each } 1 \le i \le N)$.

Output

For each test case, output a line with the largest sum of consecutive values in X_1, X_2, \ldots, X_N .

Sample Input

```
1 2 3 4 5 6 7 8 9

-1 -1 -1

23 -1 -24 2 23

1 -14 -4 14 -11 -7 6
```

Sample Output

45

0

25

14