ATC Architecture

Advanced Trigonometry Calculator Architecture

This document describes the high-level architecture of Advanced Trigonometry Calculator (ATC). It avoids implementation claims that are not visible in the repository.

Overview

ATC is a Windows console application written in C++. It is organized around a command-line input loop, command routing, expression processing, mathematical modules, persisted settings, and regression tests.

Module Architecture and Execution Flow

The following diagram gives a compact view of the main ATC modules. It is intended as a mental map for new contributors rather than a complete call graph.

Textual overview:

```
User Input
  |
  v
Console Prompt / Command Editor
  |
  v
Tokenizer / Parser
  |
  v
Expression Engine
  |
  v
Feature Modules
  - Arithmetic
  - Trigonometry
  - Complex Numbers
  - Matrices
  - Statistics
  - DSP
  - Polynomial Tools
  - Equation Solver
  - Numerical Solver
  - Graph
  - TXT Processing
  - Guided Modules
  |
  v
Output / Results Store / Files
```

```
flowchart LR
    CLI["CLI / User Input"] --> Parser["Command Parser"]
    TXT["TXT Processing / File Input"] --> Parser
    Parser --> Expr["Expression Parser"]
    Parser --> Settings["History / Logs / Settings"]
    Expr --> Solver["Solver Engine"]
    Expr --> Numeric["Numeric Engine"]
    Expr --> Matrix["Matrix Engine"]
    Parser --> Domain["Statistics / Physics / Finance / Geometry / Unit Conversion modules"]
    Solver --> Output["Output Renderer"]
    Numeric --> Output
    Matrix --> Output
    Domain --> Output
    Output --> Settings
```

The normal execution path is command-driven. Some commands are handled before the mathematical expression parser, while others are normalized and then routed to the relevant numeric or domain module.

```
flowchart TD
    A["user command"] --> B["command normalization"]
    B --> C["command detection"]
    C --> D{"special command?"}
```

```
D -->|yes| E["dispatch to module"]
D -->|no| F["expression parsing"]
F --> E
E --> G["computation"]
G --> H["formatted output"]
H --> I["history/log update"]
```

In practice, `main.cpp`, `main_aux_processor.cpp`, `main_processor.cpp`, `processing_core.cpp`, and `commands.cpp` share responsibility for this flow. Specialized modules then handle the mathematical or workflow-specific work.

Input to Output Flow

ATC input normally starts at the console prompt. The custom command editor collects the line, supports history/autocomplete, and sends the resulting text into the normal command-processing flow. From there, ATC decides whether the input is a direct expression, a named command or an interactive guided module.

Direct expressions are evaluated immediately:

```
2+2
sin(pi/2)
```

Named commands select a specific workflow:

```
mode
solve equation(x^2-5*x+6)
```

Guided modules open menus or interactive prompts:

```
financial calculations
unit conversions
```

The result is formatted for the console, stored in the session result list when appropriate, and may also be written to files for report/export commands.

Results and Variables

ATC stores visible calculation results as indexed entries such as `#0`, `#1` and later values. These references allow step-by-step work without retyping long expressions.

Named variables are handled through the command/expression processing layer and persisted runtime files where the existing feature requires it. Matrix variables and scalar variables share the same high-level user workflow but are handled by different internal paths.

Precision Model

ATC 2.1.9 can run the main typed runtime flow using `double` or Boost `mp_float`. Startup reads the persisted setting and dispatches the template runtime accordingly. This keeps the public command flow mostly unchanged while allowing higher precision for supported numeric paths.

Automatic Multiplication

The expression engine includes support for documented implicit multiplication forms such as adjacent constants, factors and functions. This is a convenience feature, not a general symbolic algebra system. Parser changes in this area should be tested against arithmetic, variables, functions, matrices, polynomial tools, `solver(...)` and `solve equation(...)`.

TXT Processing

TXT workflows route file input into the same command-processing model used by interactive input. The automated tests use temporary folders and mocks for window/file opening side effects so the public workflow can be checked without opening real user applications.

Architectural Limits

ATC deliberately focuses on command-driven numerical work and implemented hybrid symbolic/numeric features. It should not be treated as a full general-purpose CAS. Unsupported symbolic transformations should fail clearly or remain

on documented fallback paths.

Where New Modules Fit

New user-facing modules should usually integrate at the command-dispatch layer, then delegate actual calculation work to a focused module file. They should also add:

- autocomplete vocabulary when useful;
- regression or smoke coverage;
- user-guide documentation;
- notes for manual validation if the module is deeply interactive.

CLI Entry Point

The main application starts in `Advanced Trigonometry Calculator/main.cpp`.

Startup responsibilities include:

- initializing ATC paths and runtime state;
- reading persisted settings such as precision mode;
- choosing the typed runtime path for `double` or Boost `mp_float`;
- handling command-line arguments and interactive console flow.

Interactive line input is delegated to `auto_complete.cpp`, which handles line editing, history navigation and Tab completion before the command string is passed into the normal processing flow.

Command Dispatcher

Command routing is spread across the main processor files and command modules:

- `main.cpp`
- `main_aux_processor.cpp`
- `main_processor.cpp`
- `commands.cpp`

These files coordinate whether input is treated as a direct expression, a special ATC command, a variable assignment, a matrix operation, a file/TXT workflow, or an interactive menu action.

Autocomplete is intentionally kept outside the mathematical processors. It helps the user complete command/function names and previous expressions, but does not decide calculation semantics.

Processing Core

`processing_core.cpp` contains the central expression-processing functions, including:

- `initialProcessor<T>()`
- `arithSolver<T>()`
- `functionProcessor<T>()`

This layer evaluates arithmetic expressions, calls mathematical functions, handles parts of implicit multiplication and formatting, and routes values through the selected precision type.

Mathematical Modules

Mathematical behavior is split across focused files, including:

- `trigonometry.cpp`
- `hyperbolic.cpp`
- `logarithmic.cpp`

- `statistics.cpp`
- `statistics_calculations.cpp`
- `digital_signal_processing.cpp`
- `polynomial_arithmetic.cpp`
- `equation_solver.cpp`
- `equations_system_solver.cpp`
- `solver.cpp`
- `function_study.cpp`
- `graph.cpp`
- `arithmetic_matrix_solver.cpp`

Some modules are command-oriented, while others provide lower-level numerical or formatting support.

Persistence Files

ATC stores user settings and runtime data under the user's ATC data folder, commonly:

```
%USERPROFILE%\Pictures\Advanced Trigonometry Calculator
```

Persisted files include settings such as:

- `higherPrecision.txt`
- `mode.txt`
- `verboseResolution.txt`
- `actualTime.txt`
- `dimensions.txt`
- `window.txt`
- `variables.txt`
- `renamedVar.txt`
- `pathName.txt`

The exact set of files may vary depending on which commands have been used.

Windows Console Behavior

ATC is a console application and contains Windows-specific behavior for console display, colors, window settings, and Windows Terminal compatibility.

Current 2.1.9 behavior includes:

- Windows 11 detection through `RtlGetVersion`;
- default intro handling for Windows 11 console environments;
- Win32-to-ANSI color mapping for Windows Terminal scenarios;
- commands that can launch new ATC instances or tabs when `wt.exe` is

available, with fallback behavior.

Tests

Tests are PowerShell-based and live in `tests/`.

The main regression runner executes ATC commands against built executables and checks output patterns. The suite covers a broad set of documented behavior but intentionally avoids unsafe PC-control commands. Deeply interactive modules have safe runtime smoke coverage, while exhaustive per-option validation remains manual or future automated work.

Build Files

The root solution is:

```
Advanced Trigonometry Calculator.sln
```

The main Visual Studio project is:

```
Advanced Trigonometry Calculator/Advanced Trigonometry Calculator.vcxproj
```

The project uses a Windows console subsystem and currently includes Release x64 and Release x86 configurations.