Scopus

Search Sources SciVal

Download Print Save to PDF Save to list Create bibliography

Computational and Theoretical Chemistry • Open Access • Volume 1231 • January 2024 • Article number 114421

Document type
Article • Bronze Open Access
Source type
Journal
ISSN
2210271X
DOI
10.1016/j.comptc.2023.114421
View more

An enhanced adsorption of paracetamol drug using the iron-encapsulated boron carbide nanocage: DFT outlook

Saadh M.J.[a]; Abdulraheem M.N.[b]; Ahmed H.H.[c]; Mohammed S.J.[d]; Alwan M.[e]; Ali A.Y.[f]; Karimov D.A.[g]; Maaliw III R.R.[h]; Harismah K.[i]; Mirzaei M.[j]
Save all to author list

[a] Faculty of Pharmacy, Middle East University, Amman, 11831, Jordan
[b] College of Education, University of Anbar, AL Qaim, Iraq
[c] Department of Pharmacy, Al-Noor University College, Nineveh, Iraq
[d] Medical Technical College, National University of Science and Technology, Dhi Qar, Iraq
[e] Medical Technical College, Al-Farahidi University, Baghdad, Iraq
[f] Department of Optical Techniques, Al-Zahrawi University College, Karbala, Iraq
[g] Jizzakh State Pedagogical University, Jizzakh, Uzbekistan
[h] College of Engineering, Southern Luzon State University, Lucban, Quezon, Philippines
[i] Universitas Muhammadiyah Surakarta, Surakarta, Indonesia
[j] Department of Natural and Mathematical Sciences, Faculty of Engineering, Tarsus University, Tarsus, Turkey
Hide additional affiliations

View PDF Full text options Export

Abstract

By various importance of paracetamol (PMOL) drug adsorption from environmental issues to drug overdose abasement, the current work was done to recognize the capability of an iron-encapsulated boron carbide (FBC) nanocage for working as a suitable adsorbent. Density functional theory (DFT) calculations were performed to stabilize the structures for being analyzed regarding the structural and electronic features. Accordingly, the results indicated a higher strength of formation for the PMOL@FBC complex in comparison with the PMOL@BC complex. Additionally, the variations of molecular orbital features indicated a higher sensitivity of detection of PMOL substance by the assistance of FBC nanocage. As a final remark, this claim "the iron-encapsulation yielded an enhanced boron carbide nanocage for better adsorbing the paracetamol drug" was affirmed by both of structural and electronic analyses revealing the importance of iron-encapsulation for approaching a better result of PMOL drug adsorption by the assistance of FBC nanocage. © 2023 Elsevier B.V.

Author keywords

Boron carbide; Drug detection; Molecular adsorption; Nanocage; Paracetamol

SciVal Topics

Metrics

References (84)

View in search results format

All Export Print E-mail Save to PDF Create bibliography

1 Dąbrowski, A.
Adsorption - From theory to practice
(2001) *Advances in Colloid and Interface Science*, 93 (1-3), pp. 135-224. Cited 1671 times.
doi: 10.1016/S0001-8686(00)00082-8
View at Publisher

Cited by 1 document

Related documents

Scopus

Search Sources SciVal

1 document have cited:

An enhanced adsorption of paracetamol drug using the iron-encapsulated boron carbide nanocage: DFT outlook
Saadh M.J., Abdulraheem M.N., Ahmed H.H., Mohammed S.J., Alwan M., Ali A.Y., Karimov D.A., (...), Mirzaei M.
(2024) Computational and Theoretical Chemistry, 1231 , art. no. 114421

Search within results...

Refine results

Limit to Exclude

Year

- 2024 (1)

Author name

- Baradaran, A. (1)
- Ghaffarian, M. (1)
- Ghorbani, J. (1)
- Tashakori, H. (1)

Subject area

- Chemical Engineering (1)
- Materials Science (1)

Document type

- Article (1)

Source title

- International Journal Of Nano Dimension (1)

Publication stage

- Final (1)

Keyword

- Haldane Model (1)
- Kane-Mele Model (1)
- Pseudo-Graphene (1)
- Quantum Spin Hall Effect (1)
- Topological Insulator (1)
- Two-Dimensional Honeycomb Materials (1)
- Zigzag Nanoribbon (1)

View less View all

Affiliation

- University of Qom (1)

Analyze search results

Hide all abstracts Sort on: Date (newest)

All Export Download View citation overview View cited by Save to list

	Document title	Authors	Year	Source	Cited by
1	Quantum spin hall effect on pseudo-graphene zigzag nanoribbons	Ghorbani, J., Ghaffarian, M., Tashakori, H., Baradaran, A.	2024	International Journal of Nano Dimension 15(1), pp. 93-101	0

Hide abstract View at Publisher Related documents

This research explores how two-dimensional honeycomb materials can be used in advanced electronics, focusing on zigzag honeycomb nanoribbons. These nanoribbons can create zero-energy band gaps, enabling helical spin current edge states. The study investigates the quantum spin Hall state, showcasing the adaptability of the Kane-Mele model in various honeycomb lattices. In addition to the theoretical discussions, this study presents a detailed Hamiltonian, performs band structure computations, and introduces a novel spin-filtering technique for zigzag nanoribbons. This method enhances our understanding of edge-localized quantum states and can revolutionize spintronics. By revealing the quantum states in honeycomb nanoribbons, this study contributes to the advancement of electronics and offers a promising path for highly efficient spin-based technologies.

Display: 20 results per page

1

Top of page

International Journal of Nano Dimension • Volume 15, Issue 1, Pages 93 - 101 • January 2024

Document type
Article
Source type
Journal
ISSN
20088868
DOI
10.22034/ijnd.2024.2002694.2279
View more

Quantum spin hall effect on pseudo-graphene zigzag nanoribbons

Ghorbani, Javad[a]; Ghaffarian, Mehdi[b] ; Tashakori, Hasan[a]; Baradaran, Alireza[b]
Save all to author list

[a] Department of Physics, Qom Branch, Islamic Azad University, Qom, Iran
[b] Department of Physics, University of Qom, Qom, Iran

Full text options Export

Abstract
Author keywords
SciVal Topics

Abstract

This research explores how two-dimensional honeycomb materials can be used in advanced electronics, focusing on zigzag honeycomb nanoribbons. These nanoribbons can create zero-energy band gaps, enabling helical spin current edge states. The study investigates the quantum spin Hall state, showcasing the adaptability of the Kane-Mele model in various honeycomb lattices. In addition to the theoretical discussions, this study presents a detailed Hamiltonian, performs band structure computations, and introduces a novel spin-filtering technique for zigzag nanoribbons. This method enhances our understanding of edge-localized quantum states and can revolutionize spintronics. By revealing the quantum states in honeycomb nanoribbons, this study contributes to the advancement of electronics and offers a promising path for highly efficient spin-based technologies. © 2024 The Authors.

Author keywords

Haldane Model; Kane-Mele Model; Pseudo-Graphene; Quantum Spin Hall Effect; Topological Insulator; Two-Dimensional Honeycomb Materials; Zigzag Nanoribbon

SciVal Topics

References (28)

View in search results format >

All Export Print E-mail Save to PDF Create bibliography

1 Geim, A.K., Novoselov, K.S.
The rise of graphene
(2007) *Nature Materials*, 6 (3), pp. 183-191. Cited 35228 times.
doi: 10.1038/nmat1849
View at Publisher

2 Tao, L., Cinquanta, E., Chiappe, D., Grazianetti, C., Fanciulli, M., Dubey, M., Molle, A., (...), Akinwande, D.
Silicene field-effect transistors operating at room temperature (Open Access)
(2015) *Nature Nanotechnology*, 10 (3), pp. 227-231. Cited 1369 times.
http://www.nature.com/nnano/index.html
doi: 10.1038/nnano.2014.325
View at Publisher

3 Dávila, M.E., Xian, L., Cahangirov, S., Rubio, A., Le Lay, G.
Germanene: A novel two-dimensional germanium allotrope akin to graphene and silicene (Open Access)
(2014) *New Journal of Physics*, 16, art. no. 095002. Cited 1283 times.
http://iopscience.iop.org/1367-2630/16/9/095002/pdf/1367-2630_16_9_095002.pdf
doi: 10.1088/1367-2630/16/9/095002
View at Publisher

4 Tao, C., Jiao, L., Yazyev, O.V., Chen, Y.-C., Feng, J., Zhang, X., Capaz, R.B., (...), Crommie, M.F.

Spatially resolving edge states of chiral graphene nanoribbons (Open Access)

(2011) *Nature Physics*, 7 (8), pp. 616-620. Cited 602 times.
http://www.nature.com/nphys/index.html
doi: 10.1038/nphys1991

View at Publisher

☐ 5 Yazyev, O.V.
Emergence of magnetism in graphene materials and nanostructures (Open Access)

(2010) *Reports on Progress in Physics*, 73 (5), art. no. 056501. Cited 988 times.
doi: 10.1088/0034-4885/73/5/056501

View at Publisher

☐ 6 Ghorbani, J., Ghaffarian, M., Tashakori, H.
Magnetic edge states and edge current in honeycomb zigzag nanoribbons by Kane–Mele–Hubbard model

(2023) *Solid State Communications*, 371, art. no. 115250.
https://www.journals.elsevier.com/solid-state-communications
doi: 10.1016/j.ssc.2023.115250

View at Publisher

☐ 7 Enoki, T., Fujii, S., Takai, K.
Zigzag and armchair edges in graphene (Open Access)

(2012) *Carbon*, 50 (9), pp. 3141-3145. Cited 122 times.
doi: 10.1016/j.carbon.2011.10.004

View at Publisher

☐ 8 Ezawa, M., Nagaosa, N.
Interference of topologically protected edge states in silicene nanoribbons (Open Access)

(2013) *Physical Review B - Condensed Matter and Materials Physics*, 88 (12), art. no. 121401. Cited 76 times.
http://oai.aps.org/filefetch?identifier=10.1103/PhysRevB.88.121401&component=fulltext&description=markup&format=xml
doi: 10.1103/PhysRevB.88.121401

View at Publisher

☐ 9 Baradaran, A., Ghaffarian, M.
Bias-voltage-induced topological phase transition in finite size quantum spin Hall systems in the presence of a transverse electric field

(2020) *Physica E: Low-Dimensional Systems and Nanostructures*, 122, art. no. 114173. Cited 4 times.
https://www.journals.elsevier.com/physica-e-low-dimensional-systems-and-nanostructures
doi: 10.1016/j.physe.2020.114173

View at Publisher

☐ 10 Brey, L., Fertig, H.A.
Electronic states of graphene nanoribbons studied with the Dirac equation (Open Access)

(2006) *Physical Review B - Condensed Matter and Materials Physics*, 73 (23), art. no. 235411. Cited 1249 times.
http://oai.aps.org/oai?verb=GetRecord&Identifier=oai:aps.org:PhysRevB.73.235411&metadataPrefix=oai_apsmeta_2
doi: 10.1103/PhysRevB.73.235411

View at Publisher

☐ 11 Kane, C.L., Mele, E.J.
Quantum Spin hall effect in graphene

(2005) *Physical Review Letters*, 95 (22), art. no. 226801. Cited 6320 times.
http://oai.aps.org/oai/?verb=ListRecords&metadataPrefix=oai_apsmeta_2&set=journal:PRL:95
doi: 10.1103/PhysRevLett.95.226801

View at Publisher

☐ 12 Kane, C.L., Mele, E.J.
Z2 topological order and the quantum spin hall effect (Open Access)

(2005) *Physical Review Letters*, 95 (14), art. no. 146802. Cited 5023 times.
http://oai.aps.org/oai/?verb=ListRecords&metadataPrefix=oai_apsmeta_2&set=journal:PRL:95
doi: 10.1103/PhysRevLett.95.146802

View at Publisher

☐ 13 Haldane, F.D.M.

Model for a quantum hall effect without landau levels: Condensed-matter realization of the "parity anomaly" (Open Access)

(1988) *Physical Review Letters*, 61 (18), pp. 2015-2018. Cited 4389 times.
doi: 10.1103/PhysRevLett.61.2015

View at Publisher

14 Hasan, M.Z., Kane, C.L.
Colloquium: Topological insulators (Open Access)

(2010) *Reviews of Modern Physics*, 82 (4), pp. 3045-3067. Cited 15127 times.
http://rmp.aps.org/pdf/RMP/v82/i4/p3045_1
doi: 10.1103/RevModPhys.82.3045

View at Publisher

15 Ezawa, M.
A topological insulator and helical zero mode in silicene under an inhomogeneous electric field (Open Access)

(2012) *New Journal of Physics*, 14, art. no. 033003. Cited 630 times.
http://iopscience.iop.org/1367-2630/14/3/033003/pdf/1367-2630_14_3_033003.pdf
doi: 10.1088/1367-2630/14/3/033003

View at Publisher

16 Cahangirov, S., Topsakal, M., Aktürk, E., Şahin, H., Ciraci, S.
Two- and one-dimensional honeycomb structures of silicon and germanium (Open Access)

(2009) *Physical Review Letters*, 102 (23), art. no. 236804. Cited 2812 times.
http://oai.aps.org/oai?verb=GetRecord&Identifier=oai:aps.org:PhysRevLett.102.236804&metadataPrefix=oai_apsmeta_2
doi: 10.1103/PhysRevLett.102.236804

View at Publisher

17 Xu, Y., Yan, B., Zhang, H.-J., Wang, J., Xu, G., Tang, P., Duan, W., (...), Zhang, S.-C.
Large-gap quantum spin hall insulators in tin films (Open Access)

(2013) *Physical Review Letters*, 111 (13), art. no. 136804. Cited 1122 times.
http://oai.aps.org/filefetch?identifier=10.1103/PhysRevLett.111.136804&component=fulltext&description=markup&format=xml
doi: 10.1103/PhysRevLett.111.136804

View at Publisher

18 Shitade, A., Katsura, H., Kuneš, J., Qi, X.-L., Zhang, S.-C., Nagaosa, N.
Quantum spin hall effect in a transition metal oxide Na2IrO3 (Open Access)

(2009) *Physical Review Letters*, 102 (25), art. no. 256403. Cited 430 times.
http://oai.aps.org/oai?verb=GetRecord&Identifier=oai:aps.org:PhysRevLett.102.256403&metadataPrefix=oai_apsmeta_2
doi: 10.1103/PhysRevLett.102.256403

View at Publisher

19 Wang, Z.F., Liu, Z., Liu, F.
Organic topological insulators in organometallic lattices (Open Access)

(2013) *Nature Communications*, 4, art. no. 1471. Cited 236 times.
doi: 10.1038/ncomms2451

View at Publisher

20 Avsar, A., Tan, J.Y., Taychatanapat, T., Balakrishnan, J., Koon, G.K.W., Yeo, Y., Lahiri, J., (...), Özyilmaz, B.
Spin-orbit proximity effect in graphene (Open Access)

(2014) *Nature Communications*, 5, art. no. 4875. Cited 393 times.
http://www.nature.com/ncomms/index.html
doi: 10.1038/ncomms5875

View at Publisher

21 Han, W., Kawakami, R.K., Gmitra, M., Fabian, J.
Graphene spintronics

(2014) *Nature Nanotechnology*, 9 (10), pp. 794-807. Cited 1218 times.
http://www.nature.com/nnano/index.html
doi: 10.1038/nnano.2014.214

View at Publisher

22 Sadjadi, M.S., Sadeghi, B., Zare, K.

Natural bond orbital (NBO) population analysis of cyclic thionylphosphazenes, [NSOX $(NPCl_2)_2$]; X = F (1), X = Cl (2) (Open Access)

(2007) *Journal of Molecular Structure: THEOCHEM*, 817 (1-3), pp. 27-33. Cited 14 times.
doi: 10.1016/j.theochem.2007.04.015

View at Publisher

23 Dadashi, H., Hajinasiri, R.
Biosynthesis of Cu and CuO nanoparticles using aqueous leaves extract of Sambucusnigra L.

(2020) *International Journal of Nano Dimension*, 11 (4), pp. 405-411. Cited 4 times.
https://ijnd.tonekabon.iau.ir/article_674853.html

24 Abdel Halim, S.
Electronic structures and stabilities of endohedral metallofullerenes TM@C34 using DFT approach
(2018) *Int. J. Nano Dimens*, 9, pp. 421-434. Cited 4 times.
20.1001.1.20088868.2018.9.4.9.9

25 Esfahani, S., Akbari, J., Soleimani-Amiri, S., Mirzaei, M., Ghasemi Gol, A.
Assessing the drug delivery of ibuprofen by the assistance of metal-doped graphenes: Insights from density functional theory (Open Access)

(2023) *Diamond and Related Materials*, 135, art. no. 109893. Cited 22 times.
https://www.journals.elsevier.com/diamond-and-related-materials
doi: 10.1016/j.diamond.2023.109893

View at Publisher

26 Saadh, M.J., Mirzaei, M., Dhiaa, S.M., Rokni Hosseini, L.S., Kushakova, G., Da'i, M., Salem-Bekhit, M.M.
Density functional theory assessments of an iron-doped graphene platform towards the hydrea anticancer drug delivery

(2024) *Diamond and Related Materials*, 141, art. no. 110683.
https://www.journals.elsevier.com/diamond-and-related-materials
doi: 10.1016/j.diamond.2023.110683

View at Publisher

27 Cosme Pecho, R.D., Hajali, N., Tapia-Silguera, R.D., Yassen, L., Alwan, M., Jawad, M.J., Castro-Cayllahua, F., (...), Akhavan-Sigari, R.
Molecular insights into the sensing function of an oxidized graphene flake for the adsorption of Avigan antiviral drug

(2023) *Computational and Theoretical Chemistry*, 1227, art. no. 114240. Cited 4 times.
http://www.sciencedirect.com/science/journal/2210271X/970
doi: 10.1016/j.comptc.2023.114240

View at Publisher

28 Saadh, M.J., Abdulraheem, M.N., Ahmed, H.H., Mohammed, S.J., Alwan, M., Ali, A.Y., Karimov, D.A., (...), Mirzaei, M.
An enhanced adsorption of paracetamol drug using the iron-encapsulated boron carbide nanocage: DFT outlook

(2024) *Computational and Theoretical Chemistry*, 1231, art. no. 114421.
https://www.sciencedirect.com/science/journal/2210271X
doi: 10.1016/j.comptc.2023.114421

View at Publisher

Ghaffarian, M.; Department of Physics, University of Qom, Qom, Iran; email:m.ghaffarian@yahoo.com