users	
id 🔑	bigserial -
created_at	timestamp NN
name	varchar NN
username	varchar NN
email	varchar
avatar_url	varchar
last_login_at	timestamp

	contacts	
	id 🕗	bigserial
<	from_user_id	bigint NN
<	to_user_id	bigint NN
	status	varchar NN
	requested_at	timestamp NN
	accepted_at	timestamp



	messages	
	id 🔑	bigserial
<	chat_id	bigint NN
<	from_user_id	bigint NN
<	to_user_id	bigint NN
	body	varchar NN
	sent_at	timestamp NN



users		СОІ	ontacts			chats			messages	
id Ø	bigserial 1	id	P	bigserial		id 🔑	bigserial -	1	id Ø	bigserial
created_at	timestamp NN	* fro	om_user_id	bigint NN	7	from_user_id	bigint NN	*	chat_id	bigint NN
name	varchar NN	* to_	_user_id	bigint NN	7:	to_user_id	bigint NN	*	from_user_id	bigint NN
username	varchar NN	sta	atus	varchar NN		last_message_received_at	timestamp -	*	to_user_id	bigint NN
email	varchar	rec	quested_at	timestamp NN					body	varchar NN
avatar_url	varchar	acc	ccepted_at	timestamp					sent_at	timestamp NN
last_login_at	timestamp									