

FIG-005. Held-out validation and uncertainty boundaries

Stage 10.14 readable review render from the Stage 10.5 panel-evidence crosswalk

A

Predeclared splits, thresholds, and margins

Purpose

Place training definitions and held-out contexts before the decision table.



Reader readout

The validation panels are no-retuning challenges rather than retrospective optimization.


Stage 10.4 main validation

B

Held-out decision table

Purpose

Show positive, negative or comparator-sufficient, and inconclusive calls in one panel.



declared
outcomes

Reader readout

RhoDyn becomes stronger by preserving unsupported and comparator-sufficient outcomes alongside positive calls.


Stage 10.4 main validation

C

Object-level held-out trajectory calls

Purpose

Expose the MLCI and ERK object-level classifications behind held-out decisions.



Reader readout

Held-out evidence is inspectable at the object level rather than only as a summary verdict.

Stage 10.4 main validation

D

No-hidden-tuning and gate status

Purpose

Render Stage 10.4 gates and hidden-tuning status as validation evidence.



Reader readout

The held-out result is scoped but rule-preserving.

Stage 10.4 main validation

E

Prospective validation boundary

Purpose

State the remaining distinction between sealed replay and prospective blinded collaborator validation.



Reader readout

Stage 10.4 lowers desk-rejection risk but does not replace future prospective external validation.

Stage 10.4 main validation