



- Spike-count autocorrelation during **fixation**




NEURONAL TIMESCALES

- Spike-count autocorrelation during **fixation**
- Spike counts in successive time bins ($w = 50$ ms)




NEURONAL TIMESCALES

- Spike-count autocorrelation during **fixation**
- Spike counts in successive time bins ($w = 50$ ms)




NEURONAL TIMESCALES


- Spike-count autocorrelation during **fixation**
- Spike counts in successive time bins ($w = 50$ ms)
- Correlation between two time bins separated by a lag (Δ)




NEURONAL TIMESCALES




NEURONAL TIMESCALES




NEURONAL TIMESCALES




NEURONAL TIMESCALES




NEURONAL TIMESCALES




NEURONAL TIMESCALES



NEURONAL TIMESCALES




NEURONAL TIMESCALES



$$\bar{\rho}(\Delta) = A \left(\exp \left(-\frac{\Delta}{\tau} \right) + B \right)$$

NEURONAL TIMESCALES



$$\bar{\rho}(\Delta) = A \left(\exp \left(-\frac{\Delta}{\tau} \right) + B \right)$$

Motivation

Methods

Data and model

Neuronal timescales

Results

Long neuronal timescales important for WM

Connectivity structure specific to WM

$I \rightarrow I$ strongly modulates both timescales and WM

Summary