

**NAME**

CMDBExplorer – A graphical CMDB explorer using graphviz

**SYNOPSIS**

This OTRS package provides a graphical explorer to the OTRS CMDB.

It is based on the excellent work from Dietmar Berg, **ITSMTrace** (version 0.8.1).

**CMDBExplorer** differs from **ITSMTrace** by the following characteristics:

- 1- The image generated is integrated in the AgentITSMConfigItemZoon screen;
- 2- The image initially shows only first level links. But is interactive, so that the agent can click on a node/CI to further develop the vizualisation of the links;
- 3- A lot of CMDBExplorer parameters are configurable via SysConfig settings.

**SYSTEM REQUIREMENTS**

**CMDBExplorer** has been tested on the following platform:

```
For CMDBExplorer versions 4.0.x:
  OTRS framework 4.0.7 with ITSM module 4.0.7
  Ubuntu 14.04.22
  graphviz 2.36.0-0ubuntu3.1
  libgraphviz-perl 2.14-1
For CMDBExplorer versions 3.3.x:
  OTRS framework 3.3.9 with ITSM module 3.3.11
  Ubuntu 12.04.4
  graphviz 2.26.3-10ubuntu1.1
  libgraphviz-perl 2.04-1
For CMDBExplorer version <=0.8
  OTRS framework 3.2.8 with ITSM module 3.2.6
  Ubuntu 12.04.4
  graphviz 2.26.3-10ubuntu1.1
  libgraphviz-perl 2.04-1
```

Please note that **CMDBExplorer** will create new, customized, *AgentITSMConfigItemZoom.pm* and *AgentITSMConfigItemZoom.dtl* files. So any existing changes on these files might get lost during the installation!

**CONFIGURATION****CMDBExplorer::GraphOptions###DisplayLinksName**

Whether links name should be displayed in the CMDB explorer graph or not

**CMDBExplorer::GraphOptions###RootNodeColor**

Fillcolor of the Root node. The root node is the one that's currently displayed in the AgentITSMConfigItemZoom screen (must be a valid graphviz color).

**CMDBExplorer::GraphOptions###DisplayedNodeColor**

Defines the fillcolor of the nodes that have been specifically selected by the agent for inclusion in the graph (must be a valid graphviz color).

**CMDBExplorer::GraphOptions###LinkDefaultColor**

Default link color (must be a valid graphviz color)

**CMDBExplorer::GraphOptions###LinkDefaultFontColor**

Default link font's color when link labels are displayed (must be a valid graphviz color).

**CMDBExplorer::GraphOptions###LinkFontSize**

Font size for the link labels (if displayed)

**CMDBExplorer::GraphOptions###LinkStyles**

Defines the styles (eg: filled, dotted) that will be user for rendering links in the explorer graph. Values must be valid graphviz edge style (see dot's man page).

**CMDBExplorer::GraphOptions###LinkArrows**

Defines which arrows must be drawn for links in the explorer graph. Values must be valid graphviz edge dir (see dot's man page).

**CMDBExplorer::GraphOptions###NodeDefaultColor**

Default node color (must be a valid graphviz color)

**CMDBExplorer::GraphOptions###NodeDefaultFillColor**

Default node fillcolor (must be a valid graphviz color)

**CMDBExplorer::GraphOptions###NodeFontSize**

Font size for the node labels

**CMDBExplorer::GraphOptions###NodeShapes**

Defines the shapes (eg: box, ellipse, none) that will be user for rendering nodes in the explorer graph. Values must be valid graphviz node shape (see dot's man page).

**CMDBExplorer::GraphOptions::LayoutOptions###dot**

Defines rendering options for the 'dot' graphviz layout. Values must be valid graphviz options for the selected layout (see dot's man page).

**CMDBExplorer::GraphOptions::LayoutOptions###neato**

Defines rendering options for the 'neato' graphviz layout. Values must be valid graphviz options for the selected layout (see dot's man page).

**CMDBExplorer::GraphOptions::LayoutOptions###twopi**

Defines rendering options for the 'twopi' graphviz layout. Values must be valid graphviz options for the selected layout (see dot's man page).

**CMDBExplorer::GraphOptions::LayoutOptions###circo**

Defines rendering options for the 'circo' graphviz layout. Values must be valid graphviz options for the selected layout (see dot's man page).

**CMDBExplorer::GraphOptions::LayoutOptions###fdp**

Defines rendering options for the 'fdp' graphviz layout. Values must be valid graphviz options for the selected layout (see dot's man page).

**CMDBExplorer::GraphOptions::LayoutOptions###sfdp**

Defines rendering options for the 'sfdp' graphviz layout. Values must be valid graphviz options for the selected layout (see dot's man page).

**PACKAGING**

**CMDBExplorer** may easily be repackaged from its git repository by cloning it on a system running OTRS and issuing the following command:

```
otrs.PackageManager.pl -a build -p /path/to/OTRSCMDBExplorer.sopm -d
module-home-path
```

**POSSIBLE FUTURE ENHANCEMENTS**

Without committing to anything on this list, the following features seem worthwhile to be followed up.

- Test CMDBExplorer on different platforms

CMDBExplorer has only be tested on the OTRS 3.2.x framework with ITSMConfigurationManagement version 3.2.6, and should be tested on other versions.

The installer will prevent you from installing **CMDBExplorer** on other versions of the framework and on versions of the ITSMConfigurationManagement module lower than 3.2.3. This can be easily overcome by repackaging it though (see chapter *PACKAGING* here above).

- Make CMDBExplorer more flexible with the version of the ITSMConfigurationManagement package needed.

**CMDBExplorer** ships with a modified version of the *AgentITSMConfigItemZoom.pm* and *AgentITSMConfigItemZoom.dtl* files taken from ITSMConfigurationManagement version 3.2.6. This

makes it difficult to make **CMDBExplorer** compatible with other versions of the `ITSMConfigurationManagement` module.

A solution might be found by using the `<CodeInstall>` section of the `.sopm` file.

- Allow Trace Options to be selected in the Web UI

The Web UI currently comes with predefined links that set a few options to reasonable values. This can be adapted through `SysConfig`, but is static from an agent's point of view. It would be useful to have an intermediate form page where the agent can individually select what to include in the output or not.

## TERMS AND CONDITIONS

Copyright (C) 2018- Perl-Services.de, <https://perl-services.de>

Copyright (C) 2014-2018 Belnet, <http://www.belnet.be> E<10>

Copyright (C) 2011-2014 Thales Austria GmbH, <http://www.thalesgroup.com/>

This software comes with ABSOLUTELY NO WARRANTY and WITHOUT ANY SUPPORT.

For license information, see the enclosed file `COPYING-CMDBExplorer` (GNU AFFERO GENERAL PUBLIC LICENSE, version 3). If you did not receive this file, see <http://www.gnu.org/licenses/agpl-3.0.html>.

## AUTHOR

[info@perl-services.de](mailto:info@perl-services.de)

[cyrille.bollu@belnet.be](mailto:cyrille.bollu@belnet.be)

[dietmar.berg@thalesgroup.com](mailto:dietmar.berg@thalesgroup.com)