



Earth Observation Mission CFI Software

EO_LIB SOFTWARE USER MANUAL

Code: EO-MA-DMS-GS-0003

Issue: 4.17

Date: 10/05/2019

	Name	Function	Signature
Prepared by:	Mariano Sánchez-Nogales	Project Engineer	
	Fabrizio Pirondini	Project Engineer	
	Juan Jose Borrego Bote	Project Engineer	
	Carlos Villanueva	Project Engineer	
	Rubén Castro	Project Engineer	
Checked by:	José Antonio González Abeytua	Project Manager	
Approved by:	José Antonio González Abeytua	Project Manager	

DEIMOS Space S.L.U. Ronda de Poniente, 19 Edificio Fiteni VI, Portal 2, 2ª Planta 28760 Tres Cantos (Madrid), SPAIN Tel.: +34 91 806 34 50

Fax: +34 91 806 34 51 E-mail: deimos@deimos-space.com

© DEIMOS Space S.L.U





DOCUMENT INFORMATION

	Classification	n	
Contract Number:	4000102614/1O/NL/FF/ef	Internal	
Contract Number.	4000102014/10/NE/11/61	Public	
0	ESA / ESTEC	Industry	х
Contract Issuer:		Confidential	

External Distribution		
Name	Organisation	Copies

Electronic handling		
Word Processor:	LibreOffice 5.4.1.2	
Archive Code:	P/SUM/DMS/01/026-008	
Electronic file name:	eo-ma-dms-gs-003-21	





DOCUMENT STATUS LOG

Issue	Change Description	Date	Approval
1.0	New document	08/11/01	
1.1	Updated Time Transformation functions	04/02/02	
1.2	Updated the following functions: xl_change_cart_cs, xl_geod_to_cart, xl_cart_to_geod, xl_kepl_to_cart, xl_cart_to_kepl, xl_sun, xl_moon, xl_planet, xl_star_radec, xl_geod_distance, xl_time_ref_init_file, xl_time_ref_close. The xl_attitude_cs function has been removed and replaced by xp_attitude in the EXPLORER_POINTING library.	15/04/02	
1.3	Added xl_time_get_leap_second_info	19/07/02	
2.0	Maintenance release.	29/11/02	
2.1	Maintenance release.	13/05/03	
2.2	Added xl_default_sat_init function.	30/09/03	
3.0	New initialisation strategy and interfaces	21/07/04	
3.1	Maintenance Release. New functions: - xl_get_rotation_angles, - xl_get_rotated_vectors, - xl_position_on_orbit	13/10/04	
3.2	Maintenance release.	15/11/04	
3.3	Maintenance release. New features: - Changes for dealing with the new library explorer_data_handling - Identifier accessors OBT to UTC conversion for ADM and SMOS - Support for ENVISAT ASCII files removed	11/07/05	
3.4	Maintenance release. New function xl_default_sat_close.	18/11/05	





3.5	Maintenance release. New features for xl_time_ref_init_file. New features for xl_change_cart_cs New functions prototypes: - xl_cart_to_radec - xl_radec_to_cart - xl_star_catalog - xl_topocentric_to_ef - xl_ef_to_topocentric	26/05/06	
3.6	Maintenance release. New features: - xl_change_cart_cs - SMOS UTC proteus time format - Parameters for SENTINEL-1 New functions implemented: - xl_euler_to_matrix and xl_matrix_to_euler - xl_cart_to_radec and xl_radec_to_cart - xl_star_catalog - xl_topocentric_to_ef and xl_ef_to_topocentric	24/11/06	
3.7	Maintenance release. New features: - Function expcfi_check_libs - Library version for MAC OS X on Intel (32 and 64-bits)	13/07/07	
3.8	Maintenance release. New features: - Parameters for SENTINEL-2, SENTINEL-3 and SEOSAT - Generic Satellite	31/07/08	
4.0	Maintenance release. New features: - Function interfaces changed for model support	19/01/09	
4,1	Maintenance release. New features: - Time initialization with list of files - Time initialization with OSF	07/05/10	
4.2	Maintenance release.	31/01/11	





Page: 5

			1
4.3	Maintenance release. New features: - Pseudo-EF CS added Polar motion included in EF CS New init function xl_time_id_init Timeld initialization support IERS Bulletin A and Bulletins A+B - New time transport formats: - XL_TRANS_GENERIC_GPS - XL_TRANS_GENERIC_GPS_WEEK		
4.4	Maintenance release. New features: - New non-iterative method to compute transformation from cartesian to geodetic coordinates. - New reference frames for on-board position scheduling: EF and GM2000		
4.5	Maintenance release: New features: - New function xl_geoid_calc, to transform between heights relative to the ellipsoid and the geoid		
4.6	Maintenance release.		
4.7	Support for SENTINEL_5P, JASON-CS AND METOP-ST satellites.	28/03/14	
4.8	Maintenance release: New features: - New reference frame: Earth Fixed non rotating (intermediate step to the Greenwich reference frame) - New Sun model to take into account Sun light travel time New function for quaternions interpolation: xl_quaternions_interpol	29/10/2014	





4.9	Maintenance release	23/04/2015	
4.10	Maintenance release	29/10/2015	
4.11	Maintenance release New features: - Support for BIOMASS, SENTINEL-5 and SAOCOM-CS satellites	15/04/2016	
4.12	Maintenance release New features: - Extrapolation algorithm implemented for quaternions (xl_quaternions_intepol)	03/11/2016	
4.13	Maintenance release	05/04/2017	
4.14	Maintenance release New features: - New functions for CUC time managing: xl_time_cuc_to_processing xl_time_processing_to_cuc - Support for FLEX satellite	16/11/2017	
4.15	Maintenance release New features: - Refactored code	20/04/2018	
	Maintenance release New features: - Improved runtime in time conversions	09/11/2018	
4.17	Maintenance release	10/05/2019	





Code: EO-MA-DMS-GS-0003 Date: 10/05/2019

Issue: 4.17 Page: 7

TABLE OF CONTENTS

2
3
7
20
24
25
26
26
26
27
28
28
28
29
29
29
29
29
30
30
30
30
30
30





Code:	EO-MA-DMS-GS-0003
Date:	10/05/2019
Issue:	4.17
Page.	8

4.1.2.4 State Vector Transformations	30
4.1.2.5 Position on orbit calculations	31
4.1.2.6 Quaternions transformations	31
4.1.3 Other Basic Computations	31
4.1.4 Astronomical model selection	31
4.2 Time Reference Transformations Calling Sequence	31
4.3 Earth and Astronomical model selection calling sequence	32
5 LIBRARY INSTALLATION	34
6 LIBRARY USAGE	35
6.1 Usage hints	39
6.2 General Enumerations	38
6.3 Data Structures	46
7 CFI FUNCTIONS DESCRIPTION	52
7.1 xl_time_ref_init_file 7.1.1 Overview	
7.1.2 Calling interface	
7.1.2 Carning interface	
7.1.4 Output parameters	
7.1.5 Warnings and errors	
,	
7.2 xl_time_ref_init	60
7.2.1 Overview	
7.2.2 Calling interface	
7.2.3 Input parameters	
7.2.4 Output parameters	
7.2.5 Warnings and errors	
7.3 xl_time_id_init	
7.3.1 Overview	
7.3.2 Calling interface	
1.5.2 Curing interface.	03





Code:	EO-MA-DMS-GS-0003
Date:	10/05/2019
Issue:	4.17
Page:	g

7.3.3	Input parameters	63
7.3.4	Output parameters	64
7.3.5	Warnings and errors	65
7.4 xl_	_time_close	67
7.4.1	Overview	67
7.4.2	Calling interface	67
7.4.3	Input parameters	67
7.4.4	Output parameters	67
7.4.5	Warnings and errors	68
7.5 xl_	_time_get_id_data	69
7.5.1	Overview	69
7.5.2	Calling interface	69
7.5.3	Input parameters	69
7.5.4	Output parameters	69
7.5.5	Warnings and errors	70
7.6 xl_	_time_set_id_data	71
7.6.1	Overview	71
7.6.2	Calling interface	71
7.6.3	Input parameters	71
7.6.4	Output parameters	71
7.6.5	Warnings and errors	72
7.7 xl_	_run_init	73
7.7.1	Overview	73
7.7.2	Calling interface	73
7.7.3	Input parameters	73
7.7.4	Output parameters	73
7.7.5	Warnings and errors	74
7.8 xl_	_run_get_ids	75
_	Overview	
	Calling interface	
	Input parameters	
	Output parameters	





Code:	EO-MA-DMS-GS-0003
Date:	10/05/2019
Issue:	4.17
Page.	10

7.8.5 V	Varnings and errors	76
7.9 xl_rı	ın_close	77
7.9.1	Overview	77
7.9.2	Calling interface	77
7.9.3	nput parameters	77
7.9.4	Output parameters	77
7.9.5 V	Varnings and errors	77
7.10 xl_1	ime_ascii_to_ascii	78
7.10.1	Overview	78
7.10.2	Calling Interface.	78
7.10.3	Input Parameters	79
7.10.4	Output Parameters	79
7.10.5	Warnings and Errors.	79
7.11 xl_t	ime_ascii_to_processing	82
	Overview	
7.11.2	Calling Interface	82
7.11.3	Input Parameters	83
7.11.4	Output Parameters	83
7.11.5	Warnings and Errors	84
7.12 xl_1	ime_ascii_to_transport	86
7.12.1	Overview	86
7.12.2	Calling Interface	86
7.12.3	Input Parameters	87
7.12.4	Output Parameters	87
7.12.5	Warnings and Errors.	88
7.13 xl_1	ime processing to ascii	90
7.13.1	Overview	90
7.13.2	Calling Interface	90
	Input Parameters	
7.13.4	Output Parameters	91
7.13.5	Warnings and Errors	91
7.14 xl 1	ime_processing_to_processing	94





Code:	EO-MA-DMS-GS-0003
Date:	10/05/2019
Issue:	4.17
Page:	11

7.14.1	Overview	94
7.14.2	Calling Interface	94
7.14.3	Input Parameters	95
7.14.4	Output Parameters	95
7.14.5	Warnings and Errors	96
7.15 xl_	time_processing_to_transport	97
7.15.1	Overview	97
7.15.2	Calling Interface	97
7.15.3	Input Parameters	98
7.15.4	Output Parameters	98
7.15.5	Warnings and Errors	99
7.16 xl_1	time_transport_to_ascii	100
7.16.1	Overview	100
7.16.2	Calling Interface	100
7.16.3	Input Parameters	100
7.16.4	Output Parameters	101
7.16.5	Warnings and Errors	101
7.17 xl_1	time_transport_to_processing	104
7.17.1	Overview	104
7.17.2	Calling Interface	104
7.17.3	Input Parameters	105
7.17.4	Output Parameters	105
7.17.5	Warnings and Errors	106
7.18 xl_1	time_transport_to_transport	108
7.18.1	Overview	108
7.18.2	Calling Interface	108
7.18.3	Input Parameters	108
7.18.4	Output Parameters	109
7.18.5	Warnings and Errors	109
7.19 xl_	time_cuc_to_processing	111
7.19.1	Overview	111
7.19.2	CUC configuration	111





Code:	EO-MA-DMS-GS-0003
Date:	10/05/2019
Issue:	4.17
Page:	12

7.19.3	Calling Interface	111
7.19.4	Input Parameters	112
7.19.5	Output Parameters	112
7.19.6	Warnings and Errors.	113
7.20 xl	time_processing_to_cuc	113
	Overview	
7.20.2	CUC configuration	113
7.20.3	Calling Interface	114
7.20.4	Input Parameters	114
7.20.5	Output Parameters	115
7.20.6	Warnings and Errors	115
7.21 xl	time_add	116
	Overview	
7.21.2	Calling interface	116
7.21.3	Input parameters	116
	Output parameters	
7.21.5	Warnings and errors	117
7.22 xl_1	time_diff	119
7.22.1	Overview	119
7.22.2	Calling interface	119
7.22.3	Input parameters	119
7.22.4	Output parameters	120
7.22.5	Warnings and errors	120
7.23 xl_1	time_obt_to_time	122
	Overview	
7.23.2	Calling interface	124
7.23.3	Input parameters	125
7.23.4	Output parameters	127
7.23.5	Warnings and errors.	128
7.24 xl_1	time_time_to_obt	129
_	Overview	
7.24.2	Calling interface	131





Code:	EO-MA-DMS-GS-0003
Date:	10/05/2019
Issue:	4.17
Page:	13

Input parameters	132
Output parameters	134
Warnings and errors	135
change_cart_cs	136
Overview	136
Calling interface	137
Input parameters	137
Output parameters	138
Warnings and errors.	139
geod_to_cart	141
Overview	141
Calling interface	141
Input parameters	141
Output parameters	142
Warnings and errors	142
cart_to_geod	144
Overview	144
Calling interface	144
Input parameters	145
Output parameters	145
Warnings and errors	146
kepl_to_cart	147
Overview	147
Calling interface	147
Input parameters	147
Output parameters	148
Warnings and errors.	148
cart_to_kepl	150
Overview	150
Calling interface	150
Input parameters	150
Output parameters	151
	Output parameters. Warnings and errors. change_cart_cs Overview Calling interface Input parameters. Output parameters. Warnings and errors geod_to_cart Overview Calling interface Input parameters. Output parameters. Warnings and errors. warnings and errors. cart_to_geod Overview Calling interface Input parameters. Output parameters. Output parameters. Output parameters. Warnings and errors. warnings and errors. kepl_to_cart Overview Calling interface Input parameters. Output parameters.





Code:	EO-MA-DMS-GS-0003
Date:	10/05/2019
Issue:	4.17
Page:	14

7.29.5	Warnings and errors	151
7.30 xl_c	eart_to_radec	153
7.30.1	Overview	153
7.30.2	Calling interface	153
7.30.3	Input parameters	153
7.30.4	Output parameters	154
7.30.5	Warnings and errors	154
7.31 xl_1	adec_to_cart	156
7.31.1	Overview	156
7.31.2	Calling interface	156
7.31.3	Input parameters	156
7.31.4	Output parameters	157
7.31.5	Warnings and errors	157
7.32 xl_1	opocentric_to_ef	159
7.32.1	Overview	159
7.32.2	Calling interface	159
7.32.3	Input parameters	159
7.32.4	Output parameters	160
7.32.5	Warnings and errors	160
7.33 xl_0	ef_to_topocentric	162
7.33.1	Overview	162
7.33.2	Calling interface	162
7.33.3	Input parameters	162
7.33.4	Output parameters	163
7.33.5	Warnings and errors	163
7.34 xl_s	sun	165
	Overview	
7.34.2	Calling interface	165
	Input parameters	
	Output parameters	
	Warnings and errors	
7.35 xl ı	noon	168





Code:	EO-MA-DMS-GS-0003
Date:	10/05/2019
Issue:	4.17
Page:	15

7.35.1	Overview	168
7.35.2	Calling interface	168
7.35.3	Input parameters	168
7.35.4	Output parameters	169
7.35.5	Warnings and errors.	169
7.36 xl_	planet	171
7.36.1	Overview	171
7.36.2	Calling interface	171
7.36.3	Input parameters	171
7.36.4	Output parameters	172
7.36.5	Warnings and errors	172
7.37 xl_s	star_radec	174
	Overview	
7.37.2	Calling interface	174
7.37.3	Input parameters	174
7.37.4	Output parameters	175
7.37.5	Warnings and errors	176
7.38 xl_s	star_catalog	177
7.38.1	Overview	177
7.38.2	Calling interface	177
7.38.3	Input parameters	177
7.38.4	Output parameters	178
7.38.5	Warnings and errors	179
7.39 xl	geod_distance	180
	Overview	
	Calling interface	
7.39.3	Input parameters	181
	IOutput parameters	
7.39.5	Warnings and errors	181
7.40 xl	time_get_leap_second_info	183
_	Overview	
	Calling interface	





EO-MA-DMS-GS-0003
10/05/2019
4.17
16

7.40.3	Input parameters	184
7.40.4	Output parameters	184
7.40.5	Warnings and errors.	185
7.41 xl_	euler_to_matrix	186
7.41.1	Overview	186
7.41.2	Calling interface	186
7.41.3	Input parameters	187
7.41.4	Output parameters	187
7.41.5	Warnings and errors.	187
7.42 xl_1	matrix_to_euler	188
7.42.1	Overview	188
7.42.2	Calling interface	188
7.42.3	Input parameters	188
7.42.4	Output parameters	189
7.42.5	Warnings and errors	189
7.43 xl_j	position_on_orbit	191
7.43.1	Overview	191
7.43.2	Calling interface	191
7.43.3	Input parameters	192
7.43.4	Output parameters	192
7.43.5	Warnings and errors	193
7.44 xl_	get_rotation_angles	194
7.44.1	Overview	194
7.44.2	Calling interface	194
7.44.3	Input parameters	194
7.44.4	Output parameters	195
7.44.5	Warnings and errors	195
7.45 xl_	get_rotated_vectors	197
7.45.1	Overview	197
7.45.2	Calling interface	197
7.45.3	Input parameters	197
7.45.4	Output parameters	198





Code:	EO-MA-DMS-GS-0003
Date:	10/05/2019
Issue:	4.17
Page:	17

7.45.5	Warnings and errors	198
7.46 xl_c	quaternions_to_vectors	200
7.46.1	Overview	200
7.46.2	Calling interface.	200
7.46.3	Input parameters	200
7.46.4	Output parameters	200
7.46.5	Warnings and errors.	201
7.47 xl_	vectors_to_quaternions	202
7.47.1	Overview	202
7.47.2	Calling interface.	202
7.47.3	Input parameters	202
7.47.4	Output parameters	203
7.47.5	Warnings and errors	203
7.48 xl_0	default_sat_initdefault_sat_init	204
7.48.1	Overview	204
7.48.2	Calling interface	204
7.48.3	Input parameters	204
7.48.4	Output parameters	205
7.48.5	Warnings and errors.	205
7.49 xl_0	lefault_sat_close	206
7.49.1	Overview	206
7.49.2	Calling interface	206
7.49.3	Input parameters	206
7.49.4	Output parameters	206
7.49.5	Warnings and errors	206
7.50 xl_s	set_tle_sat_data	207
	Overview	
7.50.2	Calling interface	207
	Input parameters	
	Output parameters	
	Warnings and errors	
7.51 xl 1	model_init	209





Code:	EO-MA-DMS-GS-0003
Date:	10/05/2019
Issue:	4.17
Page:	18

Q1 time	anne:	221
8 CFIE	XECUTABLE PROGRAMS	221
7.55.5	Warnings and errors	219
	Output parameters	
7.55.3	Input parameters	218
7.55.2	Calling interface	218
7.55.1	Overview	218
7.55 xl_	quaternions_interpol	218
7.54.5	Warnings and errors	217
7.54.4	Output parameters	216
7.54.3	Input parameters	216
7.54.2	Calling interface	216
	Overview	
7.54 xl_	geoid_calc	216
7.53.5	Warnings and errors	215
	Output parameters	
	Input parameters	
	Calling interface	
	Overview	
	nodel_get_data	
7.52.5	Warnings and errors	212
	Output parameters	
	Input parameters	
	Calling interface	
	Overview	
_	model_close	
	Warnings and errors	
	Output parameters	
	Input parameters	
	Calling interface	
	Overview	





Code:	EO-MA-DMS-GS-0003
Date:	10/05/2019
Issue:	4.17
Daga	10

9 RUNTIME PERFORMANCES	223
10 LIBRARY PRECAUTIONS	226





LIST OF TABLES

Table 1: CFI functions included within EO_LIB library	
Table 2: Enumerations within EO_LIB library	38
Table 3: Transport time formats	
Table 4: Basic ASCII time formats	
Table 5: Derived ASCII time formats	
Table 6: Definition of BOM and EOM for basic ASCII time formats	
Table 7: Definition of BOM and EOM for derived ASCII time formats	46
Table 8: EO_LIB structures	
Table 9: Time reference correlations from reference files	
Table 10: Initialization validity depending on input file	
Table 11: Input parameters of xl_time_ref_init_file function	55
Table 12: Output parameters of xl_time_ref_init_file function	
Table 13: Error messages of xl_time_ref_init_file function	58
Table 14: Input parameters of xl_time_ref_init function	60
Table 15: Output parameters of xl_time_ref_init function	61
Table 16: Error messages of xl_time_ref_init function	
Table 17: Input parameters of xl_time_id_init function	63
Table 18: Output parameters of xl_time_id_init function	
Table 19: Error messages of xl_time_id_init function	65
Table 20: Input parameters of xl_time_close function	67
Table 21: Output parameters of xl_time_close function	67
Table 22: Error messages of xl_time_close function	
Table 23: Input parameters of xl_time_get_id_data function	69
Table 24: Output parameters of xl_time_get_id_data function	69
Table 25: Input parameters of xl_time_set_id_data function	71
Table 26: Output parameters of xl_time_set_id_data function	71
Table 27: Input parameters of xl_run_init function	73
Table 28: Output parameters of xl_run_init function	
Table 29: Error messages of xl_run_init function	74
Table 30: Input parameters of xl_run_get_ids function	75
Table 31: Output parameters of xl_run_get_ids function	75
Table 32: Input parameters of xl_run_close function	77
Table 33: Output parameters of xl_run_close function	77
Table 34: Input parameters of xl_time_ascii_to_ascii function	79
Table 35: Output parameters of xl_time_ascii_to_ascii	79
Table 36: Error messages of xl_time_ascii_to_ascii function	80
Table 37: Input parameters of xl_time_ascii_to_processing function	
Table 38: Output parameters of xl_time_ascii_to_processing	
Table 39: Error messages of xl_time_ascii_to_processing function	84
Table 40: Input parameters of xl_time_ascii_to_transport function	
Table 41: Output parameters of xl_time_ascii_to_transport	87
Table 42: Error messages of xl_time_ascii_to_transport function	88
Table 43: Input parameters of xl_time_processing_to_ascii function	
Table 44: Output parameters of xl_time_processing_to_ascii	
Table 45: Error messages of xl_time_processing_to_ascii function	
Table 46: Input parameters of xl_time_processing_to_processing function	





Code:	EO-MA-DMS-GS-0003
Date:	10/05/2019
Issue:	4.17
Daga	21

Table 47: Output parameters of xl_time_processing_to_processing	95
Table 48: Error messages of xl_time_processing_to_processing function	
Table 49: Input parameters of xl_time_processing_to_transport function	98
Table 50: Output parameters of xl_time_processing_to_transport	
Table 51: Error messages of xl_time_processing_to_transport function	99
Table 52: Input parameters of xl time transport to ascii function	
Table 53: Output parameters of xl time transport to ascii	.101
Table 54: Error messages of xl_time_transport_to_ascii function	102
Table 55: Input parameters of xl_time_transport_to_processing function	
Table 56: Output parameters of xl time transport to processing	
Table 57: Error messages of xl time transport to processing function	
Table 58: Input parameters of xl time transport to transport function	
Table 59: Output parameters of xl time transport to transport	
Table 60: Error messages of xl_time_transport_to_transport function	
Table 61: Input parameters of xl_time_cuc_to_processing function	
Table 62: Output parameters of xl time cuc to processing	
Table 63: Error messages of xl_time_cuc_to_processing function	
Table 64: Input parameters of xl_time_processing_to_cuc function	
Table 65: Output parameters of xl_time_processing_to_cuc	115
Table 66: Error messages of xl_time_processing_to_cuc function	
Table 67: Input parameters of xl time add function	
Table 68: Output parameters of xl time add function	
Table 69: Error messages of xl time add function	
Table 70: Input parameters of xl_time_diff function	
Table 71: Output parameters of xl_time_diff function	
Table 72: Error messages of xl_time_diff function	
Table 73: Input parameters of xl_time_obt_to_time function	.125
Table 74: Input parameters of xl envisat obt param structure	
Table 75: Input parameters of xl envisat obt value structure	
Table 76: Input parameters of xl goce obt param structure	
Table 77: Input parameters of xl goce obt value structure	
Table 78: Input parameters of xl smos obt param structure	
Table 79: Input parameters of xl smos obt value structure	
Table 80: Input parameters of xl adm obt param structure	
Table 81: Input parameters of xl_adm_obt_value structure	
Table 82: Output parameters of xl time obt to time function	
Table 83: Error messages of xl time obt to time function	
Table 84: Input parameters of xl_time_obt_to_time function	
Table 85: Input parameters of xl envisat obt param structure	
Table 86: Input parameters of xl goce obt param structure	
Table 87: Input parameters of xl smos obt param structure	
Table 88: Input parameters of xl_adm_obt_param structure	
Table 89: Output parameters of xl time time to obt function	
Table 90: Output parameters of xl envisat obt value structure	
Table 91: Output parameters of xl goce obt value structure	
Table 92: Output parameters of xl smos obt value structure	
Table 93: Output parameters of xl adm obt value structure	
Table 94: Error messages of xl_time_time_to_obt function	
Table 95: Input parameters of xl change cart cs function	





Code:	EO-MA-DMS-GS-0003
Date:	10/05/2019
Issue:	4.17
Page:	22

Table 96: Output parameters of xl change cart cs function	138
Table 97: Error messages of xl change cart cs function	139
Table 98: Input parameters of xl good to cart function	
Table 99: Output parameters of xl good to cart function	
Table 100: Error messages of xl geod to cart function	
Table 101: Input parameters of xl_cart_to_geod function	
Table 102: Output parameters of xl_cart_to_geod function	
Table 103: Error messages of xl cart to geod function	
Table 104: Input parameters of xl kepl to cart function	
Table 105: Output parameters of xl_kepl_to_cart function	
Table 106: Error messages of xl kepl to cart function	
Table 107: Input parameters of xl_cart_to_kepl function	
Table 108: Output parameters of xl_cart_to_kepl function	
Table 109: Error messages of xl_cart_to_kepl function	
Table 110: Input parameters of xl_cart_to_radec function	
Table 111: Output parameters of xl_cart_to_radec function	
Table 112: Error messages of xl cart to radec function	
Table 113: Input parameters of xl_radec_to_cart function	
Table 114: Output parameters of xl radec to cart function	
Table 115: Error messages of xl radec_to_cart function	
Table 116: Input parameters of xl_topocentric_to_ef function	
Table 117: Output parameters of xl_topocentric_to_ef function	
Table 118: Error messages of xl_topocentric_to_ef function	160
Table 119: Input parameters of xl ef to topocentric function	
Table 120: Output parameters of xl_ef_to_topocentric function	
Table 121: Error messages of xl_ef_to_topocentric function	
Table 122: Input parameters of xl_sun function	
Table 123: Output parameters of xl sun function	166
Table 124: Error messages of xl_sun function	
Table 125: Input parameters of xl_moon function	168
Table 126: Output parameters of xl_moon function	
Table 127: Error messages of xl_moon function	169
Table 128: Input parameters of xl_planet function	
Table 129: Output parameters of xl_planet function	172
Table 130: Error messages of xl_planet function	172
Table 131: Input parameters of xl_star_radec function	
Table 132: Output parameters of xl_star_radec function	175
Table 133: Error messages of xl_star_radec function	176
Table 134: Input parameters of xl_star_catalog function	177
Table 135: Output parameters of xl_star_catalog function	
Table 136: Error messages of xl_star_catalog function	
Table 137: Input parameters of xl_geod_distance function	
Table 138: Output parameters of xl_geod_distance function	
Table 139: Error messages of xl_geod_distance function	
Table 140: Input parameters of xl_time_get_leap_second_info function	
Table 141: Output parameters of xl_time_get_leap_second_info function	
Table 142: Error messages of xl_time_get_leap_second_info function	
Table 143: Input parameters of xl_euler_to_matrix function	
Table 144: Output parameters of xl_euler_to_matrix function	187





Code:	EO-MA-DMS-GS-0003
Date:	10/05/2019
Issue:	4.17
Page:	23

Table 145: Input parameters of xl matrix to euler function	189
Table 146: Output parameters of xl_matrix_to_euler function	189
Table 147: Error messages of xl matrix to euler function	
Table 148: Input parameters of xl position on orbit function	192
Table 149: Output parameters of xl position on orbit function	192
Table 150: Error messages of xl position on orbit function	193
Table 151: Input parameters of xl get rotation angles function	194
Table 152: Output parameters of xl get rotation angles function	195
Table 153: Error messages of xl_get_rotation_angles function	195
Table 154: Input parameters of xl_get_rotated_vectors function	197
Table 155: Output parameters of xl get_rotated_vectors function	198
Table 156: Error messages of xl get rotated vectors function	198
Table 157: Input parameters of xl_quaternions_to_vectors function	200
Table 158: Output parameters of xl_quaternions_to_vectors function	200
Table 159: Error messages of xl_quaternions_to_vectors function	201
Table 160: Input parameters of xl_vectors_to_quaternions function	202
Table 161: Output parameters of xl_vectors_to_quaternions function	203
Table 162: Error messages of xl_vectors_to_quaternions function	203
Table 163: Input parameters of xl_default_sat_init function	204
Table 164: Output parameters of xl_default_sat_init function	205
Table 165: Error messages of xl_default_sat_init function	205
Table 166: Input parameters of xl_default_sat_close function	206
Table 167: Input parameters of xl_set_tle_sat_data function	207
Table 168: Possible models for every model type	209
Table 169: Model sets	209
Table 170: Input parameters of xl_model_init function	210
Table 171: Output parameters of xl_model_init function	211
Table 172: Error messages of xl_model_init function	211
Table 173: Input parameters of xl_model_close function	212
Table 174: Output parameters of xl_model_close function	212
Table 175: Error messages of xl_model_close function	213
Table 176: Input parameters of xl_model_get_data function	
Table 177: Output parameters of xl_model_get_data function	214
Table 178: Input parameters of xl_geoid_calc function	216
Table 179: Output parameters of xl_geoid_calc function	216
Table 180: Error messages of xl_geoid_calc function	
Table 181: Input parameters of xl_quaternions_interpol	
Table 182: Output parameters of xl_quaternions_interpol	219
Table 183: Error messages of x1 quaternions interpol function	220





LIST OF FIGURES

Figure 1: Time reference transformations sequence	32
Figure 2: Change cartesian coordinates	136
Figure 3: Azimuth figures returned by xl geod distance function	180
Figure 4: Euler Angles	





1 SCOPE

The EO_LIB Software User Manual provides a detailed description of usage of the CFI functions included within the EO_LIB CFI software library.





2 ACRONYMS, NOMENCLATURE AND TERMINOLOGY

2.1 Acronyms

ANX Ascending Node Crossing

AOCS Attitude and Orbit Control Subsystem

ASCII American Standard Code for Information Interchange

BOM Beginning Of Mission

CFI Customer Furnished Item

EGM96 Earth Gravitational Model 1996

EO Earth Observation

EOM End Of Mission

ESA European Space Agency

ESTEC European Space Technology and Research Centre

GPL GNU Public License

GPS Global Positioning System

IERS International Earth Rotation Service

I/F Interface

LS Leap Second

OBT On-board Binary Time

OSF Orbit Scenario File

SRAR Satellite Relative Actual Reference

SUM Software User Manual

TAI International Atomic Time

UTC Coordinated Universal Time

UT1 Universal Time UT1

WGS[84] World Geodetic System 1984

2.2 Nomenclature

CFI A group of CFI functions, and related software and documentation that will be distributed

by ESA to the users as an independent unit

CFI function A single function within a CFI that can be called by the user

Library A software library containing all the CFI functions included within a CFI plus the

supporting functions used by those CFI functions (transparently to the user)





2.3 Note on Terminology

In order to keep compatibility with legacy CFI libraries, the Earth Observation Mission CFI Software makes use of terms that are linked with missions already or soon in the operational phase like the Earth Explorers.

This may be reflected in the rest of the document when examples of Mission CFI Software usage are proposed or description of Mission Files is given.





3 APPLICABLE AND REFERENCE DOCUMENTS

3.1 Applicable Documents

No applicable documents.

3.2 Reference Documents

[MCD] Earth Observation Mission CFI Software. Conventions Document. EO-MA-

DMS-GS-0001.

[GEN SUM] Earth Observation Mission CFI Software. General Software User Manual. EO-

MA- DMS-GS-0002.

[F_H_SUM] Earth Observation Mission CFI Software. EO_FILE_HANDLING Software User

Manual. EO-MA-DMS-GS-0008.

[D H SUM] Earth Observation Mission CFI Software. EO DATA HANDLING Software User

Manual. EO-MA-DMS-GS-007.

[IERS] http://www.iers.org/iers/publications/bulletins/

[CUC] CCSDS TIME CODE FORMATS RECOMMENDED STANDARD, CCSDS

301.0-B, section 3.2

Earth Observation OPS Commanding.

[EO_OPS] Link to Technical note

The latest applicable version of [MCD], [GEN_SUM], [F_H_SUM], [DH_SUM] is v4.17 and can be found at: http://eop-cfi.esa.int/REPO/PUBLIC/DOCUMENTATION/CFI/EOCFI/BRANCH_4X/





4 INTRODUCTION

4.1 Functions Overview

This software library contains all low-level generic routines, supporting all the other CFI functions.

The following CFI functions are included:

4.1.1 Time Computations

All time time computations are performed internally using the continuous TAI time reference. Therefore the input and output parameters are converted internally to the adequate time reference.

4.1.1.1 Time Reference Transformations Initialization

- **xl_time_ref_init_file**: initializes time correlations between TAI, UTC, UT1 and GPS times from reference data files.
- xl_time_ref_init: initializes time correlations between TAI, UTC, UT1 and GPS times from input reference times.
- xl_time_close: cleans up any memory allocation performed by the initialization functions.
- xl_time_get_leap_second_info: retrieves the leap second location (if any) in the initialised time range.

4.1.1.2 Time Format and Reference Transformations

- xl_time_ascii_to_ascii: transforms a time expressed in a given ASCII format and reference (TAI, UTC, UT1 or GPS) into a time in a different ASCII format and/or reference (TAI, UTC, UT1 or GPS).
- xl_time_ascii_to_transport: transforms a time expressed in a given ASCII format and reference (TAI, UTC, UT1 or GPS) into a time in a Transport format, performing a reference transformation if necessary (to TAI, UTC, UT1 or GPS).
- xl_time_ascii_to_processing: transforms a time expressed in a given ASCII format and reference (TAI, UTC, UT1 or GPS) into a time in Processing format, performing a reference transformation if necessary (to TAI, UTC, UT1 or GPS).
- xl_time_processing_to_ascii: transforms a time expressed in Processing format and a given reference (TAI, UTC, UT1 or GPS) into a time in an ASCII format, performing a reference transformation if necessary (to TAI, UTC, UT1 or GPS).
- **xl_time_processing_to_transport**: transforms a time expressed in Processing format and a given reference (TAI, UTC, UT1 or GPS) into a time in a Transport format, performing a reference transformation if necessary (to TAI, UTC, UT1 or GPS).
- **xl_time_processing_to_processing**: transforms a time expressed in Processing format and a given reference (TAI, UTC, UT1 or GPS) into a time in Processing format with a different reference (TAI, UTC, UT1 or GPS).
- xl_time_transport_to_ascii: transforms a time expressed in a given Transport format and reference (TAI, UTC, UT1 or GPS) into a time in an ASCII format, performing a reference transformation if necessary (to TAI, UTC, UT1 or GPS).
- **xl_time_transport_to_transport**: transforms a time expressed in a given Transport format and reference (TAI, UTC, UT1 or GPS) into a time in a different Transport format and/or reference (TAI, UTC, UT1 or GPS).





• **xl_time_transport_to_processing**: transforms a time expressed in a given Transport format and reference (TAI, UTC, UT1 or GPS) into a time in Processing format, performing a reference transformation if necessary (to TAI, UTC, UT1 or GPS).

4.1.1.3 Operation between Dates

- xl_time_add: adds a duration to a TAI, UTC, UT1 or GPS time expressed in Processing format.
- xl time diff: subtracts two TAI, UTC, UT1 or GPS times expressed in Processing format.

4.1.1.4 Transformations from/to On-board Times

- **xl_time_obt_to_time**: transforms an On-board Time (OBT) into a TAI, UTC, UT1 or GPS time in Processing format.
- xl_time_time_to_obt: transforms a TAI, UTC, UT1 or GPS time expressed in Processing format into an On-board Time (OBT).

4.1.2 Coordinate Systems Transformations

4.1.2.1 Reference Frames Transformations

- xl_change_cart_cs: transforms a state vector between different coordinate systems.
- xl topocentric to ef: transforms a state vector from topocentric coordinates to the Earth Fixed CS.
- xl_ef_to_topocentric: transforms a state vector from the Earth Fixed CS to topocentric coordinates.

4.1.2.2 Attitude-related Computations

- **xl_euler_to_matrix**: computes the elements of the coordinate transformation matrix with respect to the attitude frame given the corresponding Euler rotation vector in the roll, pitch and yaw sequence.
- **xl_matrix_to_euler**: derives the Euler rotation vector with respect to the attitude frame in the roll, pitch and yaw sequence given the corresponding coordinate transformation matrix.
- xl_get_rotation_angles: calculates the rotation angles between two sets of orthonormal right-handed unit vectors expressed wrt an identical coordinate frame.
- xl_get_rotated_vectors: calculates the rotated unit vectors given a set of unit vectors and the rotation angles expressed wrt an identical coordinate frame.
- xl quaternions to vectors: calculates the orthonormal unit vectors from a given set of quaternions.
- xl_vectors_to_quaternions: calculates the set of quaternions that correspond to a set of orthonormal unit vectors.

4.1.2.3 Coordinates Transformations

- xl geod to cart: transforms from Geodetic to Cartesian coordinates.
- xl cart to geod: transforms from Cartesian to Geodetic coordinates.
- xl_cart_to_radec: transforms from a cartesian vector to right ascension and declination.
- xl_radec_to_cart: transforms from right ascension and declination to a cartesian vector.

4.1.2.4 State Vector Transformations

- xl kepl to cart: transforms from Keplerian to Cartesian coordinates.
- xl cart to kepl: transforms from Cartesian to Keplerian coordinates.





4.1.2.5 Position on orbit calculations

• **xl_position_on_orbit**: calculates a value describing the position of the satellite within the orbit, using as input a Cartesian orbit state vector.

4.1.2.6 Quaternions transformations

• xl quaternions interpol: interpolates a quaternion using the spherical linear interpolation method.

4.1.3 Other Basic Computations

- xl_sun: calculates the position and velocity of the Sun in the Earth Fixed coordinate system
- xl moon: calculates the Moon position and velocity in the Earth Fixed coordinate system
- xl_planet: calculates the position and velocity of a selected planet in the Earth Fixed coordinate system
- **xl_star_radec**: calculates the right ascension and declination of a star in the True of Date coordinate system.
- **xl_geod_distance**: calculates the geodesic distance between two points that lay on the same ellipsoid, and the azimuth of the related geodesic line at both points.
- xl_star_catalog: calculates the star coordinates in a star catalogue reference frame.

4.1.4 Astronomical model selection

- **xl_model_init**: It initialises a model identifier that will be used to by other CFI functions to select a model.
- xl model close: cleans up any memory allocation performed by the initialization functions.

4.2 Time Reference Transformations Calling Sequence

Time reference transformations, and other functions with time as input, requires the user to initialise correlations between the different allowed time references, i.e. TAI, UTC, UT1 and GPS time. In order to accomplish such correlations, two possible strategies can be used:

- Initialization from a single or multiple orbit files (x1 time ref init file)
- Initialization with data structures (user data or data read from files)(x1 time id data).
- Initialization from a given set of time references (xl time ref init).

The correlations are stored in a data structure, and the software returns a pointer to it, in addition to the validity range of the initialisation. This structure is referred to as the *Time Id*.

Once the initialisation has been performed, the user is able to transform any date expressed in one of the allowed time references to another, through the Time Format / Reference Transformation functions. The *Time ID* has to be provided to each of these functions. The process can be repeated as needed without initialising the time correlations each time.

After finalising the transformations, the *Time ID* must be freed (xl time close).

A complete view of the time reference transformations sequence is presented in figure 1.





Page: 32




Figure 1: Time reference transformations sequence

There is a second way of calling the functions that require a timeId as input.

Similar initialisation functions exist in other CFI libraries, resulting in various *Ids* being generated. It is possible to group different *Ids* into a single entity called *runId*. Using this method, a single *runId* can be passed to all functions across the different libraries, instead of passing several *Ids* through the interface.

In this case, the first step would be to create the *timeId*. Then, a *runId* can be generated using as input the *timeId*. This *runId* is then passed through the interface to equivalent functions to those described before (ending in "_run").

A detailed description of each function is provided in section 7.

Please refer also to:

- [MCD] for a detailed description of the time references and formats, coordinate systems, parameters and models used in this document.
- [GEN_SUM] for a complete overview of the CFI, and in particular the detailed description of the Id concept and the error handling functions.

4.3 Earth and Astronomical model selection calling sequence

The CFI functions can work with different Earth and astronomical models. These models have been divided in the following categories:

- Star model
- Sun model
- Planet model
- Earth model
- Moon model
- Nutation model





Page: 33

- Precession model
- Constants model

In order to work with different models, these have to be stored in a CFI Id called *Model ID*. The *Model ID* is a variable of type **xl_model_id**.

The calling sequence for a C program where the *Model ID* is needed, would be as follows:

- Declare the model id variable:
 - xl model id model id = {NULL};
 - The model_id has to be initialised this way (as other CFI ID's), so that the EOCFI could recognise that the model id is not initialised.
- The user is required to explicitly initialize the model_id with the xl_model_init function (see section 7.51). In case this is not done and a model_id set to {NULL} is passed to a CFI function, that CFI function will allocate and use a temporary model_id (set to default models) that will be released at function completion. The second option is less efficient than the first one especially when that CFI function is called many times as a sequence of time consuming memory allocations and releasing would take place.
- The model id is used as an input parameter in the EOCFI functions if it is needed.
- Close the model id with **xl model close** (Only if the model id was initialised).

Please refer also to:

- [MCD] for a detailed description of the models implemented for the Earth Observation CFI. (For the current version, only the default models are available)
- [GEN_SUM] for a detailed description of the *Id* concept.





5 LIBRARY INSTALLATION

For a detailed description of the installation of any CFI library, please refer to [GEN_SUM].





6 LIBRARY USAGE

The EO_LIB software library has the following dependencies:

- Other EOCFI libraries:
 - EO FILE HANDLING (See [F H SUM]).
 - EO DATA HANDLING (See [D H SUM]).
- Third party libraries:
 - POSIX thread library: libpthread.so (Note: this library is normally pre-installed in Linux and MacOS platforms. For Windows platforms, pthread.lib is included in the distribution package, with license LGPL);
 - GEOTIFF, TIFF, PROJ, LIBXML2 libraries (these libraries are included in the distribution package. Their usage terms and conditions are available in the file "TERMS AND CONDITIONS.TXT" which is part of the distribution package).

The following is required to compile and link a Software application that uses the EO_LIB software library functions (it is assumed that the required EOCFI and third-part libraries are located in directory *cfi_lib_dir* and the required header files are located in *cfi_include*, see [GEN_SUM] for installation procedures):

- 1) include the following header files in the source code:
 - explorer_lib.h (for a C application)
- 2) use the following compile and link options:

Linux and MacOS platforms:

- -Icfi include dir -Lcfi lib dir -lexplorer lib
- lexplorer data dandling -lexplorer file handling -lgeotiff -ltiff -lproj -lxml2 -lm -lc -lpthread

Windows platforms:

```
/I "cfi include dir" /libpath: "cfi lib dir" libexplorer lib.lib
```

libexplorer_data_handling.lib libexplorer_file_handling.lib libgeotiff.lib libtiff.lib libproj.lib libxml2.lib pthread.lib Ws2 32.lib

All functions described in this document have a name starting with the prefix xl

To avoid problems in linking a user application with the EO_LIB software library due to the existence of names multiple defined, the user application should avoid naming any global software item beginning with either the prefix XL or x1.

It is possible to call the following CFI functions from a user application.





Page: 36

Table 1: CFI functions included within EO_LIB library

Function Name	Enumeration value	Long
	Main CFI Functions	
xl_time_transport_to_ascii	XL_TIME_TRANSPORT_TO_ASCII_ID	0
xl_time_transport_to_transport	XL_TIME_TRANSPORT_TO_TRANSPORT_ID	1
xl_time_transport_to_processing	XL_TIME_TRANSPORT_TO_PROCESSING_ID	2
xl_time_processing_to_ascii	XL_TIME_PROCESSING_TO_ASCII_ID	3
xl_time_processing_to_transport	XL_TIME_PROCESSING_TO_TRANSPORT_ID	4
xl_time_processing_to_processing	XL_TIME_PROCESSING_TO_PROCESSING_ID	5
xl_time_ascii_to_ascii	XL_TIME_ASCII_TO_ASCII_ID	6
xl_time_ascii_to_transport	XL_TIME_ASCII_TO_TRANSPORT_ID	7
xl_time_ascii_to_processing	XL_TIME_ASCII_TO_PROCESSING_ID	8
xl_time_add	XL_TIME_ADD_ID	9
xl_time_diff	XL_TIME_DIFF_ID	10
xl_time_obt_to_time	XL_TIME_OBT_TO_TIME_ID	11
xl_time_time_to_obt	XL_TIME_TIME_TO_OBT_ID	12
xl_time_ref_init_file	XL_TIME_REF_INIT_FILE_ID	13
xl_time_ref_init	XL_TIME_REF_INIT_ID	14
xl_time_id_init	XL_TIME_ID_INIT	15
xl_time_ref_close	XL_TIME_CLOSE_ID	16
xl_change_cart_cs	XL_CHANGE_CART_CS_ID	17
xl_geod_to_cart	XL_GEOD_TO_CART_ID	18
xl_cart_to_geod	XL_CART_TO_GEOD_ID	19
xl_kepl_to_cart	XL_KEPL_TO_CART_ID	20
xl_cart_to_kepl	XL_CART_TO_KEPL_ID	21
xl_sun	XL_SUN_ID	22
xl_moon	XL_MOON_ID	23
xl_planet	XL_PLANET_ID	24
xl_star_radec	XL_STAR_RADEC_ID	25
xl_geod_distance	XL_GEOD_DISTANCE_ID	26
xl_time_get_leap_second_info	XL_TIME_GET_LEAP_SECOND_INFO_ID	27
xl_default_sat_init	XL_DEFAULT_SAT_INIT_ID	28





Page: 37

xl_run_init	XL_RUN_INIT_ID	29
xl_get_rotation_angles	XL_GET_ROTATION_ANGLES_ID	30
xl_get_rotated_vectors	XL_GET_ROTATED_VECTORS_ID	31
xl_position_on_orbit	XL_POSITION_ON_ORBIT	32
xl_quaternions_to_vectors	XL_QUATERNIONS_TO_VEC_ID	33
xl_vectors_to_quaternions	XL_VEC_TO_QUATERNIONS_ID	34
xl_star_catalog	XL_STAR_CATALOG_ID	35
xl_cart_to_radec	XL_CART_TO_RADEC_ID	36
xl_radec_to_cart	XL_RADEC_TO_CART_ID	37
xl_topocentric_to_ef	XL_TOPOCENTRIC_TO_EF_ID	38
xl_ef_to_topocentric	XL_EF_TO_TOPOCENTRIC_ID	39
xl_euler_to_matrix	XL_EULER_TO_MATRIX_ID	40
xl_matrix_to_euler	XL_MATRIX_TO_EULER_ID	41
xl_model_init_id	XL_MODEL_INIT_ID	42
xl_model_close	XL_MODEL_CLOSE_ID	43
xl_geoid_calc	XL_GEOID_CALC_ID	44
xl_quaternions_interpol	XL_QUATERNIONS_INTERPOL_ID	45
xl_time_cuc_to_processing	XL_TIME_CUC_TO_PROCESSING_ID	46
xl_time_processing_to_cuc	XL_TIME_PROCESSING_TO_CUC_ID	47
Error Handling Functions		
xl_verbose	not applicable	
xl_silent		
xl_get_code		
xl_get_msg		
xl_print_msg		

Notes about the table:

- To transform the extended status flag returned by a CFI function to either a list of error codes or a list of error messages, the enumeration value (or the corresponding long value) described in the table must be used
- The error handling functions have no enumerated values

Whenever available it is strongly recommended to use enumeration values rather than integer values.





6.1 Usage hints

Every CFI function has a different length of the Error Vector, used in the calling I/F examples of this SUM and defined at the beginning of the library header file. In order to provide the user with a single value that could be used as Error Vector length for every function, a generic value has been defined (XL_ERR_VECTOR_MAX_LENGTH) as the maximum of all the Error Vector lengths. This value can therefore be safely used for every call of functions of this library.

6.2 General Enumerations

The aim of the current section is to present the enumeration values that can be used rather than integer parameters for some of the input parameters of the EO_LIB routines, as shown in the table below. The enumerations presented in [GEN_SUM] are also applicable.

Table 2: Enumerations within EO_LIB library

Input	Description	Enumeration value	Long
Time reference	Undefined	XL_TIME_UNDEF	-1
	TAI	XL_TIME_TAI	0
	UTC	XL_TIME_UTC	1
	UT1	XL_TIME_UT1	2
	GPS	XL_TIME_GPS	3
Processing format	Standard	XL_PROC	0
Transport time format	Standard	XL_TRANS_STD	0
	Envisat Ground Segment	XL_TRANS_ENVI_GS	11
	CryoSat He by the Segment	XL_TRANS_CRYO_GS	21
	CryoSat General Telemetry	XL_TRANS_CRYO_TM	22
	CryoSat SIRAL Telemetry	XL_TRANS_CRYO_TM_SIRAL	23
	SMOS transport time format	XL_TRANS_SMOS_TM	31
	GPS Second transport time format (number of seconds and microseconds elapsed since GPS epoch: 6 th January 1980)	XL_TRANS_GENERIC_GPS_SEC	41
	GPS Week transport time format (number of weeks, seconds and microseconds elapsed since GPS epoch: 6 th January 1980)	XL_TRANS_GENERIC_GPS_WEEK	42
ASCII time format	Undefined	XL_ASCII_UNDEF	-1
	Standard	XL_ASCII_STD	11
	Standard with reference	XL_ASCII_STD_REF	12
	Standard with microsecs	XL_ASCII_STD_MICROSEC	13
	Standard with reference and microsecs	XL_ASCII_STD_REF_MICROSEC	14
	Compact	XL_ASCII_COMPACT	21
	Compact with reference	XL_ASCII_COMPACT_REF	22





Input	Description	Enumeration value	Long
	Compact with microsecs	XL_ASCII_COMPACT_MICROSEC	23
	Compact with reference and microsecs	XL_ASCII_COMPACT_REF_MICROSE C	24
	Envisat	XL_ASCII_ENVI	31
	Envisat with reference	XL_ASCII_ENVI_REF	32
	Envisat with microsecs	XL_ASCII_ENVI_MICROSEC	33
	Envisat with reference and microsecs	XL_ASCII_ENVI_REF_MICROSEC	34
	CCSDS-A	XL_ASCII_CCSDSA	41
	CCSDS-A with reference	XL_ASCII_CCSDSA_REF	42
	CCSDS-A with microsecs	XL_ASCII_CCSDSA_MICROSEC	43
	CCSDS-A with reference and microsecs	XL_ASCII_CCSDSA_REF_MICROSEC	44
	CCSDS-A compact	XL_ASCII_CCSDSA_COMPACT	51
	CCSDS-A compact with reference	XL_ASCII_CCSDSA_COMPACT_REF	52
	CCSDS-A compact with microsecs	XL_ASCII_CCSDSA_COMPACT_MICR OSEC	53
	CCSDS-A compact with reference and microsecs	XL_ASCII_CCSDSA_COMPACT_REF_ MICROSEC	54
Time Initialization	Initialization from file (data-driven)	XL_SEL_FILE	0
Mode	Initialization within a time range	XL_SEL_TIME	1
	Initialization within a range of orbits	XL_SEL_ORBIT	2
	(not used in LIB)	XL_SEL_DEFAULT	3
Time Initialization	Select the file type automatically	XL_TIMEMOD_AUTO	-2
Model	User defined	XL_TIMEMOD_USER	-1
	None	XL_TIMEMOD_NONE	0
	IERS Bulletin B - Table 1 (Predicted)	XL_TIMEMOD_IERS_B_PREDICTED	1
	IERS Bulletin B - Table 2 (Restituted)	XL_TIMEMOD_IERS_B_RESTITUTED	2
	FOS Predicted Orbit File	XL_TIMEMOD_FOS_PREDICTED	3
	FOS Restituted Orbit File	XL_TIMEMOD_FOS_RESTITUTED	4
	DORIS Preliminary Orbit	XL_TIMEMOD_DORIS_PRELIMINARY	5
	DORIS Precise Orbit	XL_TIMEMOD_DORIS_PRECISE	6
	DORIS Navigator	XL_TIMEMOD_DORIS_NAVIGATOR	7
	Orbit Scenario File	XL_TIMEMOD_OSF	8
	IERS Bulletin A – Prediction table	XL_TIMEMOD_IERS_A_ONLY_PREDICTION	9
	extrapolation formula	XL_TIMEMOD_IERS_A_PREDICTION_ AND_FORMULA	10
	IERS Bulletin B plus IERS Bulletin A (only prediction table for Bulletin A)	XL_TIMEMOD_IERS_B_AND_A_ONLY _PREDICTION	11
Reference frame	Barycentric Mean of 2000	XL_BM2000	1
	Heliocentric Mean of 2000	XL_HM2000	2





Input	Description	Enumeration value	Long
	Geocentric Mean of 2000	XL_GM2000	3
	Mean of Date	XL_MOD	4
	True of Date	XL_TOD	5
	Earth Fixed	XL_EF	6
	Launch Inertial Frame	XL_LIF	7
	Barycentric Mean of 1950	XL_BM1950	8
	Galactic Coordinates	XL_GALACTIC	9
Extended reference	Barycentric Mean of 2000.0	BAR_MEAN_2000	1
frames	Heliocentric Mean of 2000.0	HEL_MEAN_2000	2
	Geocentric Mean of 2000.0	GEO_MEAN_2000	3
	Mean of date	MEAN_DATE	4
	True of date	TRUE_DATE	5
	Pseudo Earth Fixed	PSEUDO_EARTH_FIXED	6
	Earth Fixed	EARTH_FIXED	7
	Launch Inertial Frame	LIF	8
	Barycentric Mean of 1950	BAR_MEAN_1950	9
	Galactic Coordinates	GALACTIC	10
	Satellite relative actual reference cs	SAT_ACT_REF	11
	Quasi-Mean of Date	QUASI_MEAN_DATE	12
	Pseudo-True of Date	PSE_TRUE_DATE	13
	Topocentric coordinate system	TOPOCENTRIC	14
	Satellite reference frame	SAT_REF	15
	Satellite relative reference frame	SAT_REL_REF	16
Kepler OSV mode	Mean Kepler State Vector	XL_KEPLER_MEAN	1
	Osculating Kepler State Vector	XL_KEPLER_OSC	2
Planet ID	Mercury	XL_MERCURY	1
	Venus	XL_VENUS	2
	Earth-Moon barycenter	XL_EM_BAR	3
	Mars	XL_MARS	4
	Jupiter	XL_JUPITER	5
	Saturn	XL_SATURN	6
	Uranus	XL_URANUS	7
	Neptune	XL_NEPTUNE	8
Calculation mode	Position (using Bowring iterative method for xl_cart_to_geod)	XL_CALC_POS	1
	Position and velocity (using Bowring iterative method for xl_cart_to_geod)		2
	Position, velocity and acceleration	XL_CALC_POS_VEL_ACC	3
	Position (using Bowring iterative method for xl_cart_to_geod)	XL_CALC_ITER_POS	4





Input	Description	Enumeration value	Long
	Position and velocity (using Bowring	XL_CALC_ITER_POS_VEL	5
	iterative method for xl_cart_to_geod)	W. OALO NO ITED DOG	
	Position (using Bowring non iterative method for xl_cart_to_geod)	XL_CALC_NO_ITER_POS	6
	Position and velocity (using Bowring non iterative method for xl_cart_to_geod)	XL_CALC_NO_ITER_POS_VEL	7
AOCS mode	Default Cx, Cy, Cz values	XL_AOCS_DEFAULT	0
	User defined Cx, Cy, Cz values	XL_AOCS_USER	1
	Geocentric pointing	XL_AOCS_GPM	2
	Local normal pointing	XL_AOCS_LNP	3
	Yaw steering + local normal pointing	XL_AOCS_YSM	4
Angle Type	True Latitude (TOD)	XL ANGLE TYPE TRUE LAT_TOD	0
	True Latitude (EF)	XL_ANGLE_TYPE_TRUE_LAT_EF	1
	True Latitude (GM2000)	XL_ANGLE_TYPE_TRUE_LAT_GM200 0	2
Derivatives	No derivative	XL_NO_DER	0
	First in his joy is also calculated	XL_DER_1ST	1
	First and second derivative.	XL_DER_2ND	2
Type of <i>Ids</i>	Unknown	XL_INIT_UNKNOWN	0
	runld	XL_INIT_RUN	1
	timeld	XL_INIT_TIME	2
	orbitId (not used in LIB)	XO_INIT_ORBIT	3
	propagld (not used in LIB)	XO_INIT_PROPAG	4
	interpolld (not used in LIB)	XO_INIT_INTERPOL	5
	sat_nom_att_ld (not used in LIB)	XP_INIT_SAT_NOM_ATT	6
	sat_att_Id (not used in LIB)	XP_INIT_SAT_ATT	7
	instr_att_Id (not used in LIB)	XP_INIT_INSTR_ATT	8
	attitudeld (not used in LIB)	XP_INIT_ATTITUDE	9
	atmosld (not used in LIB)	XP_INIT_ATMOS	10
	demld (not used in LIB)	XP_INIT_DEM	11
	targetId (not used in LIB)	XP_INIT_TARGET	12
Boolean values	False	XL_FALSE	0
	True	XL_TRUE	1
Star Catalogues	FK4 Star catalogue	XL_FK4	0
	FK5 Star catalogue	XL_FK5	1
Vector mode flag	Point location	XL_MODE_FLAG_LOCATION	0
	Direction vector	XL_MODE_FLAG_DIRECTION	1
Model sets	CFI Default models	XL_MODEL_DEFAULT	0
	User defined models	XL_MODEL_CONFIG	1
Model types	Earth model	XL_MODEL_TYPE_EARTH	0





Input	Description	Enumeration value	Long
	Sun model	XL_MODEL_TYPE_SUN	1
	Moon model	XL_MODEL_TYPE_MOON	2
	Planet model	XL_MODEL_TYPE_PLANET	3
	Star model	XL_MODEL_TYPE_STAR	4
	Nutation model	XL_MODEL_TYPE_NUTATION	5
	Precession model	XL_MODEL_TYPE_PRECESSION	6
	Constant model	XL_MODEL_TYPE_CONSTANTS	7
	Light propagation model	XL_MODEL_TYPE_LIGHT_PROPAGAT ION	8
	Number of models	XL_NUM_MODEL_TYPES_ENUM	9
Earth model	Earth Default model	XL_MODEL_EARTH_DEFAULT	0
Sun model	Sun Default model	XL_MODEL_SUN_DEFAULT	0
	N D C 11	XL_MODEL_SUN_TRAVEL_TIME	1
Moon model	Moon Default model	XL_MODEL_MOON_DEFAULT	0
Planet model	Planet Default model	XL_MODEL_PLANET_DEFAULT	0
Star model	Star Default model	XL_MODEL_STAR_DEFAULT	0
Nutation model	Nutation Default model	XL_MODEL_NUTATION_DEFAULT	0
Precession model	Precession Default model	XL_MODEL_PRECESSION_DEFAULT	0
Constants model	Contants Default model	XL_MODEL_CONSTANTS_DEFAULT	0
Light propagation model	Default light propagation mode. Light travel time is not taken into account.	XL_MODEL_LIGHT_PROPAGATION_D ISABLED	0
	The target functions keep into account the time spent by a generic signal travelling at the speed of light to go from the target to the satellite	XL_MODEL_LIGHT_PROPAGATION_R ECEIVER	1
	The target functions keep into account the time spent by a generic signal travelling at the speed of light go from the satellite to the target	XL_MODEL_LIGHT_PROPAGATION_T RANSMITTER	2
Bulletin type	File is not an IERS Bulletin	XL_NO_BULLETIN	0
	IERS Bulletin B	XL_BULLETIN_B	1
	IERS Bulletin A	XL_BULLETIN_A	2
	IERS Bulletin B plus IERS Bulletin A	XL_BULLETIN_B_AND_A	3
Extrapolation formulas activation	IERS A Extrapolation formulas enabled	XL_FORMULA_ENABLED	0
	IERS A Extrapolation formulas disabled	XL_FORMULA_DISABLED	1
Data origin for time			0
initialization with xl_time_id_init	Data from user time correlation data	XL_TIME_CORRELATIONS_DATA	1





Input	Description	Enumeration value	Long
	Slerp interpolation (see details: http://en.wikipedia.org/wiki/Slerp)	XL_INTERPOL_SLERP	0
CUC time type	Only T field	XL_CUC_T_FIELD	0
	P field and T field	XL_CUC_T_AND_P_FIELDS	1
CUC epoch type	Use CCSDS epoch, 01/01/1958, 00h00	XL_EPOCH_CCSDS	0
	Use GPS epoch, 6 of January 1986, 00h00	XL_EPOCH_GPS	1
	Epoch taken from user input	XL_EPOCH_USER_DEFINED	2

The use of the previous enumeration values could be restricted by the particular usage within the different CFI functions. The actual range to be used is indicated within a dedicated reference named *allowed range*. When there are not restrictions to be mentioned, the allowed range column is populated with the label *complete*.

The meanings and units of the different array elements from the Transport time strongly depend upon the selected Transport format (by means of the Transport format ID). The table below shows the choices:

Table 3: Transport time formats

Input	Array Element	Unit and shun)	Allowed Range
XL_TRANS_STD	[0]	Integer days	[-18262,36524]
	[1]	Integer seconds	[0,86399]
	[2]	Integer microseconds	[0,999999]
XL_TRANS_ENVI_GS	[0]	Integer days	[-18262,36524]
	[1]	Integer seconds	[0,86399]
	[2]	Integer microseconds	[0,999999]
XL_TRANS_CRYO_GS	[0]	Integer days	[-18262,36524]
	[1]	Integer seconds	[0,86399]
	[2]	Integer microseconds	[0,999999]
XL_TRANS_CRYO_TM	[0]	Integer days	[-18262,36524]
	[1]	Integer milliseconds	[0,86399999]
	[2]	Integer microseconds	[0,999]
XL_TRANS_CRYO_TM_SIRAL	[0]	Integer days	[-18262,36524]
	[1]	Integer milliseconds	[0,86399999]
	[2]	Integer microseconds	[0,999]
	[3]	SIRAL extra counter	[0,1745454545]





Input	Array Element	Unit and shun)	Allowed Range
XL_TRANS_SMOS_TM	[0]	Week number	[-1566, 6260]
	[1]	Seconds of week	[0, 604799]
	[2]	Fraction of seconds	[0, 65535]
XL_TRANS_GENERIC_GPS_S EC			[0, INT_MAX] Note: INT_MAX is a macro that returns the maximum number a C int variable can store [0, 999999]
XL_TRANS_GENERIC_GPS_W	[0]	Number of weeks	[0, 6260]
EEK	[1]	Number of seconds	[0, 604799]
	[2]	Number of microseconds	[0, 999999]

The string characteristics of the ASCII time formats depends strongly upon the selected ASCII format (by means of the ASCII format ID). The tables below show the available choices:

Note that the value of 86400 for seconds (and 86400000 for milliseconds) is accepted only for UTC in case a leap second is being introduced. This may happen only at 23:59 minutes and only on four days of the year (31/03, 30/06, 30/09, 31/12). The decision to introduce a leap second in UTC is the responsibility of the International Earth Rotation Service (IERS). See [IERS] for further details.

For further details on the SIRAL extra counter for the Cryosat mission please see [MCD].

Table 4: Basic ASCII time formats

Input	String format
XL_ASCII_UNDEF	-
XL_ASCII_STD	"yyyy-mm-dd_hh:nn:ss"
XL_ASCII_COMPACT	"yyyymmdd_hhnnss"
XL_ASCII_ENVI	"dd-mmm-yyyy hh:nn:ss"
XL_ASCII_CCSDSA	"yyyy-mm-ddThh:nn:ss"
XL_ASCII_CCSDSA_COMPACT	"yyyymmddThhnnss"

Table 5: Derived ASCII time formats

Input	String format
XL_ASCII_STD_REF	"RRR=yyyy-mm-dd_hh:nn:ss"
XL_ASCII_STD_MICROSEC	"yyyy-mm-dd_hh:nn:ss.uuuuuu"
XL_ASCII_STD_REF_MICROSEC	"RRR=yyyy-mm-dd_hh:nn:ss.uuuuuu"
XL_ASCII_COMPACT_REF	"RRR=yyyymmdd_hhnnss"
XL_ASCII_COMPACT_MICROSEC	"yyyymmdd_hhnnssuuuuuu"
XL_ASCII_COMPACT_REF_MICROSEC	"RRR=yyyymmdd_hhnnssuuuuuu"





Input	String format
XL_ASCII_ENVI_REF	"RRR=dd-mmm-yyyy hh:nn:ss"
XL_ASCII_ENVI_MICROSEC	"dd-mmm-yyyy hh:nn:ss.uuuuuu"
XL_ASCII_ENVI_REF_MICROSEC	"RRR=dd-mmm-yyyy hh:nn:ss.uuuuuu"
XL_ASCII_CCSDSA_REF	"RRR=yyyy-mm-ddThh:nn:ss"
XL_ASCII_CCSDSA_MICROSEC	"yyyy-mm-ddThh:nn:ss.uuuuuu"
XL_ASCII_CCSDSA_REF_MICROSEC	"RRR=yyyy-mm-ddThh:nn:ss.uuuuuu"
XL_ASCII_CCSDSA_COMPACT_REF	"RRR=yyyymmddThhnnss"
XL_ASCII_CCSDSA_COMPACT_MICRO SEC	"yyyymmddThhnnssuuuuuu"
XL_ASCII_CCSDSA_COMPACT_REF_MI CROSEC	"RRR=yyyymmddThhnnssuuuuuu"

where:

- *yyyy* stands for the year
- mm stands for the month expressed as a numerical count, i.e. 01 for January, etc
- mmm stands for the month expressed in abbreviatures, i.e. JAN, MAR, etc
- *dd* stands for the day of month
- *ddd* stands for the day of the year
- *hh* stands for the hour in the day
- *nn* stands for the minutes within a hour
- ss stands for the seconds within a minute
- uuuuuu stands for the microseconds within a second
- RRR stands for the time reference (TAI, UTC, UT1 or GPS)

In ASCII formats two values are defined, by convention, as Beginning of Mission (BOM) and End of Mission (EOM). These values are listed, for the various ASCII time formats, in Table 6 and Table 7.

Usually a date with all zeros is seen as EOM, and a date with all nines is considered EOM. The only exception are the ENVISAT-specific formats, which use as EOM the date December 31st, 2078 at 23:59:59.99999.

Format transformations of BOM and EOM between ASCII format is allowed.

Time reference is not considered in BOM or EOM, thus any time reference is accepted (TAI, UTC, UT1 or GPS) for the values in Table 6 and Table 7..

BOM and EOM do not have an equivalent in Processing or Transport formats, so if the user tries to convert them from ASCII to another non-ASCII format an error will occur.

Table 6: Definition of BOM and EOM for basic ASCII time formats

ASCII format	Beginning of Mission	End of Mission
XL_ASCII_UNDEF	-	-
XL_ASCII_STD	"0000-00-00_00:00:00"	"9999-99-99_99:99:99"
XL_ASCII_COMPACT	"0000000_000000"	"9999999_99999"





ASCII format	Beginning of Mission	End of Mission
XL_ASCII_ENVI	"00-000-0000_00:00:00"	"31-DEC-2078 23:59:59"
XL_ASCII_CCSDSA	"0000-00-00T00:00:00"	"9999-99-99T99:99:99"
XL_ASCII_CCSDSA_COMPACT	"0000000T000000"	"9999999T999999"

Table 7: Definition of BOM and EOM for derived ASCII time formats

ASCII format	Beginning of Mission	End of Mission
XL_ASCII_STD_REF	"RRR=0000-00-00_00:00:00"	"RRR=9999-99-99_99:99:99"
XL_ASCII_STD_MICROSEC	"0000-00-00_00:00:00.000000"	"9999-99-99_99:99:99.999999"
XL_ASCII_STD_REF_MICROSEC	"RRR=0000-00- 00_00:00:00.000000"	"RRR=9999-99- 99_99:99:99.999999"
XL_ASCII_COMPACT_REF	"RRR=00000000_000000"	"RRR=999999999999"
XL_ASCII_COMPACT_MICROSEC	"00000000_000000000000"	"9999999_999999999"
XL_ASCII_COMPACT_REF_MICRO	"RRR=00000000_000000000000"	"RRR=9999999999999999999999"
XL_ASCII_ENVI_REF	"RRR=00-000-0000_00:00:00"	"RRR=31-DEC-2078 23:59:59"
XL_ASCII_ENVI_MICROSEC	"00-000-0000_00:00:00.000000"	"31-DEC-2078 23:59:59.999999"
XL_ASCII_ENVI_REF_MICROSEC	"RRR=00-000- 0000_00:00:00.000000"	"RRR=31-DEC-2078 23:59:59.999999"
XL_ASCII_CCSDSA_REF	"RRR=0000-00-00T00:00:00"	"RRR=9999-99-99T99:99:99"
XL_ASCII_CCSDSA_MICROSEC	"0000-00-00T00:00:00.000000"	"9999-99-99T99:99:99.999999"
XL_ASCII_CCSDSA_REF_MICROS EC	"RRR=0000-00- 00T00:00:00.000000"	"RRR=9999-99- 99T99:99:99.999999"
XL_ASCII_CCSDSA_COMPACT_R EF	"RRR=00000000T000000"	"RRR=9999999997999999"
XL_ASCII_CCSDSA_COMPACT_MI CROSEC	"0000000T000000000000	"9999999T99999999999"

where:

• *RRR* stands for the time reference (TAI, UTC, UT1 or GPS)

6.3 Data Structures

The aim of the current section is to present the data structures that are used in the EO_LIB library. The structures are currently used for the CFI Identifiers accessor functions. The following table show the structures with their names and the data that contain:





Table 8: EO_LIB structures

G	Data					
Structure name	Variable Name	C type	Description			
xl_par_der	deriv	XL_Deriv_enum	Flag to indicate if the 1st and 2nd derivatives are defined			
	р	double	The parameter, expressed in the appropiate units			
	pd	double	1st time derivative of the parameter			
	p2d	double	2nd time derivative of the parameter			
xl_cord	cs	XL_CS_rl_enum	Coordinate reference frame			
	deriv	XL_Deriv_enum	Flag to indicate if the 1st and 2 nd derivatives are defined			
	V	double [3]	Vector			
	vd	double [3]	Vector rate			
	v2d	double [3]	Vector rate-rate			
xl_cuc_time_config	cuc_type	long	CUC time type (see enumeration CUC time type in section 6.2)			
	cuc_epoch	long	CUC epoch type (see enumeration CUC epoch type in section 6.2)			
	time_ref	long	Time reference of the epoch (see time reference enumeration in section 6.2)			
	epoch	double	Reference epoch provided by user.			
	basic_time_unit_num_o ctets	long	Number of basic time unit octets of CUC time			
	fractional_time_unit_nu m_octets	long	Number of fraction time units octets of CUC time			
xl_cs_tra	azel_flag	XL_Boolean	Flag to indicate if an azimuth/elevation definition has been provided.			
	azel_def	xl_az_el_definition	Azimuth/elevation definition			
	ref_i	XL_CS_rl_enum	Initial reference frame			
	ref_f	XL_Attitude_fr_enum	final reference frame			
	amb_flag	XL_Boolean	Ambiguity flag			
	deriv	XL_Deriv_enum	Flag to indicate if the 1st and 2nd derivatives are defined			
	V	double [3]	Translation vector from ref i to ref f			
	vd	double [3]	Translation rate vector from ref i to ref f			
	v2d	double [3]	Translation rate-rate vector from ref_i to ref_f			
	m	double [3][3]	Rotation matrix from ref_i to ref_f			
	md	double [3][3]	Rotation matrix rate from ref i to ref f			
	m2d	double [3][3]	Rotation matrix rate-rate from ref_i to ref_f			





G	Data				
Structure name	Variable Name	C type	Description		
xl_par_der	deriv	XL_Deriv_enum	Flag to indicate if the 1st and 2nd derivatives are defined		
	р	double	The parameter, expressed in the appropriate units		
	pd	double	1st time derivative of the parameter		
	p2d	double	2nd time derivative of the parameter		
xl_time_correlations	tai_time	double	TAI time		
	ut1_time	double	UT1 time		
	tai_utc	double	difference between TAI and UTC		
	tai_ut1	double	difference between TAI and UT1		
	tai_gps	double	difference between TAI and GPS		
xl_leap_second	flag	long	XL_TRUE if the leap second exists		
	utc_time	double	UTC time for the leap second		
xl_time_id_data	iers_bulletin_type	long	Bulletin type (see Bulletin type)		
	iers_formula_flag	long	IERS extrapolation formula enabled or disabled (see Extrapolation formulas activation)		
	prediction_first_record	long	Indicates the 1st record belonging to bulletin A if applicable (starting at 0).		
	polar_motion_formula	xl_polar_motion_form ula	Polar motion formula parameters		
	time_correlation_formul a	xl_time_correlation_fo rmula	Time correlation formula parameters		
	num_lines	long	Number of records in the array with the time correlations		
	time_str	xl_time_correlations*	Array with the time correlations		
	polar_motion_params	xl_polar_motion_para ms*	Array with the polar motion parameters (it can be NULL if there are no parameters in initialization)		
	leap_sec	xl_leap_second	Leapsecond information		
	launch_inertial_frame_c onfig	xl_launch_inertial_fra me_config	Launch inertial frame configuration		
xl_az_el_definition	az_0_axis	long	Azimuth 0deg axis (one of the values in XL_Axis_enum)		
	az_90_axis	long	Azimuth 90deg axis (one of the values in XL_Axis_enum)		
	el_90_axis	long	Elevation 90deg axis (one of the values in XL_Axis_enum)		





G ₄ 4	Data				
Structure name	Variable Name	C type	Description		
xl_par_der	deriv	XL_Deriv_enum	Flag to indicate if the 1st and 2nd derivatives are defined		
	p	double	The parameter, expressed in the appropriate units		
	pd	double	1st time derivative of the parameter		
	p2d	double	2nd time derivative of the parameter		
xl_model_data	earth_model	long	Earth model		
	sun_model	long	Sun model		
	moon_model	long	Moon model		
	planet_model	long	Planets model		
	star_model	long	Stars model		
	nutation_model	long	Nutation model		
	precession_model	long	Precession model		
	constants_model	long	Constants model		
	re	double	Earth equatorial radius [m]		
	mu	double	Earth's gravitational constant [m3/s2]		
	i2	double	Second zonal harmonic		
	; i3	double	Third zonal harmonic		
	i4	double	Fourth zonal harmonic		
	major_axis	double	Semi-major axis [m]		
	minor_axis	double	Semi-minor axis [m]		
	ecc	double	First eccentricity [-]		
	flat	double	Flattening [-]		
	gcoef_0	double	Greenwich sidereal angle for t=0 (MJD 2000)		
	gcoef_1	double	1st. Derivative of the Greenwich sidereal angle for t=0 (MJD 2000)		
	gcoef_2	double	2nd. Derivative of the Greenwich sidereal angle for t=0 (MJD 2000)		
	gcoef_sim_0	double	Greenwich sidereal angle for t=0 (MJD 2000) (Simplified model)		
	gcoef_sim_1	double	1st. Derivative of the Greenwich sidereal angle for t=0 (MJD 2000) (Simplified model)		
	gcoef_sim_2	double	2 nd . Derivative of the Greenwich sidereal angle for t=0 (MJD 2000) (Simplified model)		
	au	double	Astronomical units in kms		
xl_polar_motion_par ams	x	double	x-axis is in the direction of the IERS Reference Meridian (IRM)		
	У	double	y-axis is in the direction 90 degrees West longitude		





Standard name	Data				
Structure name	Variable Name	C type	Description		
xl_par_der	deriv	XL_Deriv_enum	Flag to indicate if the 1st and 2nd derivatives are defined		
	р	double	The parameter, expressed in the appropiate units		
	pd	double	1st time derivative of the parameter		
	p2d	double	2nd time derivative of the parameter		
	ax	double	x parameter formula: constant term		
mula	bx	double	x parameter formula: cos(A) coefficient		
	сх	double	x parameter formula: sin(A) coefficient		
	dx	double	x parameter formula: cos(C) coefficient		
	ex	double	x parameter formula: sin(C) coefficient		
	ay	double	y parameter formula: constant term		
	by	double	y parameter formula: cos(A) coefficient		
	су	double	y parameter formula: sin(A) coefficient		
	dy	double	y parameter formula: cos(C) coefficient		
	еу	double	y parameter formula: sin(C) coefficient		
	A_ref	double	Reference day for A parameter formula (MJD2000)		
	A_div	double	Divisor for A parameter formula		
	C_ref	double	Reference day for C parameter formula (MJD2000)		
	C_div	double	Divisor for C parameter formula		
xl_time_correlation_f	а	double	Constant parameter		
ormula	b	double	Linear coefficient		
	b_ref	double	Reference day (MJD2000)		
xl_time_id_init_data_	file_set	xd_eocfi_file_set	Set of data from files		
union	time_id_data	xl_time_id_data	Data for time correlation initialization		
xl_time_id_init_data	data_type	long	Enumeration value from		
			xl_time_data_origin_enum: XL_FILE_DATA or XL_TIME_CORRELATION_DATA		
	time_id_init_data	xl_time_id_init_data_u nion	Data for time initialization		
xl_geoid_calc_inputs	model_id	xl_model_id*	Model to be used in computation.		
	latitude	double	Latitude [-90., 90.] [deg]		
	longitude	double	Longitude [0., 360.) [deg]		
	utc_time	double	UTC time (processing format)		
	nof_harmonics	long	Number of harmonics to be used.		
xl_geoid_calc_outpu s	tundulation	double	Height of the geoid over the ellipsoid [m]		
xl_quaternions_interpol_cfg	algo	long	Algorithm to be used for interpolation. See xl_quaternions_interpol_algo_enum in table 2 for possible values		





Structure name	Data			
Structure name	Variable Name	C type	Description	
xl_par_der	deriv	XL_Deriv_enum	Flag to indicate if the 1st and 2nd	
			derivatives are defined	
	p	double	The parameter, expressed in the	
			appropiate units	
	pd	double	1st time derivative of the parameter	
	p2d	double	2nd time derivative of the parameter	
xl_launch_inertial_fr ame_config	enabled_flag	long	This flag indicates if the conversion from/ to LIF frame is enabled (XL_TRUE) or disabled (XL_FALSE).	
	longitude	double	The longitude of the reference meridian for LIF reference frame (see [MCD])	
	utc_time	double	The reference UTC time (see [MCD]).	





7 CFI FUNCTIONS DESCRIPTION

The following sections describe each CFI function.

The calling interfaces are described for C users.

Input and output parameters of each CFI function are described in tables, where C programming language syntax is used to specify:

- Parameter types (e.g. long, double)
- Array sizes of N elements (e.g. param[N])
- Array element M (e.g. [M])





Page: 53

7.1 xl_time_ref_init_file

7.1.1 Overview

The xl_time_ref_init_file CFI function initializes time correlations between TAI, UTC, UT1 and GPS times from reference data files. The correlations provided by the different input files can be found in the following table (for details about file formats, see [D H SUM]).

TAI **UTC** UT1 **GPS** orbit FOS Predicted Orbit File Χ Χ Χ (x) Χ FOS Restituted Orbit File Χ Χ Χ Χ (x) Χ Χ Χ Χ **DORIS Preliminary Orbit** (x) **DORIS Precise Orbit** Χ Χ Х Χ (x) DORIS Navigator File Χ Χ Χ Χ (x) IERS Bulletin B format 1980 Χ Χ Χ (x) IERS Bulletin B format 2010 Χ Χ Х (x) Χ Χ Orbit Scenario File Χ (x) IERS Bulletin A Χ Χ Χ (X) Χ Χ Χ IERS Bulletin B plus IERS (X) Bulletin A

Table 9: Time reference correlations from reference files

Normally a single Predicted or DORIS Orbit file is sufficient to have all correlations needed (the (x) mark indicates that the GPS time correlation, although is not present within the file, can be simulated since it is always a fixed delta from TAI). The last updated IERS Bulletins can be downloaded from IERS bulletins web page ([IERS]).

When using an Orbit Scenario File, it must be taken into account that, since one orbital change can be far away from the following one, leap seconds could be calculated wrongly if there is more than one of the four possible leap second insertion points (end of March, end of June, end of September and end of December) between them.

When using a Bulletin B and a Bulletin A for initialization (B plus A initialization) it must be taken into account that:

- •The first file in the input list must be Bulletin B, not Bulletin A.
- •For Bulletin B, FINAL and PRELIMINARY tables are used; for Bulletin A, PREDICTION table is used.
- •First record of Bulletin B must be before first record of Bulletin A.
- •Last record of Bulletin A must be after last record of Bulletin B.
- •In case of partial overlap (last record of Bulletin B is after first record of Bulletin A), the records of Bulletin A loaded are the ones that are after the last record of Bulletin B).
- •In case of no overlap (first record of Bulletin B is after last record of Bulletin A), the gap must be less than 1 month (which is the periodicity of Bulletin B).
- •IERS bulletins contains polar motion parameters. These parameters are stored in the time_id and are used for co-ordinate system conversions. When the bulletin is not used, polar motion parameters are set to zero.





All other input files are ESA-provided. These initialization files could even be generated by the users by means of EO_FILE_HANDLING and EO_DATA_HANDLING CFI libraries.

In case multiple files are used for the time correlations initializations, the files should be time ordered. If there is overlap between files, the newest data have precedence.

For Orbit Scenario File, only one file is admitted. If more files are introduced a warning is raised and the computations are performed only with the first OSF introduced.

A complete calling sequence of the time reference computations is presented in section 4.2.

The validity interval of the initialization depends on the input file, according to the following table:

Table 10: Initialization validity depending on input file

	Validity start	Validity stop
FOS Predicted Orbit File	Time of the first state vector	Time of the last state vector
FOS Restituted Orbit File	in input files that belongs to	in input files that belongs to
DORIS Preliminary Orbit DORIS Precise Orbit DORIS Navigator File	input range	input range
ERS Bulletin B format 1980	Time of first record in tables	Time of last record in tables
IERS Bulletin B format 2010	FINAL or PRELIMINARY	FINAL or PRELIMINARY
TENO Ballottill B Torritat 2010	(for PREDICTED	(for PREDICTED
	initialization) or table	initialization) or table
	SMOOTHED (for	SMOOTHED (for
	RESTITUTED initialization)	RESTITUTED initialization)
	that belongs to input range	that belongs to input range
IERS Bulletin A (only	Time of first record in	Time of last record in
prediction)	PREDICTION table that	PREDICTION table that
' /	belongs to input range	belongs to input range
IERS Bulletin A (prediction	Time of first record in	End of Mission
and formula)	PREDICTION table that	
,	belongs to input range	
IERS Bulletin B plus IERS	Time of first record in FINAL	Time of last record in
Bulletin A	or PRELIMINARY table of	PREDICTION table of
	Bulletin B that belongs to	Bulletin A that belongs to
	input range	input range
Orbit Scenario File	Time of first orbital change in file	End of mission

If any time operation is done with a time outside validity interval, the behaviour of the functions is the following:

- •If the time is lower than the start validity time, a warning is returned and the time correlation used for the time computations is that of the first record stored in xl time id in the initialization.
- •If the time is greater than the stop validity time, a warning is returned and the time correlation used for the time computations is that of the last record stored in xl_time_id in the initialization, except for the case of IERS Bulletin A prediction plus formula initialization, where the extrapolation formulas are used.

In order to read files, xl_time_ref_init_file function internally uses Data Handling functions. Please refer to [D_H_SUM] in particular sections 4.2 and 4.3, for further details.





7.1.2 Calling interface

The calling interface of the **xl_time_ref_init_file** CFI function is the following (input parameters are <u>underlined</u>):

```
#include <explorer_lib.h>
{
    long time_model, n_files, time_init_mode, time_ref;
    long orbit0, orbit1;
    char **time_file;
    double time0, time1, val_time0, val_time1;
    xl_time_id time_id = {NULL};
    long ierr[XL_NUM_ERR_TIME_REF_INIT_FILE], status;

    status = xl_time_ref_init_file (&time_model, &n_files, time_file, &time_init_mode, &time_ref, &time0, &time1, &time_ref, &time0, &time1, &val_time0, &val_time1, &val_time0, &val_time1, &time_id, ierr);
}
```

7.1.3 Input parameters

The xl_time_ref_init_file CFI function has the following input parameters:

Table 11: Input parameters of xl_time_ref_init_file function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
time_model	long *	_	Time model ID	_	Complete except XL_TIMEMOD_USER Note: When the input file is an IERS Bulletin B format 1980 file and the time mode is XL_TIMEMOD_AUTO, then the time model is set automatically to XL_TIMEMOD_IERS_B_RES TITUTED Note: When the input file is an IERS Bulletin B format 2010, the time models XL_TIMEMOD_IERS_B_REST ITUTED and XL_TIMEMOD_IERS_B_PRED ICTED coincide.





n_files	long *	-	Number of reference data	-	Note: Whe the input file is an IERS Bulletin A and the time mode is XL_TIMEMOD_AUTO, the the time model is set automatically to XL_TIMEMOD_IERS_A_PRED ICTION_AND_FORMULA > 0
time_file	char**	_	files Filenames of the reference		
			data files		
time_init_mode		_	Flag for selecting the time range of the initialisation: It could be the whole file (XL_SEL_FILE), the orbit range given by orbit0-orbit1 (XO_SEL_ORBIT) or the time range given by time0-time1(XO_SEL_TIME)	_	Select either: · XL_SEL_FILE · XL_SEL_ORBIT · XL_SEL_TIME - XL_SEL_ORBIT is not allowed for IERS Bulletins (any format) nor DORIS Navigator files - XL_SEL_ORBIT and XL_SEL_TIME are not enabled for OSF
time_ref	long *	-	Time reference ID	-	Complete. If the input file is a DORIS Navigator file and the time_init_mode is XL_SEL_TIME, then only time_ref allowed is XL_TIME_UTC.
time0	double*	-	If: time_init_mode=XL_SEL_TI ME Start of the time range defined by [time0,time1]	Decimal days (Processing format)	[-18262.0,36524.0]
time1	double*	-	ME End of the time range defined by [time0,time1]	Decimal days (Processing format)	[-18262.0,36524.0] > time0
orbit0	long*		If: time_init_mode=XL_SEL_O RBIT Absolute orbit number corresponding to the start of the time range defined by [ANX _{orbit0} , ANX _{orbit1+1}]	-	>= 0
orbit1	long*	-	If: time_init_mode=XL_SEL_O RBIT Absolute orbit number corresponding to the end of the time range defined by [ANX _{orbit0} , ANX _{orbit1+1}]	-	>orbit0

It is possible to use enumeration values rather than integer values for some of the input arguments:





- Time model ID: time_model. See current document, section Error: Reference source not found "Time Initialization Model" enumeration.
- Time reference ID: time_ref. See current document, section Error: Reference source not found "Time reference" enumeration.
- Time range initialisation flag: time init mode. See current document, section 6.2.

7.1.4 Output parameters

The output parameters of the **xl_time_ref_init_file** CFI function are:

C name C type Array **Description** Unit **Allowed Range Element** (Reference) (Format) xl time ref init file Status flag long val time0 double* Validity start time of Decimal days [-18262.0,36524.0] the initialization (see (Processing format) table 10). val time1 double* Validity end time of Decimal days [-18262.0,36524.0] the initialization (see (Processing format) table 10). xl time id* Structure that time_id contains the time

Table 12: Output parameters of xl_time_ref_init_file function

Note that *val_time0* and *val_time1* can define a validity range different to that requested by the user. This range gives the maximum coverage provided by the input files within the margins selected by the user (see table 10).

correlations.

Error vector

It has to be remarked that if the input time is outside the range of initialization, transformations are performed anyway, using the closest correlation data (or the extrapolation formula for IERS Bulletin A prediction plus formula initialization). However a warning is returned, since there is no guarantee that the correlation is correct.

7.1.5 Warnings and errors

long

ierr

Next table lists the possible error messages that can be returned by the **xl_time_ref_init_file** CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO_LIB software library **xl_get_msg** (see [GEN_SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the error vector returned by the **xl_time_ref_init_file** function by calling the function of the EO_LIB software library **xl get code** (see [GEN SUM])





Table 13: Error messages of xl_time_ref_init_file function

Error	Error message	Cause and impact	Error code	Error
type	21101 111000000	Cuast and mpact	21101 0000	No
ĔŔŔ	Time model ID is not correct	No calculation performed	XL_CFI_TIME_REF_INIT_F ILE TIME MODEL ERR	0
ERR	Non-positive number of data files	No calculation performed	XL_CFI_TIME_REF_INIT_F ILE N FILES ERR	1
ERR	Incorrect file names	No calculation performed	XL_CFI_TIME_REF_INIT_F ILE FILE NAMES ERR	2
ERR	Time init mode ID is not correct	No calculation performed	XL_CFI_TIME_REF_INIT_F ILE INIT MODE ERR	3
ERR	Time reference ID is not correct	No calculation performed	XL_CFI_TIME_REF_INIT_F ILE_TIME_ERR	4
ERR	Reference start time out of limits	No calculation performed	XL_CFI_TIME_REF_INIT_F ILE_DAY_0_ERR	5
ERR	Reference end time out of limits	No calculation performed	XL_CFI_TIME_REF_INIT_F ILE_DAY_1_ERR	6
ERR	Wrong reference time range	No calculation performed	XL_CFI_TIME_REF_INIT_F ILE_DAY_RANGE_ERR	7
ERR	Reference start orbit is negative	No calculation performed	XL_CFI_TIME_REF_INIT_F ILE_ORB_0_ERR	8
ERR	Reference end orbit is negative	No calculation performed	XL_CFI_TIME_REF_INIT_F ILE_ORB_1_ERR	9
ERR	Wrong reference orbit range	No calculation performed	XL_CFI_TIME_REF_INIT_F ILE_ORB_RANGE_ERR	10
ERR	File does not exist	No calculation performed	XL_CFI_TIME_REF_INIT_F ILE_FILE_ERR	11
ERR	Time table is empty or has wrong format	No calculation performed	XL_CFI_TIME_REF_INIT_F ILE_TABLE_ERR	12
ERR	Time range from file is outside input range	No calculation performed	XL_CFI_TIME_REF_INIT_F ILE_TIME_OUTSIDE_RAN GE_ERR	13
ERR	Orbit range from file is outside input range	No calculation performed	XL_CFI_TIME_REF_INIT_F ILE_ORB_OUTSIDE_RANG E_ERR	14
ERR	Memory allocation error	No calculation performed	XL_CFI_TIME_REF_INIT_F ILE_MEMORY_ERR	15
ERR	Error in reading file	No calculation performed	XL_CFI_TIME_REF_INIT_F ILE_READ_FILE_ERR	16
ERR	Time reference ID is already initialized	No calculation performed	XL_CFI_TIME_REF_INIT_F ILE_STATUS_ERR	17
ERR	Could not find out the input file types	No calculation performed	XL_CFI_TIME_REF_INIT_F ILE_DETECT_FILE_ERR	18
ERR	The input file type is not correct	No calculation performed	XL_CFI_TIME_REF_INIT_F ILE_WRONG_FILE_TYPE_ ERR	19
ERR	Input time reference should be UTC for DORIS Navigator files	No calculation performed	XL_CFI_TIME_REF_INIT_F ILE_TIME_REF_FOR_DOR IS_ERR	20
ERR	Error loading orbit files	No calculation performed	XL_CFI_TIME_REF_INIT_FI LE_LOAD_FILES_ERR	21
WARN	Only one OSF file is admitted for this initialisation mode	Calculation performed using first OSV file introduced	XL_CFI_TIME_REF_INIT_FI LE_ONLY_FIRST_OSF_WA	22





			RN	
WARN	Time init mode option not	Calculation performed with	XL_CFI_TIME_REF_INIT_F	23
	currently enabled for file	option XL_SEL_FILE	ILE_INIT_MODE_WARN	
ERR	Input IERS Bulletins and	No calculation performed	XL_CFI_TIME_REF_INIT_FI	24
	initialization mode		LE_IERS_INIT_ERR	
	incompatible			
ERR	Input Bulletins B and A are not	No calculation performed	XL_CFI_TIME_REF_INIT_FI	25
	compatible. The gap or the		LE_IERS_B_A_WRONG_ER	
	overlap between the 2 files is		R	
	not correct			
ERR	Could not compute leap	No calculation performed	XL_CFI_TIME_REF_INIT_FI	26
	second		LE_LEAP_SEC_ERR	





7.2 xl_time_ref_init

7.2.1 Overview

The xl_time_ref_init CFI function initializes time correlations between TAI, UTC, UT1 and GPS times from input reference times for time ranges from -18262.0 and +36524.0 decimal days.

A complete calling sequence of the time reference computations is presented in section 4.2.

7.2.2 Calling interface

The calling interface of the **xl_time_ref_init** CFI function is the following (input parameters are <u>underlined</u>):

```
#include <explorer_lib.h>
{
    long orbit_num;
    double time[4], anx_time, orbit_duration;
    xl_time_id time_id = {NULL};
    long ierr[XL_NUM_ERR_TIME_REF_INIT], status;

    status = xl_time_ref_init (time, &orbit_num, &anx_time, &orbit_duration, &time_id, ierr);
}
```

Note that input time vector must be indexed using the existing enumeration for time references.

The XL NUM ERR TIME REF INIT constant is defined in the file explorer lib.h.

7.2.3 Input parameters

The **xl_time_ref_init** CFI function has the following input parameters:

Table 14: Input parameters of xl_time_ref_init function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
time	double[4]	[0]			[-18262.0,36524.0]
				(Processing format)	
		[1]	UTC input time	Decimal days	[-18262.0,36524.0]
				(Processing format)	
		[2]	UT1 input time	Decimal days	[-18262.0,36524.0]
				(Processing format)	
		[3]	GPS input time	Decimal days	[-18262.0,36524.0]
				(Processing format)	
orbit_num	long*	-	Absolute orbit	-	>=0





		number at the ref erence time		
anx_time	double*	Time since Ascending node crossing at the ref erence time	Seconds	[0,orbit_duration]
orbit_duration	double*	Duration of the orbit containing the reference time	Seconds	>0

It is possible to use enumeration values rather than integer values for some of the input arguments:

• Time vector can be accessible by means of enumeration values, as defined in [GEN SUM].

7.2.4Output parameters

The output parameters of the xl_time_ref_init CFI function are:

Table 15: Output parameters of xl_time_ref_init function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_time_ref_init	long	_	Status flag	-	-
time_id	xl_time_id*	_	Structure that	-	-
			contains the time		
			correlations.		
ierr	long	-	Error vector	-	-

7.2.5 Warnings and errors

Next table lists the possible error messages that can be returned by the **xl_time_ref_init** CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO_LIB software library **xl_get_msg** (see [GEN_SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained by translating the error vector returned by the **xl_time_ref_init** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM]).

Table 16: Error messages of xl_time_ref_init function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	TAI time is out of range	No calculation performed	XL_CFI_TIME_REF_INIT_T AI_ERR	0
ERR	UTC time is out of range	No calculation performed	XL_CFI_TIME_REF_INIT_U TC_ERR	1
ERR	UT1 time is out of range	No calculation performed	XL_CFI_TIME_REF_INIT_U T1_ERR	2
ERR	GPS time is out of range	No calculation performed	XL_CFI_TIME_REF_INIT_G	3





			PS_ERR	
ERR	Absolute orbit number is negative	No calculation performed	XL_CFI_TIME_REF_INIT_O RBNUM_ERR	4
ERR	Elapsed time since ANX is negative	No calculation performed	XL_CFI_TIME_REF_INIT_A NXTIME_ERR	5
ERR	Orbit duration is negative	No calculation performed	XL_CFI_TIME_REF_INIT_O RBDUR_ERR	6
ERR	ANX time is bigger than orbit duration	No calculation performed	XL_CFI_TIME_REF_INIT_C OMP_ERR	7
ERR	Memory allocation error	No calculation performed	XL_CFI_TIME_REF_INIT_ MEMORY_ERR	8
ERR	Time reference ID is already initialized	No calculation performed	XL_CFI_TIME_REF_INIT_S TATUS_ERR	9





7.3 xl_time_id_init

7.3.1 Overview

The xl_time_id_init CFI function initializes time correlations between TAI, UTC, UT1 and GPS times using any of the following data:

- •Set of data read from files (see Table 9 for the allowed file types)
- •Data set by the user for the time correlations

7.3.2 Calling interface

```
The calling interface of the xl_time_id_init CFI function is the following (input parameters are <u>underlined</u>): 
#include <explorer_lib.h>
{
    long time_model, time_init_mode, time_ref;
```

Note that input time vector must be indexed using the existing enumeration for time references.

The XL NUM ERR TIME ID INIT constant is defined in the file explorer lib.h.

7.3.3 Input parameters

}

The xl_time_id_init CFI function has the following input parameters:

Table 17: Input parameters of xl_time_id_init function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
time_model	long *	-	Time model ID	_	Complete except XL_TIMEMOD_USER
_	xl_time_ id_init_d ata *	1	Structure with data for the time initialization	-	-
time_init_mode	long *		Flag for selecting the time range of the initialisation: It could be the whole file	-	Select either: · XL_SEL_FILE · XL_SEL_ORBIT





		(XL_SEL_FILE), the orbit range given by orbit0-orbit1		· XL_SEL_TIME
		(XO_SEL_ORBIT) or the		- XL SEL ORBIT is not
		time range given by time0-		allowed for IERS Bulletins (any
				1
		time1(XO_SEL_TIME)		format) nor DORIS Navigator files
				- XL_SEL_ORBIT and
				XL_SEL_TIME are not enabled
				for OSF
time_ref	long * -	Time reference ID	-	Complete.
				If the input file is a DORIS
				Navigator file and the
				time init mode is
				XL_SEL_TIME, then only
				time ref allowed is
				XL TIME UTC.
time0	double* -	lf:	Decimal	[-18262.0,36524.0]
		time init mode=XL SEL TI		
		ME Start of the time range	(Processing	
		defined by [time0,time1]	format)	
time1	double* -	lf:	Decimal	[-18262.0,36524.0] > time0
		time_init_mode=XL_SEL_TI		
		ME	(Processing	
		End of the time range	format)	
		defined by [time0,time1]		
orbit0	long* -	lf:	-	>= 0
		time init mode=XL SEL O		
		RBIT Absolute orbit number		
		corresponding to the start of		
		the time range defined by		
		[ANX _{orbit0} , ANX _{orbit1+1}]		
orbit1	long* -	If:	_	>orbit0
	151.9	time_init_mode=XL_SEL_O		
		RBIT Absolute orbit number		
		corresponding to the end of		
		the time range defined by		
		[ANX _{orbit0} , ANX _{orbit1+1}]		
		[MINAorbit0, MINAorbit1+1]		

7.3.4Output parameters

The output parameters of the xl_time_id_init CFI function are:

Table 18: Output parameters of xl_time_id_init function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_time_id_init	long	-	Status flag	-	-
val_time0	double*	-	Validity start time of	Decimal days	[-18262.0,36524.0]
			the initialization (see	(Processing format)	
			table 10).		
val_time1	double*	-	Validity end time of	Decimal days	[-18262.0,36524.0]
			the initialization (see	(Processing format)	





Code:	EO-MA-DMS-GS-0003
Date:	10/05/2019
Issue:	4.17
Page:	65

		table 10).	
time_id	xl_time_id* -	Structure with the -	-
		time correlations.	
lerr	long -	Error vector -	-

7.3.5 Warnings and errors

Next table lists the possible error messages that can be returned by the **xl_time_id_init** CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO_LIB software library **xl_get_msg** (see [GEN_SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained by translating the error vector returned by the **xl_time_id_init** function by calling the function of the EO_LIB software library **xl get code** (see [GEN SUM]).

Table 19: Error messages of xl_time_id_init function

Error type	Error message	Cause and impact	Error code	Error No
ERR	Time reference ID is already initialized	No calculation performed	XL_CFI_TIME_ID_INIT_ STATUS_ERR	0
ERR	Time model ID is not correct	No calculation performed	XL_CFI_TIME_ID_INIT_ TIME_MODEL_ERR	1
ERR	Time init mode ID is not correct	No calculation performed	XL_CFI_TIME_ID_INIT_I NIT_MODE_ERR	2
ERR	Time reference ID is not correct	No calculation performed	XL_CFI_TIME_ID_INIT_ TIME_ERR	3
ERR	Reference start time out of limits	No calculation performed	XL_CFI_TIME_ID_INIT_ DAY_0_ERR	4
ERR	Reference end time out of limits	No calculation performed	XL_CFI_TIME_ID_INIT_ DAY_1_ERR	5
ERR	Wrong reference time range	No calculation performed	XL_CFI_TIME_ID_INIT_ DAY_RANGE_ERR	6
ERR	Reference start orbit is negative	No calculation performed	XL_CFI_TIME_ID_INIT_ ORB_0_ERR	7
ERR	Reference end orbit is negative	No calculation performed	XL_CFI_TIME_ID_INIT_ ORB_1_ERR	8
ERR	Wrong reference orbit range	No calculation performed	XL_CFI_TIME_ID_INIT_ ORB_RANGE_ERR	9
ERR	No data in the input structures	No calculation performed	XL_CFI_TIME_ID_INIT_ NO_DATA_ERR	10
ERR	input data structure contains data for diferent file types	No calculation performed	XL_CFI_TIME_ID_INIT_I NCONSISTENT_FILES_E RR	11





66

ERR	Memory allocation error	No calculation performed	XL_CFI_TIME_ID_INIT_ MEMORY_ERR	12
ERR	No data in the input structure for the requested initialization range	No calculation performed	XL_CFI_TIME_ID_INIT_ NO_DATA_IN_RANGE_E RR	13
ERR	Error trying to initialize the time id	No calculation performed	XL_vTIME_ID_INIT_TIM E_CORR_INIT_ERR	14
ERR	Error merging the input set of files	No calculation performed	XL_CFI_TIME_ID_INIT_ LOAD_TIME_INIT_LIST_ ERR,ERR	15
ERR	Input Time model is inconsistent with the data file type		XL_CFI_TIME_ID_INIT_ WRONG_TIME_MODEL_ ERR	16
ERR	Incorrect input data type. It should be XL_FILE_DATA or XL_TIME_CORRELATION S DATA	No calculation performed	XL_CFI_TIME_ID_INIT_ WRONG_DATA_TYPE_E RR	17
WARN	Time init mode option not enabled for file	Calculation performed All data in OSF range is used for computation	XL_CFI_TIME_ID_INIT_I NIT_MODE_WARN	18
WARN	Only one OSF file is admitted for this initialisation mode	Calculation performed with the first OSF data structure in the init_data	XL_CFI_TIME_ID_INIT_ ONLY_FIRST_OSF_WAR N	19
ERR	Invalid data type or file type or bulletin type. Time mode can not be automatically detected.	No calculation performed	XL_CFI_TIME_ID_INIT_I NVALID_FILE_TYPE_ER R	20





7.4 xl_time_close

7.4.10verview

The **xl_time_close** CFI function cleans up any memory allocation performed by the initialization functions. A complete calling sequence of the time reference computations is presented in section 4.2..

7.4.2 Calling interface

The calling interface of the **xl** time close CFI function is the following:

```
#include <explorer_lib.h>
{
        xl_time_id time_id = {NULL};
        long ierr[XL_NUM_ERR_TIME_CLOSE], status;
        status = xl_time_close (&time_id, ierr);
}
```

7.4.3 Input parameters

The xl time close CFI function has the following input parameters:

Table 20: Input parameters of xl_time_close function

C name	C type	Array	Description (Pafavaras)	Unit	Allowed Range
		Element	(Reference)	(Format)	
time_id	xl_time_id*	-	Structure that	-	-
			contains the time		
			correlations.		

It is possible to use enumeration values rather than integer values for some of the input arguments:

• Satellite ID: sat id. See [GEN SUM].

7.4.4Output parameters

The output parameters of the xl time close CFI function are:

Table 21: Output parameters of xl_time_close function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_time_close	long	- Status flag		-	-
ierr long		-	Error vector	-	-





7.4.5 Warnings and errors

Next table lists the possible error messages that can be returned by the **xl_time_close** CFI function after translating the returned extended status flag into the equivalent list of error messages by calling the function of the EO_LIB software library **xl_get_msg** (see [GEN_SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the extended status flag returned by the **xl_time_close** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM])

Table 22: Error messages of xl_time_close function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	The Time Id is not initialized or	No calculation performed	XL_CFI_TIME_CLOSE_W	0
	it could be in use by anoter ld.		RONG_ID_ERR	





7.5 xl_time_get_id_data

7.5.10verview

The xl_time_get_id_data CFI function returns a data structure containing the data used for the time initialisation.

7.5.2 Calling interface

The calling interface of the xl_time_get_id_data CFI function is the following:

```
#include <explorer_lib.h>
{
        xl_time_id time_id;
        xl_time_id_data data;
        long status;
        status = xl_time_get_id_data (&time_id, &data);
}
```

7.5.3 Input parameters

The xl_time_get_id_data CFI function has the following input parameters:

Table 23: Input parameters of xl_time_get id data function

C name	C type	Array Element	Description (Reference)	Unit (Format)	Allowed Range
time_id	xl_time_id*	-	Structure that contains	-	-
			the time correlations.		

7.5.4Output parameters

The output parameters of the xl_time_get_id_data CFI function are:

Table 24: Output parameters of xl_time_get id data function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_time_get_id_data	long	-	Status flag	-	-
data	xl_time_id_data	-	Time ID data	-	-

The data structure xl_time_id_get_id_data can be seen in Table 8.





7.5.5 Warnings and errors

This function does not return any error/warning code. Only the status of the function indicates if the execution was correct or not.

The possible causes of error are:

• The time id was not initialised.





7.6 xl_time_set_id_data

7.6.10verview

The xl time set id data CFI function changes the time correlations that are stored within a time id.

7.6.2 Calling interface

The calling interface of the xl time set id data CFI function is the following:

```
#include <explorer_lib.h>
{
        xl_time_id time_id;
        xl_time_id_data data;
        long status;
        status = xl_time_set_time_id (&time_id, &data);
}
```

7.6.3 Input parameters

The xl_time_set_id_data CFI function has the following input parameters:

Table 25: Input parameters of xl_time_set id data function

C name	C type	Array Element	Description (Reference)	Unit (Format)	Allowed Range
time_id	xl_time_id*		Structure that contains the time correlations	-	-
			(input/outpur parameter)		

7.6.4Output parameters

The output parameters of the xl_time_set_id_data CFI function are:

Table 26: Output parameters of xl_time_set id data function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_time_set_id_data	long	-	Status flag	-	-
time_id	xl_time_id*		Structure that contains the time correlations (input/outpur parameter)	-	-
data	xl time id data	-	Time ID data	-	-





The data structure **xl_time_set_id_data** can be seen in Table 8.

7.6.5 Warnings and errors

This function does not return any error/warning code. Only the status of the function indicates if the execution was correct or not.

The possible causes of error are:

• The time_id was not initialised.





7.7 xl_run_init

7.7.1 Overview

The xl_run_init CFI function groups into a single *id* the *satellite Id*, the *time Id* and the *model_id*, creating a run Id.

7.7.2 Calling interface

The calling interface of the xl_run_init CFI function is the following:

```
#include <explorer_lib.h>
{
    long sat_id, run_id;
    xl_model_id model_id = {NULL};
    xl_time_id time_id = {NULL};
    long ierr[XL_NUM_ERR_RUN_INIT], status;
    status = xl_run_init (&sat_id, &time_id, &model_id, &run_id, ierr);
}
```

7.7.3 Input parameters

The xl run init CFI function has the following input parameters:

Table 27: Input parameters of xl_run_init function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
sat_id	long *	-	Satellite ID	-	Complete
time_id	xl_time_id*	-	Structure that	-	-
			contains the time		
			correlations.		
model_id	xl_model_id*	-	Model ID	-	-

It is possible to use enumeration values rather than integer values for some of the input arguments:

• Satellite ID: sat id. See [GEN SUM].

7.7.4Output parameters

The output parameters of the xl run init CFI function are:





Table 28: Output parameters of xl_run init function

C name	C type	Array Element	Description (Reference)	Unit (Format)	Allowed Range
xl_run_init	long		Status flag	-	-
run_id	long *	-	Run ID	-	>=0
ierr	long	_	Error vector	-	-

7.7.5 Warnings and errors

Next table lists the possible error messages that can be returned by the **xl_run_init** CFI function after translating the returned extended status flag into the equivalent list of error messages by calling the function of the EO LIB software library **xl get msg** (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the extended status flag returned by the **xl_run_init** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM])

Table 29: Error messages of xl_run init function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Maximum number of initializations reached	No calculation performed	XL_CFI_RUN_INIT_MA X_INIT_ERR	0
ERR	Satellite ID is not correct	No calculation performed	XL_CFI_RUN_INIT_SAT ERR	1
ERR	Time ID is not initialized	No calculation performed	XL_CFI_RUN_INIT_TIM E INIT_ERR	2
ERR	Memory allocation error	No calculation performed	XL_CFI_RUN_INIT_ME MORY_ERR	3
ERR	Inconsistency between Ids within the run id	No calculation performed	XL_CFI_RUN_INIT_INC ONSISTENCY_ERR	4
ERR	Could not lock other execution threads	No calculation performed	XL_CFI_RUN_INIT_LOC K_ERR	5
ERR	Could not unlock other execution threads	No calculation performed	XL_CFI_RUN_INIT_UN LOCK_ERR	6





7.8 xl_run_get_ids

7.8.1 Overview

The xl_run_get_ids CFI function returns the ids being used.

7.8.2 Calling interface

The calling interface of the xl run get ids CFI function is the following:

7.8.3 Input parameters

The xl_run_get_ids CFI function has the following input parameters:

Table 30: Input parameters of xl_run_get_ids function

C name	C type	Array Element	Description (Reference)	Unit (Format)	Allowed Range
run_id	long *	-	Run ID	-	>=0

7.8.4Output parameters

The output parameters of the **xl_run_close** CFI function are:

Table 31: Output parameters of xl_run_get_ids function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_run_get_ids	void	_	-	-	-
sat_id	long*	-	Satellite ID	-	=
time_id	xl_time_id*		Structure that contains the time correlations.	-	-
model_id	xl_model_id*	-	Model ID	-	-





Page: 76

7.8.5 Warnings and errors

Next table lists the possible error messages that can be returned by the xl_run_get_ids CFI function after translating the returned extended status flag into the equivalent list of error messages by calling the function of the EO LIB software library xl get msg (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the extended status flag returned by the **xl_run_get_ids** function by calling the function of the EO_LIB software library **xl get code** (see [GEN SUM])

TBW





7.9 xl_run_close

7.9.1 Overview

The xl_run_close CFI function cleans up any memory allocation performed by the initialization functions.

7.9.2 Calling interface

The calling interface of the xl_run_close CFI function is the following:

```
#include <explorer_lib.h>
{
       long run_id;
       xl_run_close (&run_id);
}
```

7.9.3 Input parameters

The xl_run_close CFI function has the following input parameters:

Table 32: Input parameters of xl_run_close function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
run_id	long *	-	Run ID	-	>=0

7.9.4Output parameters

The output parameters of the **xl_run_close** CFI function are:

Table 33: Output parameters of xl_run_close function

C name	C type	Array Element	Description (Pafarana)	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_run_close	void	-	-	-	-

7.9.5 Warnings and errors

No errors have been envisaged for xl_run_close.





7.10xl_time_ascii_to_ascii

7.10.10verview

The xl_time_ascii_to_ascii CFI function transforms a time expressed in a given ASCII format and reference (TAI, UTC, UT1 or GPS) into a time in a different ASCII format and/or reference (TAI, UTC, UT1 or GPS).

7.10.2Calling Interface

The calling interface of the **xl_time_ascii_to_ascii** CFI function is the following (input parameters are underlined):

```
#include <explorer lib.h>
      long ascii id in, ascii id out;
      long time ref in, time ref out;
      char ascii in[XL TIME ASCII DIM MAX];
      char ascii out[XL TIME ASCII DIM MAX];
       xl time id time id = {NULL};
      long ierr[XL NUM ERR ASCII ASCII], status;
                  xl time ascii to ascii(&time id, &ascii id in,
      status =
                       &time ref in, ascii in, &ascii id out,
                       &time ref out, ascii out, ierr);
      /* Or, using the run id */
      long run id;
                  xl time ascii to ascii run(&run id, &ascii id in,
      status =
                       &time ref in, ascii in, &ascii id out,
                       &time ref out, ascii out, ierr);
}
```

The XL_TIME_ASCII_DIM_MAX and XL_NUM_ERR_ASCII_ASCII constants are defined in the file $explorer\ lib.h.$





Page: 79

7.10.3Input Parameters

The xl_time_ascii_to_ascii CFI function has the following input parameters:

Table 34: Input parameters of xl_time_ascii_to_ascii function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
time_id	xl_time_id*	-	Structure that	-	-
			contains the time		
			correlations.		
ascii_id_in	long *	-	ASCII format ID	-	Complete
time_ref_in	long *	-	Time reference ID	-	Complete
ascii_in	char	See Table 4 and	Time in ASCII for	See Table 4 and	See Table 4 and
		Table 5	mat	Table 5	Table 5
ascii_id_out	long *	-	ASCII format ID	-	Complete
time_ref_out	long *	-	Time reference ID	_	Any except
					XL_TIME_UND
					EF

It is possible to use enumeration values rather than integer values for some of the input arguments:

- ASCII format ID: ascii id in and ascii id out. Current document, section 6.2.
- Time reference ID: time ref in and time ref out. See [GEN SUM].

It is important to point out the usage of the **time ref in** parameter in the frame of the current function:

- If **time ref in** input parameter is defined, it shall be used by the function.
- If **time_ref_in** input parameter is undefined, it shall be used the time reference part from the ascii format string. In case this is omitted, an error shall be returned.

Note that for the function to work correctly, the time references should be properly initialised before calling the function (see section 4.2.for details), unless time ref in = time ref out.

7.10.4Output Parameters

The output parameters of the xl_time_ascii_to_ascii CFI function are:

Table 35: Output parameters of xl_time_ascii_to_ascii

C name	C type	Array Description		Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_time_ascii_to_ascii	long	_	Status flag	-	-
ascii_out	char	See Table	Time in ASCII format	See Table 4 and	See Table 4 and
		4 Table 5		Table 5	Table 5
ierr	long	-	Error vector	-	-

7.10.5Warnings and Errors

Next table lists the possible error messages that can be returned by the **xl_time_ascii_to_ascii** CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO LIB software library **xl get msg** (see [GEN SUM]).





This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained by translating the error vector returned by the **xl_time_ascii_to_ascii** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM])

Table 36: Error messages of xl_time_ascii_to_ascii function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Input ascii format ID is not correct	No calculation performed	XL_CFI_TIME_ASCII_ASCII _ASCII_IN_ERR	0
ERR	Input time reference ID is not correct	No calculation performed	XL_CFI_TIME_ASCII_ASCII TIME_IN_ERR	1
ERR	Input ascii format is not correct	No calculation performed	XL_CFI_TIME_ASCII_ASCII FORMAT_IN_ERR	2
ERR	Input time reference inconsistent with the time reference in the date	No calculation performed	XL_CFI_TIME_ASCII_ASCII _REF_INC_IN_ERR	3
ERR	Output ascii format ID is not correct	No calculation performed	XL_CFI_TIME_ASCII_ASCII _ASCII_OUT_ERR	4
ERR	Output time reference ID is not correct	No calculation performed	XL_CFI_TIME_ASCII_ASCII _TIME_OUT_ERR	5
ERR	Input ascii year is out of range	No calculation performed	XL_CFI_TIME_ASCII_ASCII _ASCII_YEAR_IN_ERR	6
ERR	Input ascii month is out of range	No calculation performed	XL_CFI_TIME_ASCII_ASCII _ASCII_MONTH_IN_ERR	7
ERR	Input ascii day is out of range	No calculation performed	XL_CFI_TIME_ASCII_ASCII ASCII DAY IN ERR	8
ERR	Input ascii hour is out of range	No calculation performed	XL_CFI_TIME_ASCII_ASCII ASCII_HOUR_IN_ERR	9
ERR	Input ascii minutes are out of range	No calculation performed	XL_CFI_TIME_ASCII_ASCII _ASCII_MIN_IN_ERR	10
ERR	Input ascii seconds are out of range	No calculation performed	XL_CFI_TIME_ASCII_ASCII _ASCII_SEC_IN_ERR	11
ERR	Input ascii microseconds are out of range	No calculation performed	XL_CFI_TIME_ASCII_ASCII _ASCII_MICROSEC_IN_ER R	12
ERR	Internal error: Input Gregorian date to MJD transformation failed	No calculation performed	XL_CFI_TIME_ASCII_ASCII _MJD_IN_ERR	13
ERR	Internal error: Output ascii MJD is out of range	No calculation performed	XL_CFI_TIME_ASCII_ASCII ASCII MJD OUT ERR	14
ERR	Internal error: Output ascii year is out of range	No calculation performed	XL_CFI_TIME_ASCII_ASCII _ASCII_YEAR_OUT_ERR	15
ERR	Internal error: Output ascii month is out of range	No calculation performed	XL_CFI_TIME_ASCII_ASCII _ASCII_MONTH_OUT_ER R	16
ERR	Internal error: Output ascii day is out of range	No calculation performed	XL_CFI_TIME_ASCII_ASCII ASCII_DAY_OUT_ERR	17
ERR	Internal error: Output ascii hour is out of range	No calculation performed	XL_CFI_TIME_ASCII_ASCII ASCII_HOUR_OUT_ERR	18
ERR	Internal error: Output ascii minutes are out of range	No calculation performed	XL_CFI_TIME_ASCII_ASCII _ASCII_MIN_OUT_ERR	19





81

Page:

ERR	Internal error: Output ascii seconds are out of range	No calculation performed	XL_CFI_TIME_ASCII_ASCII ASCII SEC OUT ERR	20
ERR	Internal error: Output ascii microseconds are out of range	No calculation performed	XL_CFI_TIME_ASCII_ASCII _ASCII_MICROSEC_OUT_ ERR	21
ERR	Internal error: Output ascii format is not correct	No calculation performed	XL_CFI_TIME_ASCII_ASCII _FORMAT_OUT_ERR	22
ERR	Time reference not initialised	No calculation performed	XL_CFI_TIME_ASCII_ASCII _REF_INIT_ERR	23
WARN	Time out of initialization range	Calculation performed. A message informs the user.	XL_CFI_TIME_ASCII_ASCII _REF_INIT_WARN	24
WARN	Bulletin A: previous computation performed inside file interval, current performed with formula	Calculation performed. A message informs the user.	XL_CFI_TIME_ASCII_ASCII _BUL_A_FORMULA_WARN	25
WARN	Bulletin B+A: current computation performed inside B-A gap. Previous computation was done inside B or A files intervals.	Calculation performed. A message informs the user.	XL_CFI_TIME_ASCII_ASCII _BUL_B_A_GAP_WARN	26
WARN	Previous computation performed inside initialization validity, current computation performed outside initialization validity	Calculation performed. A message informs the user.	XL_CFI_TIME_ASCII_ASCII _VALIDITY_WARN	32
WARN	EOM detected but not compliant with EO GS File Format Standard	Calculation performed. A message informs the user.	XL_CFI_TIME_ASCII_ASCII _EOM_FFS_COMPLIANCE_ WARN	33





7.11xl_time_ascii_to_processing

7.11.10verview

The **xl_time_ascii_to_processing** CFI function transforms a time expressed in a given ASCII format and reference (TAI, UTC, UT1 or GPS) into a time in Processing format, performing a reference transformation if necessary (to TAI, UTC, UT1 or GPS).

User should be aware that the use of UTC in Processing format is not encouraged, due to the discontinuty that is caused by the introduction of leap seconds. See [IERS] for further details.

7.11.2Calling Interface

The calling interface of the **xl_time_ascii_to_processing** CFI function is the following (input parameters are <u>underlined</u>):

```
#include <explorer lib.h>
      long ascii id in, proc id out;
      long time ref in, time ref out;
      char ascii in[XL TIME ASCII DIM MAX];
      double processing out;
       xl time id time id = {NULL};
      long ierr[XL NUM ERR ASCII PROC], status;
                  xl time ascii to processing (&time id, &ascii id in,
      status =
                       &time ref in, ascii in, &proc id out,
                       &time ref out, &processing out, ierr);
      /* Or, using the run id */
      long run id;
      status =
                  xl time ascii to processing run(&run id, &ascii id in,
                       &time ref in, ascii in, &proc id out,
                       &time ref out, &processing out, ierr);
}
```

The XL_TIME_ASCII_DIM_MAX and XL_NUM_ERR_ASCII_PROC constants are defined in the file $explorer\ lib.h.$





7.11.3Input Parameters

The xl_time_ascii_to_processing CFI function has the following input parameters:

Table 37: Input parameters of xl_time_ascii_to_processing function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
time_id	xl_time_id*	-	Structure that	-	-
			contains the time		
			correlations.		
ascii_id_in	long *	-	ASCII format ID	-	Complete
time_ref_in	long *	=	Time reference ID	-	Complete
ascii_in	char	See Table 4 and	Time in ASCII for	See Table 4 and	See Table 4 and
		Table 5	mat	Table 5	Table 5
proc_id_out	long *	-	Processing format	-	Complete
			ID		-
time_ref_out	long *	-	Time reference ID	-	Any except
	_				XL_TIME_UND
					EF

It is possible to use enumeration values rather than integer values for some of the input arguments:

- ASCII format ID: ascii id in. Current document, section 6.2.
- Time reference ID: time ref in and time ref out. See [GEN SUM].
- Processing format ID: proc id out. Current document, section 6.2

It is important to point out the usage of the **time ref in** parameter in the frame of the current function:

- If **time ref in** input parameter is defined, it shall be used by the function.
- If **time_ref_in** input parameter is undefined, it shall be used the time reference part from the ascii format string. In case this is omitted, an error shall be returned.

Note that for the function to work correctly, the time references should be properly initialised before calling the function (see section 4.2. for details), unless time ref in = time ref out.

7.11.4Output Parameters

The output parameters of the xl time ascii to processing CFI function are:

Table 38: Output parameters of xl_time_ascii_to_processing

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_time_ascii_to_pro cessing	long	-	Status flag	-	-
processing_out	double*		Format	Decimal days, MJD2000 (Processing)	[-18262.0,36524.0]
ierr	long	-	Error vector	-	-





7.11.5Warnings and Errors

Next table lists the possible error messages that can be returned by the **xl_time_ascii_to_processing** CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO LIB software library **xl get msg** (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained by translating the error vector returned by the **xl_time_ascii_to_processing** function by calling the function of the EO_LIB software library **xl get code** (see [GEN SUM])

Table 39: Error messages of xl_time_ascii_to_processing function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Input ascii format ID is not correct	No calculation performed	XL_CFI_TIME_ASCII_PRO C_ASCII_IN_ERR	0
ERR	Input time reference ID is not correct	No calculation performed	XL_CFI_TIME_ASCII_PRO C_TIME_IN_ERR	1
ERR	Input format is not correct	No calculation performed	XL_CFI_TIME_ASCII_PRO C_FORMAT_IN_ERR	2
ERR	Input time reference inconsistent with the time reference in the date	No calculation performed	XL_CFI_TIME_ASCII_PRO C_REF_INC_IN_ERR	
ERR	Output processing format ID is not correct	No calculation performed	XL_CFI_TIME_ASCII_PRO C_PROC_OUT_ERR	4
ERR	Output time reference ID is not correct	No calculation performed	XL_CFI_TIME_ASCII_PRO C_TIME_OUT_ERR	5
ERR	Year is out of range	No calculation performed	XL_CFI_TIME_ASCII_PRO C_YEAR_ERR	6
ERR	Month is out of range	No calculation performed	XL_CFI_TIME_ASCII_PRO C_MONTH_ERR	7
ERR	Day is out of range	No calculation performed	XL_CFI_TIME_ASCII_PRO C DAY ERR	8
ERR	Hour is out of range	No calculation performed	XL_CFI_TIME_ASCII_PRO C HOUR ERR	9
ERR	Minutes are out of range	No calculation performed	XL_CFI_TIME_ASCII_PRO C MIN ERR	10
ERR	Seconds are out of range	No calculation performed	XL_CFI_TIME_ASCII_PRO C SEC ERR	11
ERR	Microseconds are out of range	No calculation performed	XL_CFI_TIME_ASCII_PRO C MICROSEC ERR	12
ERR	Internal Error: Input Gregorian date to MJD transformation failed	No calculation performed	XL_CFI_TIME_ASCII_PRO C_MJD_ERR	13
ERR	Time reference not initialised	No calculation performed	XL_CFI_TIME_ASCII_PRO C_REF_INIT_ERR	14
WARN	Time out of initialization range	Calculation performed. A message informs the user.	XL_CFI_TIME_ASCII_PRO C_REF_INIT_WARN	15
WARN	Bulletin A: previous computation performed inside file interval, current performed with formula	Calculation performed. A message informs the user.	XL_CFI_TIME_ASCII_PROC _BUL_A_FORMULA_WARN	16





WARN	Bulletin B+A: current computation performed inside B-A gap. Previous computation was done inside B or A files intervals.	Calculation performed. A message informs the user.	XL_CFI_TIME_ASCII_PROC _BUL_B_A_GAP_WARN	17
WARN	Previous computation performed inside initialization validity, current computation performed outside initialization validity	A message informs the user.	XL_CFI_TIME_ASCII_PROC _VALIDITY_WARN	18





7.12xl_time_ascii_to_transport

7.12.10verview

The xl_time_ascii_to_transport CFI function transforms a time expressed in a given ASCII format and reference (TAI, UTC, UT1 or GPS) into a time in a Transport format, performing a reference transformation if necessary (to TAI, UTC, UT1 or GPS).

7.12.2Calling Interface

The calling interface of the **xl_time_ascii_to_transport** CFI function is the following (input parameters are <u>underlined</u>):

```
#include <explorer lib.h>
{
      long ascii id in, trans id out;
      long time ref in, time ref out;
      char ascii in[XL TIME ASCII DIM MAX];
      long transport out[XL TIME TRANS DIM MAX];
       xl time id time id = {NULL};
      long ierr[XL NUM ERR ASCII TRANS], status;
      status =
                  xl time ascii to transport(&time id, &ascii id in,
                       &time ref in, ascii in, &trans id out,
                       &time ref out, transport out, ierr);
      /* Or, using the run id */
      long run id;
                  xl time ascii to transport run(&run id, &ascii id in,
                       &time ref in, ascii in, &trans id out,
                       &time ref out, transport out, ierr);
}
```

The XL_TIME_TRANS_DIM_MAX, XL_TIME_ASCII_DIM_MAX, XL_NUM_ERR_ASCII_TRANS constants are defined in the file $explorer\ lib.h$.





7.12.3Input Parameters

The xl_time_ascii_to_transport CFI function has the following input parameters:

Table 40: Input parameters of xl_time_ascii_to_transport function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
time_id	xl_time_id*	-	Structure that	-	-
			contains the time		
			correlations.		
ascii_id_in	long *	-	ASCII format ID	-	Complete
time_ref_in	long *	-	Time reference ID	-	Complete
ascii_in	char	See Table 4 and	Time in ASCII for	See Table 4 and	See Table 4 and
		Table 5	mat	Table 5	Table 5
trans_id_out	long *	_	Transport format ID	-	Complete
time_ref_out	long *	_	Time reference ID	-	Any except
					XL_TIME_UND
					EF

It is possible to use enumeration values rather than integer values for some of the input arguments:

- Satellite ID: sat id. See [GEN SUM].
- ASCII format ID: trans id in. Current document, section 6.2.
- Time reference ID: time_ref_in and time_ref_out. See [GEN_SUM].
- Transport format ID: trans id out. Current document, section 6.2.

It is important to point out the usage of the time ref in parameter in the frame of the current function:

- If time ref in input parameter is defined, it shall be used by the function.
- If time_ref_in input parameter is undefined, it shall be used the time reference part from the ascii format string. In case this is omitted, an error shall be returned.

Note that for the function to work correctly, the time references should be properly initialised before calling the function (see section 4.2. for details), unless time_ref_in = time_ref_out.

7.12.4Output Parameters

The output parameters of the xl_time_ascii_to_transport CFI function are:

Table 41: Output parameters of xl_time_ascii_to_transport

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_time_ascii_to_tran sport	long	-	Status flag	-	-
transport_out[dim]	long	See Table 3	Time in Transport for mat	See Table 3	See Table 3
ierr	long	-	Error vector	-	-





7.12.5Warnings and Errors

Next table lists the possible error messages that can be returned by the **xl_time_ascii_to_transport** CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO_LIB software library **xl_get_msg** (see [GEN_SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained by translating the error vector returned by the **xl_time_ascii_to_transport** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM])

Table 42: Error messages of xl_time_ascii_to_transport function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Input ascii format ID is not correct	No calculation performed	XL_CFI_TIME_ASCII_TRA NS ASCII IN ERR	0
ERR	Input time reference ID is not correct	No calculation performed	XL_CFI_TIME_ASCII_TRA NS_TIME_IN_ERR	1
ERR	Input format is not correct	No calculation performed	XL_CFI_TIME_ASCII_TRA NS_FORMAT_IN_ERR	2
ERR	Input time reference inconsistent with the time reference in the date	No calculation performed	XL_CFI_TIME_ASCII_TRA NS_REF_INC_IN_ERR	3
ERR	Output transport format ID is not correct	No calculation performed	XL_CFI_TIME_ASCII_TRA NS_TRANS_OUT_ERR	4
ERR	Output time reference ID is not correct	No calculation performed	XL_CFI_TIME_ASCII_TRA NS_TIME_OUT_ERR5	5
ERR	Year is out of range	No calculation performed	XL_CFI_TIME_ASCII_TRA NS_YEAR_ERR	6
ERR	Month is out of range	No calculation performed	XL_CFI_TIME_ASCII_TRA NS_MONTH_ERR	7
ERR	Day is out of range	No calculation performed	XL_CFI_TIME_ASCII_TRA NS_DAY_ERR	8
ERR	Hour is out of range	No calculation performed	XL_CFI_TIME_ASCII_TRA NS_HOUR_ERR	9
ERR	Minutes are out of range	No calculation performed	XL_CFI_TIME_ASCII_TRA NS MIN ERR	10
ERR	Seconds are out of range	No calculation performed	XL_CFI_TIME_ASCII_TRA NS_SEC_ERR	11
ERR	Microseconds are out of range	No calculation performed	XL_CFI_TIME_ASCII_TRA NS_MICROSEC_ERR	12
ERR	Internal Error: Input Gregorian date to MJD transformation failed	No calculation performed	XL_CFI_TIME_ASCII_TRA NS_MJD_ERR	13
ERR	Time reference not initialised	No calculation performed	XL_CFI_TIME_ASCII_TRA NS_REF_INIT_ERR	14
WARN	Time out of initialization range	Calculation performed. A message informs the user.	XL_CFI_TIME_ASCII_TRA NS_REF_INIT_WARN	15
WARN	Bulletin A: previous computation performed inside file interval, current performed with formula	Calculation performed. A message informs the user.	XL_CFI_TIME_ASCII_TRAN S_BUL_A_FORMULA_WAR N	16





WARN	Bulletin B+A: current	Calculation performed.	XL_CFI_TIME_ASCII_TRAN	17
	computation performed inside	A message informs the user.	S_BUL_B_A_GAP_WARN	
	B-A gap. Previous			
	computation was done inside			
	B or A files intervals.			
WARN	Previous computation	Calculation performed.	XL_CFI_TIME_ASCII_TRAN	18
	performed inside initialization	A message informs the user.	S_VALIDITY_WARN	
	validity, current computation			
	performed outside initialization			
	validity			





7.13xl_time_processing_to_ascii

7.13.10verview

The **xl_time_processing_to_ascii** CFI function transforms a time expressed in Processing format and a given reference (TAI, UTC, UT1 or GPS) into a time in an ASCII format, performing a reference transformation if necessary (to TAI, UTC, UT1 or GPS).

User should be aware that the use of UTC in Processing format is not encouraged, due to the discontinuty that is caused by the introduction of leap seconds. See [IERS] for further details.

7.13.2Calling Interface

he calling interface of the **xl_time_processing_to_ascii** CFI function is the following (input parameters are <u>underlined</u>):

```
#include <explorer lib.h>
      long proc id in, ascii id out;
      long time ref in, time ref out;
      double processing in;
      char ascii out[XL TIME ASCII DIM MAX];
       xl time id time id = {NULL};
      long ierr[XL NUM ERR PROC ASCII], status;
                  xl time processing to ascii (&time id, &proc id in,
      status =
                       &time ref in, &processing in, &ascii id out,
                       &time ref out, ascii out, ierr);
      /* Or, using the run id */
      long run id;
      status =
                  xl time processing to ascii run(&run id, &proc id in,
                       &time ref in, &processing in, &ascii id out,
                       &time ref out, ascii out, ierr);
}
```

7.13.3Input Parameters

The xl time processing to ascii CFI function has the following input parameters:





Table 43: Input parameters of xl_time_processing_to_ascii function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
time_id	xl_time_id*	-	Structure that	-	-
			contains the time		
			correlations.		
proc_id_in	long *	-	Processing format	-	Complete
			ID		
time_ref_in	long *	-	Time reference ID	-	Any except
					XL_TIME_UNDEF
processing_in	double*	-	Time in Process ing	Decimal days,	[-18262.0,36524.0]
			Format	MJD2000	
				(Processing)	
ascii_id_out	long *	-	ASCII format ID	-	Complete
time_ref_out	long *	-	Time reference ID	-	Any except
					XL_TIME_UNDEF

It is possible to use enumeration values rather than integer values for some of the input arguments:

- Processing format ID: proc_id_in. Current document, section 6.2.
- Time reference ID: time ref in and time ref out. See [GEN SUM].
- ASCII format ID: ascii id out. Current document, section 6.2.

Note that for the function to work correctly, the time references should be properly initialised before calling the function (see section 4.2. for details), unless time ref in = time ref out.

7.13.40utput Parameters

The output parameters of the xl time processing to ascii CFI function are:

Table 44: Output parameters of xl_time_processing_to_ascii

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_time_processing_t	long	-	Status flag	-	-
o_ascii					
ascii_out	char	See Table	Time in ASCII format	See Table 4 and	See Table 4 and
		4 and		Table 5	Table 5
		Table 5			
ierr	long	_	Error vector	-	-

7.13.5Warnings and Errors

Next table lists the possible error messages that can be returned by the **xl_time_processing_to_ascii** CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO_LIB software library **xl_get_msg** (see [GEN_SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.





The table is completed by the error code and value. These error codes can be obtained by translating the error vector returned by the **xl_time_processing_to_ascii** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM])

Table 45: Error messages of xl_time_processing_to_ascii function

Error type	Error message	Cause and impact	Error code	Error No
ERR	Input processing format ID is not correct	No calculation performed	XL_CFI_TIME_PROC_ASCI I PROC IN ERR	0
ERR	Input time reference ID is not correct	No calculation performed	XL_CFI_TIME_PROC_ASCI I_TIME_IN_ERR	1
ERR	Input days out of range	No calculation performed	XL_CFI_TIME_PROC_ASCI I_DAY_ERR	2
ERR	Output ascii format ID is not correct	No calculation performed	XL_CFI_TIME_PROC_ASCI I_ASCII_OUT_ERR	3
ERR	Output time reference ID is not correct	•	XL_CFI_TIME_PROC_ASCI I_TIME_OUT_ERR	4
ERR	Internal error: Output ascii MJD is out of range	No calculation performed	XL_CFI_TIME_PROC_ASCI I_ASCII_MJD_ERR	5
ERR	Internal error: Output ascii year is out of range	No calculation performed	XL_CFI_TIME_PROC_ASCI I_ASCII_YEAR_ERR	6
ERR	Internal error: Output ascii month is out of range	No calculation performed	XL_CFI_TIME_PROC_ASCI I_ASCII_MONTH_ERR	7
ERR	Internal error: Output ascii day is out of range	No calculation performed	XL_CFI_TIME_PROC_ASCI I_ASCII_DAY_ERR	8
ERR ERR	Internal error: Output ascii hour is out of range Internal error: Output ascii	No calculation performed No calculation performed	XL_CFI_TIME_PROC_ASCI I_ASCII_HOUR_ERR XL_CFI_TIME_PROC_ASCI	9
ERR	minutes are out of range Internal error: Output ascii	No calculation performed	ASCII_MIN_ERR XL_CFI_TIME_PROC_ASCI	11
ERR	seconds are out of range Internal error: Output ascii	No calculation performed	I_ASCII_SEC_ERR XL_CFI_TIME_PROC_ASCI	12
ERR	microseconds are out of range Internal error: Output ascii	No calculation performed	I_ASCII_MICROSEC_ERR XL_CFI_TIME_PROC_ASCI	13
ERR	format is not correct Time reference not initialised	No calculation performed	I_FORMAT_OUT_ERR XL_CFI_TIME_PROC_ASCI	14
WARN	Time out of initialization range	Calculation performed.	I_REF_INIT_ERR XL_CFI_TIME_PROC_ASCI	15
WARN	Bulletin A: previous	A message informs the user. Calculation performed.	I_REF_INIT_WARN XL_CFI_TIME_PROC_ASCII	16
	computation perfromed inside file interval, current performed with formula	A message informs the user.	_BUL_A_FORMULA_WARN	
WARN	Bulletin B+A: current computation performed inside B-A gap. Previous computation was done inside B or A files intervals.	Calculation performed. A message informs the user.	XL_CFI_TIME_PROC_ASCII _BUL_B_A_GAP_WARN	17
WARN	Previous computation performed inside initialization validity, current computation performed outside initialization validity	Calculation performed. A message informs the user.	XL_CFI_TIME_PROC_ASCII _VALIDITY_WARN	18









7.14xl_time_processing_to_processing

7.14.10verview

The **xl_time_processing_to_processing** CFI function transforms a time expressed in Processing format and a given reference (TAI, UTC, UT1 or GPS) into a time in Processing format with a different reference (TAI, UTC, UT1 or GPS).

User should be aware that the use of UTC in Processing format is not encouraged, due to the discontinuty that is caused by the introduction of leap seconds. See [IERS] for further details.

7.14.2Calling Interface

The calling interface of the **xl_time_processing_to_processing** CFI function is the following (input parameters are <u>underlined</u>):

```
#include <explorer lib.h>
      long proc id in, proc id out;
      long time ref in, time ref out;
      double processing in, processing out;
       xl time id time id = {NULL};
      long ierr[XL NUM ERR PROC PROC], status;
                   xl time processing to processing (&time id,
      status =
&proc id in,
                       &time ref in, &processing in, &proc id out,
                       &time ref out, &processing out, ierr);
      /* Or, using the run id */
      long run id;
              xl time processing to processing run(&run id, &proc id in,
                       &time ref in, &processing in, &proc id out,
                       &time ref out, &processing out, ierr);
}
```

The XL NUM ERR PROC PROC constant is defined in the file explorer_lib.h.





 Code:
 EO-MA-DMS-GS-0003

 Date:
 10/05/2019

 Issue:
 4.17

Page: 95

7.14.3Input Parameters

The xl time processing to processing CFI function has the following input parameters:

Table 46: Input parameters of xl_time_processing_to_processing function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
time_id	xl_time_id*	-	Structure that	-	-
			contains the time		
			correlations.		
proc_id_in	long *	-	Processing format	-	Complete
			ID		
time_ref_in	long *	-	Time reference ID	-	Any except
					XL_TIME_UNDEF
processing_in	double*	-	Time in Process ing	Decimal days,	[-18262.0,36524.0]
			Format	MJD2000	
				(Processing)	
proc id out	long *	-	Processing format	-	Complete
			ID		
time_ref_out	long *	-	Time reference ID	-	Any except
	_				XL_TIME_UNDEF

It is possible to use enumeration values rather than integer values for some of the input arguments:

- Processing format ID: proc id in and proc id out. Current document, section 6.2.
- Time reference ID: time ref in and time ref out. See [GEN SUM].

Note that for the function to work correctly, the time references should be properly initialised before calling the function (see section 4.2. for details), unless time ref in = time ref out.

7.14.4Output Parameters

The output parameters of the xl time processing to processing CFI function are:

Table 47: Output parameters of xl_time_processing_to_processing

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_time_processing_t	long	-	Status flag	-	-
o_processing					
processing_out	double*	-	Time in Processing	Decimal days,	[-18262.0,36524.0]
			Format	MJD2000	
				(Processing)	
ierr	long	-	Error vector	-	-





7.14.5Warnings and Errors

Next table lists the possible error messages that can be returned by the **xl_time_processing_to_processing** CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO LIB software library **xl get msg** (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained by translating the error vector returned by the **xl_time_processing_to_processing** function by calling the function of the EO LIB software library **xl get code** (see [GEN SUM])

Table 48: Error messages of xl_time_processing_to_processing function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Input processing format ID is not correct	No calculation performed	XL_CFI_TIME_PROC_PRO C_PROC_IN_ERR	0
ERR	Input time reference ID is not correct	No calculation performed	XL_CFI_TIME_PROC_PRO C_TIME_IN_ERR	1
ERR	Output processing format ID is not correct	No calculation performed	XL_CFI_TIME_PROC_PRO C_PROC_OUT_ERR	2
ERR	Output time reference ID is not correct	No calculation performed	XL_CFI_TIME_PROC_PRO C_TIME_OUT_ERR	3
ERR	Number of days out of range	No calculation performed	XL_CFI_TIME_PROC_PRO C_DAY_ERR	4
ERR	Time reference not initialised	No calculation performed	XL_CFI_TIME_PROC_PRO C_REF_INIT_ERR	5
WARN	Time out of initialization range	Calculation performed. A message informs the user.	XL_CFI_TIME_PROC_PRO C_REF_INIT_WARN	6
WARN	Bulletin A: previous computation perfromed inside file interval, current performed with formula	Calculation performed. A message informs the user.	XL_CFI_TIME_PROC_PRO C_BUL_A_FORMULA_WAR N	7
WARN	Bulletin B+A: current computation performed inside B-A gap. Previous computation was done inside B or A files intervals.	Calculation performed. A message informs the user.	XL_CFI_TIME_PROC_PRO C_BUL_B_A_GAP_WARN	8
WARN	Previous computation performed inside initialization validity, current computation performed outside initialization validity	Calculation performed. A message informs the user.	XL_CFI_TIME_PROC_PRO C_VALIDITY_WARN	9





7.15xl_time_processing_to_transport

7.15.10verview

The xl_time_processing_to_transport CFI function transforms a time expressed in Processing format and a given reference (TAI, UTC, UT1 or GPS) into a time in a Transport format, performing a reference transformation if necessary (to TAI, UTC, UT1 or GPS).

User should be aware that the use of UTC in Processing format is not encouraged, due to the discontinuty that is caused by the introduction of leap seconds. See [IERS] for further details.

7.15.2Calling Interface

The calling interface of the **xl_time_processing_to_transport** CFI function is the following (input parameters are <u>underlined</u>):

```
#include <explorer lib.h>
      long proc id in, trans id out;
      long time ref in, time ref out;
      double processing in;
      long transport out[XL TIME TRANS DIM MAX];
       xl time id time id = {NULL};
      long ierr[XL NUM ERR PROC TRANS], status;
                  xl time processing to transport (&time id, &proc id in,
      status =
                       &time ref in, &processing in, &trans id out,
                       &time ref out, transport out, ierr);
      /* Or, using the run id */
      long run id;
              xl time processing to transport run(&run id, &proc id in,
                       &time ref in, &processing in, &trans id out,
                       &time ref out, transport out, ierr);
```

The XL_TIME_TRANS_DIM_MAX and XL_NUM_ERR_PROC_TRANS constants are defined in the file $explorer\ lib.h.$





98

Page:

7.15.3Input Parameters

The xl time processing to transport CFI function has the following input parameters:

Table 49: Input parameters of xl_time_processing_to_transport function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
time_id	xl_time_id*	-	Structure that	-	-
			contains the time		
			correlations.		
proc_id_in	long *	-	Processing format	-	Complete
			ID		
time_ref_in	long *	-	Time reference ID	-	Any except
					XL_TIME_UNDEF
processing_in	double*	-	Time in Process ing	Decimal days,	[-18262.0,36524.0]
			Format	MJD2000	
				(Processing)	
trans_id_out	long *	-	Transport format ID	-	Complete
time_ref_out	long *	-	Time reference ID	-	Any except
					XL_TIME_UNDEF

It is possible to use enumeration values rather than integer values for some of the input arguments:

- Processing format ID: proc id in. Current document, section 6.2.
- Time reference ID: time ref in and time ref out. See [GEN SUM].
- Transport format ID: trans id out. Current document, section 6.2.

Note that for the function to work correctly, the time references should be properly initialised before calling the function (see section 4.2. for details), unless time ref in = time ref out.

7.15.4Output Parameters

The output parameters of the xl time processing to transport CFI function are:

Table 50: Output parameters of xl_time_processing_to_transport

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_time_processing_t o_transport	long	-	Status flag	-	-
transport_out[dim]	long	_	Time in Transport for mat	See Table 3	See Table 3
ierr	long	_	Error vector	-	-





7.15.5Warnings and Errors

Next table lists the possible error messages that can be returned by the xl_time_processing_to_transport CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO LIB software library xl get msg (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the error vector returned by the **xl_time_processing_to_transport** function by calling the function of the EO_LIB software library **xl get code** (see [GEN SUM])

Table 51: Error messages of xl_time_processing_to_transport function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Input processing format ID is not correct		XL_CFI_TIME_PROC_TRA NS_PROC_IN_ERR	0
ERR	Input time reference ID is not correct	No calculation performed	XL_CFI_TIME_PROC_TRA NS_TIME_IN_ERR	1
ERR	Output transport format ID is not correct	No calculation performed	XL_CFI_TIME_PROC_TRA NS_TRANS_OUT_ERR	2
ERR	Output time reference ID is not correct	No calculation performed	XL_CFI_TIME_PROC_TRA NS_TIME_OUT_ERR	3
ERR	Number of days out of range	No calculation performed	XL_CFI_TIME_PROC_TRA NS_DAY_ERR	4
ERR	Time reference not initialised	No calculation performed	XL_CFI_TIME_PROC_TRA NS_REF_INIT_ERR	5
WARN	Time out of initialization range	Calculation performed. A message informs the user.	XL_CFI_TIME_PROC_TRA NS_REF_INIT_WARN	6
WARN	Bulletin A: previous computation perfromed inside file interval, current performed with formula	Calculation performed. A message informs the user.	XL_CFI_TIME_PROC_TRAN S_BUL_A_FORMULA_WAR N	7
WARN	Bulletin B+A: current computation performed inside B-A gap. Previous computation was done inside B or A files intervals.	Calculation performed. A message informs the user.	XL_CFI_TIME_PROC_TRAN S_BUL_B_A_GAP_WARN	8
WARN	Previous computation performed inside initialization validity, current computation performed outside initialization validity	Calculation performed. A message informs the user.	XL_CFI_TIME_PROC_TRAN S_VALIDITY_WARN	9





7.16xl_time_transport_to_ascii

7.16.10verview

The xl_time_transport_to_ascii CFI function transforms a time expressed in a given Transport format and reference (TAI, UTC, UT1 or GPS) into a time in an ASCII format, performing a reference transformation if necessary (to TAI, UTC, UT1 or GPS).

7.16.2Calling Interface

The calling interface of the **xl_time_transport_to_ascii** CFI function is the following (input parameters are <u>underlined</u>):

```
#include <explorer lib.h>
      long trans id in, ascii id out;
      long time ref in, time ref out;
      long transport in[XL TIME TRANS DIM MAX];
      char ascii out[XL TIME ASCII DIM MAX];
       xl time id time id = {NULL};
      long ierr[XL NUM ERR TRANS ASCII], status;
      status =
                  xl time transport to ascii (&time id, &trans id in,
                       &time ref in, transport in, &ascii id out,
                       &time ref out, ascii out, ierr);
      /* Or, using the run id */
      long run id;
                  xl time transport to ascii run(&run id, &trans id in,
                       &time ref in, transport in, &ascii id out,
                       &time ref out, ascii out, ierr);
}
```

The XL_TIME_TRANS_DIM_MAX, XL_TIME_ASCII_DIM_MAX, XL_NUM_ERR_TRANS_ASCII constants are defined in the file $explorer\ lib.h.$

7.16.3Input Parameters

The xl time transport to ascii CFI function has the following input parameters:





Table 52: Input parameters of xl_time_transport_to_ascii function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
time_id	xl_time_id*	-	Structure that	-	-
			contains the time		
			correlations.		
trans_id_in	long *	-	Transport format ID	-	Complete
time_ref_in	long *	-	Time reference ID	-	Any except
					XL_TIME_UNDEF
transport_in[dim]	long	See tTable 3	Time in Transport	See Table 3	See Table 3
			format		
ascii_id_out	long *	-	ASCII format ID	-	Complete
time_ref_out	long *	-	Time reference ID	-	Any except
					XL_TIME_UNDEF

It is possible to use enumeration values rather than integer values for some of the input arguments:

- Transport format ID: trans id in. Current document, section 6.2.
- Time reference ID: time_ref_in and time_ref_out. See [GEN_SUM].
- ASCII format ID: ascii id out. Current document, section 6.2.

It is important to point out the usage of the time ref out parameter within the current function:

• If the time reference flag for the output is undefined, an error shall be returned.

Note that for the function to work correctly, the time references should be properly initialised before calling the function (see section 4.2. for details), unless time ref in = time ref out.

7.16.4Output Parameters

The output parameters of the xl time transport to ascii CFI function are:

Table 53: Output parameters of xl_time_transport_to_ascii

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_time_transport_to _ascii	long	-	Status flag	-	-
ascii_out	char	See Table	Time in ASCII format	See Table 4 and	See Table 4 and
		4 Table 5		Table 5	Table 5
ierr	long	-	Error vector	-	-

7.16.5Warnings and Errors

Next table lists the possible error messages that can be returned by the **xl_time_transport_to_ascii** CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO_LIB software library **xl_get_msg** (see [GEN_SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.





The table is completed by the error code and value. These error codes can be obtained by translating the error vector returned by the **xl_time_transport_to_ascii** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM]).

Table 54: Error messages of xl_time_transport_to_ascii function

ERR Input corre ERR Num ERR Num rang ERR Num of ra ERR Num of ra ERR Outp corre ERR Outp	nt time reference ID is not ect nber of days out of range nber of seconds out of ge nber of milliseconds out of	No calculation performed No calculation performed No calculation performed No calculation performed No calculation performed	XL_CFI_TIME_TRANS_AS CII_TRANS_IN_ERR XL_CFI_TIME_TRANS_AS CII_TIME_IN_ERR XL_CFI_TIME_TRANS_AS CII_DAY_ERR XL_CFI_TIME_TRANS_AS CII_SEC_ERR	No 0 1 2 3
ERR Input corre ERR Num ERR Num rang ERR Num of ra ERR Num of ra ERR Outp corre ERR Outp	ect It time reference ID is not ect Inber of days out of range Inber of seconds out of ge Inber of milliseconds out of ge	No calculation performed No calculation performed No calculation performed	CII_TRANS_IN_ERR XL_CFI_TIME_TRANS_AS CII_TIME_IN_ERR XL_CFI_TIME_TRANS_AS CII_DAY_ERR XL_CFI_TIME_TRANS_AS	1 2
ERR Num rang ERR Num rang ERR Num rang ERR Num of ra ERR Num coun ERR Outp corre ERR Outp	nber of days out of range nber of seconds out of ge nber of milliseconds out of	No calculation performed No calculation performed	CII_TIME_IN_ERR XL_CFI_TIME_TRANS_AS CII_DAY_ERR XL_CFI_TIME_TRANS_AS	2
ERR Num rang ERR Num rang ERR Num of ra ERR Num coun ERR Outp	nber of seconds out of ge nber of milliseconds out of ge	No calculation performed	CII_DAY_ERR XL_CFI_TIME_TRANS_AS	
ERR Num rang ERR Num of ra ERR Num coun ERR Outp corre ERR Outp	ge nber of milliseconds out of ge	•	XL_CFI_TIME_TRANS_AS	3
ERR Num rang ERR Num of ra ERR Num coun ERR Outp corre ERR Outp	nber of milliseconds out of ge	No calculation performed		
ERR Num of ra ERR Num coun ERR Outp corre ERR Outp			XL_CFI_TIME_TRANS_AS CII_MILLISEC_ERR	4
ERR Num coun ERR Outp corre ERR Outp		No calculation performed	XL_CFI_TIME_TRANS_AS CII_MICROSEC_ERR	5
ERR Outp	hber of SIRAL extra hter ticks out of range	No calculation performed	XL_CFI_TIME_TRANS_AS CII_TICK_ERR	6
ERR Outp	out ascii format ID is not	No calculation performed	XL_CFI_TIME_TRANS_AS CII_ASCII_OUT_ERR	7
	out time reference ID is not	No calculation performed	XL_CFI_TIME_TRANS_AS CII_TIME_OUT_ERR	8
	rnal error: Output ascii) is out of range	No calculation performed	XL_CFI_TIME_TRANS_AS CII_ASCII_MJD_ERR	9
ERR Inter	rnal error: Output ascii r is out of range	No calculation performed	XL_CFI_TIME_TRANS_AS CII_ASCII_YEAR_ERR	10
ERR Inter	rnal error: Output ascii	No calculation performed	XL_CFI_TIME_TRANS_AS CII_ASCII_MONTH_ERR	11
ERR Inter	rnal error: Output ascii day ut of range	No calculation performed	XL_CFI_TIME_TRANS_AS CII_ASCII_DAY_ERR	12
ERR Inter	rnal error: Output ascii r is out of range	No calculation performed	XL_CFI_TIME_TRANS_AS CII_ASCII_HOUR_ERR	13
ERR Inter	rnal error: Output ascii utes are out of range	No calculation performed	XL_CFI_TIME_TRANS_AS CII_ASCII_MIN_ERR	14
ERR Inter	rnal error: Output ascii	No calculation performed	XL_CFI_TIME_TRANS_AS CII_ASCII_SEC_ERR	15
ERR Inter	rnal error: Output ascii roseconds are out of range	No calculation performed	XL_CFI_TIME_TRANS_AS CII_ASCII_MICROSEC_ER R	16
	rnal error: Output ascii nat is not correct	No calculation performed	XL_CFI_TIME_TRANS_AS CII FORMAT OUT ERR	17
	e reference not initialised	No calculation performed	XL_CFI_TIME_TRANS_AS CII_REF_INIT_ERR	18
WARN Time	e out of initialization range	Calculation performed. A message informs the user.	XL_CFI_TIME_TRANS_AS CII_REF_INIT_WARN	19
WARN Bulle	etin A: previous	Calculation performed.	XL CFI TIME TRANS ASC	20
com _l file ir	putation perfromed inside nterval, current performed			
WARN Bulle	formula		l 4	





	computation performed inside B-A gap. Previous computation was done inside	A message informs the user.	II_BUL_B_A_GAP_WARN	
	B or A files intervals.			
WAR	N Previous computation performed inside initialization validity, current computation performed outside initialization validity	A message informs the user.	XL_CFI_TIME_TRANS_ASC II_VALIDITY_WARN	22





7.17xl_time_transport_to_processing

7.17.10verview

The xl_time_transport_to_processing CFI function transforms a time expressed in a given Transport format and reference (TAI, UTC, UT1 or GPS) into a time in Processing format, performing a reference transformation if necessary (to TAI, UTC, UT1 or GPS).

User should be aware that the use of UTC in Processing format is not encouraged, due to the discontinuity that is caused by the introduction of leap seconds. See [IERS] for further details.

7.17.2Calling Interface

The calling interface of the **xl_time_transport_to_processing** CFI function is the following (input parameters are <u>underlined</u>):

```
#include <explorer lib.h>
      long trans id in, proc id out;
      long time ref in, time ref out;
      long transport in[XL TIME TRANS DIM MAX];
      double processing out;
       xl time id time id = {NULL};
      long ierr[XL NUM ERR TRANS PROC], status;
                   xl time transport to processing (&time id,
      status =
&trans id in,
                       &time ref in, transport in, &proc id out,
                       &time ref out, &processing out, ierr);
      /* Or, using the run id */
      long run id;
              xl time transport to processing run(&run id, &trans id in,
   status =
                       &time ref in, transport in, &proc id out,
                       &time ref out, &processing out, ierr);
```

The XL TIME TRANS DIM MAX and XL NUM ERR TRANS PROC constants are defined in the file

explorer lib.h.





7.17.3Input Parameters

The xl time transport to processing CFI function has the following input parameters:

Table 55: Input parameters of xl_time_transport_to_processing function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
time_id	xl_time_id*	-	Structure that	-	-
			contains the time		
			correlations.		
trans_id_in	long *	-	Transport format ID	_	Complete
time_ref_in	long *	-	Time reference ID	_	Any except
					XL_TIME_UNDEF
transport_in[dim]	long	See Table 3	Time in Transport	See Table 3	See Table 3
			format		
proc_id_out	long *	-	Processing format	-	Complete
			ID		
time_ref_out	long *	-	Time reference ID	-	Any except
					XL_TIME_UNDEF

It is possible to use enumeration values rather than integer values for some of the input arguments:

- Transport format ID: trans id in. Current document, section 6.2.
- Time reference ID: time_ref_in and time_ref_out. See [GEN_SUM].
- Processing format ID: proc id out. Current document, section 6.2

Note that for the function to work correctly, the time references should be properly initialised before calling the function (see section 4.2. for details), unless time ref in = time ref out.

7.17.4Output Parameters

The output parameters of the xl time transport to processing CFI function are:

Table 56: Output parameters of xl_time_transport_to_processing

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_time_transport_to _processing	long	-	Status flag	-	-
processing_out	double*	-	Format	Decimal days, MJD2000 (Processing)	[-18262.0,36524.0]
ierr	long	-	Error vector	-	-





7.17.5Warnings and Errors

Next table lists the possible error messages that can be returned by the **xl_time_transport_to_processing** CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO_LIB software library **xl_get_msg** (see [GEN_SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained by translating the error vector returned by the **xl_time_transport_to_processing** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM])

Table 57: Error messages of xl_time_transport_to_processing function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Input transport format ID is not correct	No calculation performed	XL_CFI_TIME_TRANS_PR OC_TRANS_IN_ERR	0
ERR	Input time reference ID is not correct	No calculation performed	XL_CFI_TIME_TRANS_PR OC_TIME_IN_ERR	1
ERR	Output processing format ID is not correct	No calculation performed	XL_CFI_TIME_TRANS_PR OC PROC OUT ERR	2
ERR	Output time reference ID is not correct	No calculation performed	XL_CFI_TIME_TRANS_PR OC_TIME_OUT_ERR	3
ERR	Number of days out of range	No calculation performed	XL_CFI_TIME_TRANS_PR OC_DAY_ERR	4
ERR	Number of seconds out of range	No calculation performed	XL_CFI_TIME_TRANS_PR OC_SEC_ERR	5
ERR	Number of milliseconds out of range	No calculation performed	XL_CFI_TIME_TRANS_PR OC_MILLISEC_ERR	6
ERR	Number of microseconds out of range	No calculation performed	XL_CFI_TIME_TRANS_PR OC_MICROSEC_ERR	7
ERR	Number of SIRAL extra counter ticks out of range	No calculation performed	XL_CFI_TIME_TRANS_PR OC_TICK_ERR	8
ERR	Time reference not initialised	No calculation performed	XL_CFI_TIME_TRANS_PR OC_REF_INIT_ERR	9
WARN	Time out of initialization range	Calculation performed. A message informs the user.	XL_CFI_TIME_TRANS_PR OC_REF_INIT_WARN	10
WARN	Bulletin A: previous computation perfromed inside file interval, current performed with formula	-	XL_CFI_TIME_TRANS_PRO C_BUL_A_FORMULA_WAR N	11
	Bulletin B+A: current computation performed inside B-A gap. Previous computation was done inside B or A files intervals.	Calculation performed. A message informs the user.		
WARN	Previous computation performed inside initialization validity, current computation performed outside initialization validity	Calculation performed. A message informs the user.	XL_CFI_TIME_TRANS_PRO C_VALIDITY_WARN	13









7.18xl_time_transport_to_transport

7.18.10verview

The xl_time_transport_to_transport CFI function transforms a time expressed in a given Transport format and reference (TAI, UTC, UT1 or GPS) into a time in a different Transport format and/or reference (TAI, UTC, UT1 or GPS).

7.18.2Calling Interface

The calling interface of the **xl_time_transport_to_transport** CFI function is the following (input parameters are <u>underlined</u>):

```
#include <explorer lib.h>
      long trans id in, trans id out;
      long time ref in, time ref out;
      long transport in [XL TIME TRANS DIM MAX];
      long transport out[XL TIME TRANS DIM MAX];
      xl time id time id = {NULL};
      long ierr[XL NUM ERR TRANS TRANS], status;
      status =
                  xl time transport to transport (&time id, &trans id in,
                       &time ref in, transport in, &trans_id_out,
                       &time ref out, transport out, ierr);
      /* Or, using the run id */
      long run id;
              xl time transport to transport run(&run id, &trans id in,
                       &time_ref_in, transport in, &trans id out,
                       &time ref out, transport out, ierr);
}
```

7.18.3Input Parameters

The xl_time_transport_to_transport CFI function has the following input parameters:

Table 58: Input parameters of xl_time_transport_to_transport function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	





time_id	xl_time_id*	-	Structure that contains the time correlations.	-	-
trans_id_in	long *	-	Transport format ID	-	Complete
time_ref_in	long *	-	Time reference ID	-	Any except XL_TIME_UNDEF
transport_in[dim]	long	See Table 3	Time in Transport format	See Table 3	See Table 3
trans_id_out	long *	-	Transport format ID	-	Complete
time_ref_out	long *	-	Time reference ID	-	Any except XL_TIME_UNDEF

It is possible to use enumeration values rather than integer values for some of the input arguments:

- Transport format ID: trans id in and trans id out. Current document, section 6.2.
- Time reference ID: time ref in and time ref out. See [GEN SUM].

Note that for the function to work correctly, the time references should be properly initialised before calling the function (see section 4.2. for details), unless time ref in = time ref out.

7.18.4Output Parameters

The output parameters of the xl_time_transport_to_transport CFI function are:

Table 59: Output parameters of xl_time_transport_to_transport

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_time_transport_to _transport	long	-	Status flag	-	-
transport_out[dim]	long	_	Time in Transport for mat	See Table 3	See Table 3
ierr	long	-	Error vector	-	_

7.18.5Warnings and Errors

Next table lists the possible error messages that can be returned by the **xl_time_transport_to_transport** CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO_LIB software library **xl_get_msg** (see [GEN_SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the error vector returned by the **xl_time_transport_to_transport** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM])

Table 60: Error messages of xl_time_transport_to_transport function

Error	Error message	Cause and impact	Error code	Error
type				No





ERR	Input transport format ID is not correct	No calculation performed	XL_CFI_TIME_TRANS_TR ANS TRANS IN ERR	0
ERR	Input time reference ID is not correct	No calculation performed	XL_CFI_TIME_TRANS_TR ANS_TIME_IN_ERR	1
ERR	Output transport format ID is not correct	No calculation performed	XL_CFI_TIME_TRANS_TR ANS_TRANS_OUT_ERR	2
ERR	Output time reference ID is not correct	No calculation performed	XL_CFI_TIME_TRANS_TR ANS_TIME_OUT_ERR	3
ERR	Number of days out of range	No calculation performed	XL_CFI_TIME_TRANS_TR ANS_DAY_ERR	4
ERR	Number of seconds out of range	No calculation performed	XL_CFI_TIME_TRANS_TR ANS_SEC_ERR	5
ERR	Number of milliseconds out of range	No calculation performed	XL_CFI_TIME_TRANS_TR ANS_MILLISEC_ERR	6
ERR	Number of microseconds out of range	No calculation performed	XL_CFI_TIME_TRANS_TR ANS_MICROSEC_ERR	7
ERR	Number of SIRAL extra counter ticks out of range	No calculation performed	XL_CFI_TIME_TRANS_TR ANS_TICK_ERR	8
ERR	Time reference not initialised	No calculation performed	XL_CFI_TIME_TRANS_TR ANS_REF_INIT_ERR	9
WARN	Time out of initialization range	Calculation performed. A message informs the user.		10
WARN	Bulletin A: previous computation perfromed inside file interval, current performed with formula	Calculation performed. A message informs the user.	XL_CFI_TIME_TRANS_TRA NS_BUL_A_FORMULA_WA RN	11
WARN	Bulletin B+A: current computation performed inside B-A gap. Previous computation was done inside B or A files intervals.	Calculation performed. A message informs the user.		12
WARN	Previous computation performed inside initialization validity, current computation performed outside initialization validity	Calculation performed. A message informs the user.	XL_CFI_TIME_TRANS_TRA NS_VALIDITY_WARN	13





7.19 xl_time_cuc_to_processing

7.19.1 Overview

The xl_time_cuc_to_processing CFI function transforms a time expressed in CCSDS UNSEGMENTED TIME CODE (CUC, see [CUC]) format into a time in Processing format.

7.19.2 CUC configuration

The input parameter of type xl_cuc_time_config tells the function how to make the transformation. The fields of this structure can take the following values:

- *cuc_type*: It is the type of CUC file used as input. It can take the values given by CUC time type enumeration, see section 6.2:
 - XL CUC T FIELD: the input cuc time contains only T-field octets.
 - XL_CUC_T_AND_P_FIELDS: the input cuc_time contains P-field and T-field octets (P-field octets before T-field octets).
- *epoch_type*: it is the epoch respect to which the CUC time is referenced. It can take the values given by CUC epoch type enumeration, see section 6.2:
 - XL EPOCH CCSDS: date 01/01/1958, 00h00
 - XL EPOCH GPS: date 6-Jan-1980, 00h00
 - XL_EPOCH_USER_DEFINED: defined by the user in *epoch* field (see below).

This parameter is only relevant if *cuc_type* == XL_CUC_T_FIELD. Otherwise, the epoch type is taken from P field.

- *time_ref*: it is the time reference of the epoch type provided by user if *epoch_type* == XL_EPOCH_USER_DEFINED, or the epoch type read in P field is Level 2 Agency defined.
- *epoch*: it is the epoch type provided by user (in processing format) if *epoch_type* == XL_EPOCH_USER_DEFINED, or the epoch type read in P field is Level 2 Agency defined.
- basic_time_unit_num_octets: it is the number of unit octets in input cuc_time. Only relevant if cuc_type == XL_CUC_T_FIELD. Otherwise the number is taken from P field.
- fractional_time_unit_num_octets: it is the number of fraction of unit octets in input cuc_time. Only relevant if cuc_type == XL_CUC_T_FIELD. Otherwise the number is taken from P field.

7.19.3 Calling Interface

The calling interface of the **xl_time_cuc_to_processing** CFI function is the following (input parameters are <u>underlined</u>):

```
#include <explorer_lib.h>
{
     double processing_out;
     xl_time_id time_id = {NULL};
     long ierr[XL_NUM_ERR_CUC_PROC], status;
```





The XL_MAX_CUC_ARRAY_LENGTH and XL_NUM_ERR_CUC_PROC constants are defined in the file explorer_lib.h.

7.19.4 Input Parameters

The xl_time_cuc_to_processing CFI function has the following input parameters:

C name Unit C type **Description** Allowed Range Array Element (Reference) (Format) xl time id* time_id Structure that contains the time correlations. config xl cuc time-CUC time configuration config CUC time cuc time unsigned char* long Time reference ID time ref Complete

Table 61: Input parameters of xl_time_cuc_to_processing function

It is possible to use enumeration values rather than integer values for some of the input arguments:

• Time reference ID: time ref. See [GEN SUM].

Note that for the function to work correctly, the time references should be properly initialised before calling the function (see section 4.2. for details).

7.19.5 Output Parameters

The output parameters of the xl time cuc to processing CFI function are:

Table 62: Output parameters of xl_time_cuc_to_processing

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_time_cuc_to_pro cessing	long	-	Status flag	-	-
processing_out	double*	_	Format	Decimal days, MJD2000 (Processing)	[-18262.0,36524.0]
ierr	long	-	Error vector	-	-





Code: EO-MA-DMS-GS-0003 10/05/2019 Date: Issue: 4.17 113

Page:

OCESSING GET CUC EP

OCH ERR

7.19.6Warnings and Errors

Next table lists the possible error messages that can be returned by the xl time cuc to processing CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO LIB software library xl get msg (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained by translating the error vector returned by the xl time cuc to processing function by calling the function of the EO LIB software library xl get code (see [GEN SUM])

Error Error message Cause and impact Error code Error No type XL CFI TIME CUC TO PR Error in CUC configuration No calculation performed **ERR** OCESSING WRONG CON FIG ERR XL_CFI_TIME_CUC_TO_PR **ERR** Error getting CUC P field data No calculation performed 1 OCESSING GET P FIELD DATA ERR **ERR** Error getting CUC epoch No calculation performed XL CFI TIME CUC TO PR 2

Table 63: Error messages of xl_time_cuc_to_processing function

7.20 xl_time_processing_to_cuc

7.20.1 Overview

The xl time processing to cuc CFI function transforms a time expressed processing format to CCSDS UNSEGMENTED TIME CODE (CUC, see [CUC]).

7.20.2 CUC configuration

The input parameter of type xl_cuc_time_config tells the function how to make the transformation. The fields of this structure can take the following values:

- cuc type: It is the type of CUC file used as input. It can take the values given by CUC time type enumeration, see section 6.2:
 - XL CUC T FIELD: the output cuc time will contain only T-field octets.
 - XL CUC T AND P FIELDS: the output cuc time will contains P-field and T-field octets (Pfield octets before T-field octets).
- epoch type: it is the epoch respect to which the CUC time is referenced. It can take the values given by CUC epoch type enumeration, see section 6.2:
 - XL EPOCH CCSDS: date 01/01/1958, 00h00
 - XL EPOCH GPS: date 6-Jan-1980, 00h00





- XL_EPOCH_USER_DEFINED: defined by the user in *epoch* field (see below).
- *time_ref*: it is the time reference of the epoch type provided by user if *epoch_type* == XL_EPOCH_USER_DEFINED.
- *epoch*: it is the epoch type provided by user (in processing format) if *epoch_type* == XL EPOCH USER DEFINED.
- basic_time_unit_num_octets: it is the number of unit octets in output cuc_time.
- fractional time unit num octets: it is the number of fraction of unit octets in output cuc time.
- Note: P field octets (one or two) are automatically computed and added by the function, depending on the previous information.

7.20.3 Calling Interface

The calling interface of the **xl_time_processing_to_cuc** CFI function is the following (input parameters are <u>underlined</u>):

The XL_MAX_CUC_ARRAY_LENGTH and XL_NUM_ERR_PROC_CUC constants are defined in the file $explorer_lib.h.$

7.20.4 Input Parameters

The xl time processing to cuc CFI function has the following input parameters:

Table 64: Input parameters of xl_time_processing_to_cuc function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
time_id	xl_time_id*		Structure that contains the time correlations.	-	-
config	xl_cuc_time	-	CUC time	-	-





	_config		configuration		
time_ref	long	-	Time reference ID	-	Complete
processing_in	double*	-	Time in Processing		[-
			Format	MJD2000	18262.0,36524.0]
				(Processing)	

It is possible to use enumeration values rather than integer values for some of the input arguments:

• Time reference ID: time ref. See [GEN SUM].

Note that for the function to work correctly, the time references should be properly initialised before calling the function (see section 4.2. for details).

7.20.5 Output Parameters

The output parameters of the xl time processing to cuc CFI function are:

Table 65: Output parameters of xl_time_processing_to_cuc

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_time_processing_t	long	_	Status flag	-	-
o_cuc					
cuc_time	unsigned	_	CUC time	-	-
	char*				
ierr	long	_	Error vector	-	-

7.20.6 Warnings and Errors

Next table lists the possible error messages that can be returned by the **xl_time_processing_to_cuc** CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO_LIB software library **xl_get_msg** (see [GEN_SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained by translating the error vector returned by the **xl_time_processing_to_cuc** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM])

Table 66: Error messages of xl_time_processing_to_cuc function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Error in CUC configuration	No calculation performed	XL_CFI_TIME_PROCESSIN G_TO_CUC_WRONG_CON FIG_ERR	0
ERR	Error getting CUC epoch	No calculation performed	XL_CFI_TIME_PROCESSIN G_TO_CUC_GET_CUC_EP OCH_ERR	1
ERR	CUC epoch must be previous to processing input date	No calculation performed	XL_CFI_TIME_PROCESSIN G_TO_CUC_WRONG_EPO CH_ERR	2





Code:	EO-MA-DMS-GS-0003
Date:	10/05/2019
Issue:	4.17
Page:	116

ERR	Error computing P-field	No calculation performed	XL_CFI_TIME_PROCESSIN	
			G_TO_CUC_COMPUTE_P_	
			FIELD_ERR	

7.21 xl_time_add

7.21.10verview

The xl_time_add CFI function adds a time duration to a TAI, UTC, UT1 or GPS times expressed in Processing format.

User should be aware that the use of UTC in Processing format is not encouraged, due to the discontinuty that is caused by the introduction of leap seconds. See [IERS] for further details.

7.21.2Calling interface

The calling interface of the xl_time_add CFI function is the following (input parameters are <u>underlined</u>):

The XL_NUM_ERR_TIME_ADD constant is defined in the file *explorer_lib.h*.

7.21.3Input parameters

The **xl** time add CFI function has the following input parameters:

Table 67: Input parameters of xl_time_add function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
proc_id	long *	-	Processing format ID	-	Complete
time_ref	long *	-	Time reference ID	-	Any except
					XL_TIME_UNDEF
processing_in	double*	-	Time in Processing	Decimal days,	[-18262.0,36524.0]
			Format	MJD2000	





				(Processing format)
added_duration	double*	-	Duration to be added	Decimal days -
				(Processing format)

It is important to point out that the duration is not a time, but a time interval expressed in decimal days to be added to the original time.

It is possible to use enumeration values rather than integer values for some of the input arguments:

- Processing format ID: proc_id. Current document, section 6.2.
- Time reference ID: time_ref. See [GEN_SUM].

7.21.40utput parameters

The output parameters of the xl_time_add CFI function are:

Table 68: Output parameters of xl_time_add function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_time_add	long	-	Status flag	-	-
processing_o	double*	-	Time in Processing	Decimal days	[-18262.0,36524.0]
ut			Format	(Processing format)	
ierr	long	-	Error vector	-	-

7.21.5Warnings and errors

Next table lists the possible error messages that can be returned by the **xl_time_add** CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO LIB software library **xl_get_msg** (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained by translating the error vector returned by the **xl_time_add** function by calling the function of the EO_LIB software library **xl get code** (see [GEN SUM]).

Table 69: Error messages of xl_time_add function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Processing format ID is not correct	No calculation performed	XL_CFI_TIME_ADD_PROC _ERR	0
ERR	Time reference ID is not correct	No calculation performed	XL_CFI_TIME_ADD_TIME_ ERR	1
ERR	Input processing time is out of range	No calculation performed	XL_CFI_TIME_ADD_DAY_I N_ERR	2
	Output processing time is out of range	No calculation performed	XL_CFI_TIME_ADD_DAY_ OUT_ERR	3









7.22xl_time_diff

7.22.10verview

The **xl_time_diff** CFI function calculates the time difference between two TAI, UTC, UT1 or GPS times expressed in Processing format.

User should be aware that the use of UTC in Processing format is not encouraged, due to the discontinuity that is caused by the introduction of leap seconds. See [IERS] for further details.

7.22.2Calling interface

The calling interface of the xl time diff CFI function is the following (input parameters are <u>underlined</u>):

Note that processing_out is a duration, not a time itself, so it should not be converted to another reference or format.

The XL_NUM_ERR_TIME_DIFF constant is defined in the file *explorer_lib.h*.

7.22.3Input parameters

The xl time diff CFI function has the following input parameters:

Table 70: Input parameters of xl_time_diff function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
proc_id	long *	-	Processing format ID	-	Complete
time_ref	long *	-	Time reference ID	-	Any except XL_TIME_UNDEF
processing_in_1	double*	-		Decimal days, MJD2000 (Processing format)	[-18262.0,36524.0]
processing_in_2	double*	-	Time in Processing Format	Decimal days, MJD2000	[-18262.0,36524.0]





	(Dragonaina format)
	(Processing format)

It is possible to use enumeration values rather than integer values for some of the input arguments:

- Processing format ID: proc id. Current document, section 6.2.
- Time reference ID: time ref. See [GEN SUM].

7.22.40utput parameters

The output parameters of the **xl_time_diff** CFI function are:

Table 71: Output parameters of xl_time_diff function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_time_diff	long	-	Status flag	-	-
processing_	double*	-	Time difference	Decimal days	-
out			between	(Processing format)	
			processing_in_1 and		
			processing_in_2		
			expressed in decimal		
			days		
ierr	long	-	Error vector	-	-

7.22.5Warnings and errors

Next table lists the possible error messages that can be returned by the **xl_time_diff** CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO LIB software library **xl get msg** (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained by translating the error vector returned by the **xl_time_diff** function by calling the function of the EO_LIB software library **xl get code** (see [GEN SUM]).

Table 72: Error messages of xl_time_diff function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Processing format ID is not correct	No calculation performed	XL_CFI_TIME_DIFF_PROC _ERR	0
	Time reference ID is not correct	No calculation performed	XL_CFI_TIME_DIFF_TIME_ ERR	1
ERR	Input processing time #1 is out of range	No calculation performed	XL_CFI_TIME_DIFF_DAY_I N_1_ERR	2
ERR	Input processing time #2 is out of range	No calculation performed	XL_CFI_TIME_DIFF_DAY_I N_2_ERR	3









7.23xl_time_obt_to_time

7.23.10verview

The **xl_time_obt_to_time** CFI function transforms from On-board Time (OBT) count to UTC Processing time.

User should be aware that the use of UTC in Processing format is not encouraged, due to the discontinuity that is caused by the introduction of leap seconds. See [IERS] for further details.

See [MCD] or details on time formats and representations, in particular the definition of OBT.

Note that in the Envisat OBT case there is an ambiguity on the UTC to be computed, because a given OBT count corresponds to many possible times. This is due to the wrap-around of the OBT counter, which occurs about every 190 days.

To solve the ambiguity, the chosen time (given as output) is the time nearest to the reference (given as input) and corresponding to the specified OBT (also given as input).

The xl_time_obt_to_time CFI function applies to satellites where OBT time is a counter, which needs to be correlated to an actual time reference. Nevertheless, some other satellites, like Cryosat, use an actual time reference on-board. In this case, the on-board time conversions are handled by the xl time processing to processing function.

Due to the different OBT models used by the various spacecraft, specific data structures are used for each of them. The keep a single interface for the function, a void pointer is used to pass the specific structures to the generic function.

The following data structures are defined for ENVISAT:

```
/* Envisat OBT Structure */
      typedef struct
       long
                      sat id;
       double
                      time0;
       unsigned long obt0[2];
       unsigned long period0;
       } xl envisat obt param;
      typedef struct
       long
                      sat id;
       unsigned long obt[2];
       } xl envisat obt value;
for GOCE:
      /* GOCE OBT Structure */
      typedef struct
       long
                      sat id;
```





```
unsigned long utc0 c;
       unsigned int utc0 f;
       unsigned long obt0 c;
       unsigned int obt0 f;
       double
                     gradient;
       double
                     offset;
      } xl goce obt param;
      typedef struct
       long
                     sat id;
       double
                     obt;
      } xl goce obt value;
for SMOS
      typedef struct
       long sat id;
       long delta_seconds; /* number of seconds to be applied to UTC to
                               give UTC Proteus (just in case UTC Proteus
                               reference is actually GPS Time) */
       unsigned long obet0 c; /* OBET Coarse Time (in seconds) */
       unsigned long obet0 f; /* OBET Fine Time */
       unsigned long utc0 week; /* UTC (Proteus format) week number */
       unsigned long utc0 seconds; /* UTC (Proteus format) seconds of
                                       week */
       unsigned long utc0 fraction; /* UTC (Proteus format) fraction of
                                               seconds */
      } xl smos obt param;
      typedef struct
       long sat id;
       unsigned long obet c; /* OBET Coarse Time (in seconds) */
       unsigned long obet f; /* OBET Fine Time */
      } xl smos obt value;
and for ADM
      typedef struct
```





The sat id parameter within the stucture has to be assigned equal to the sat id passed to the function.

7.23.2Calling interface

The calling interface of the **xl_time_obt_to_time** CFI function is the following (input parameters are <u>underlined</u>):

```
#include <explorer lib.h>
      long sat id, proc id;
      xl envisat obt param obt param; /*example for ENVISAT */
      xl envisat obt value obt value in; /*example for ENVISAT */
      double time out;
      long ierr[XL NUM ERR OBT TIME], status;
                  xl time obt to time (&sat id,
      status =
                                      &proc id,
                                      &obt param,
                                      &obt value in,
                                      &time out,
                                      ierr);
      /* Or, using the run id */
      long run id;
                  xl time obt to time run (&run id,
      status =
```





&proc_id,
&obt_param,
&obt_value_in,
6time_out,
err);

The XL_NUM_ERR_OBT_TIME constant is defined in the file *explorer_lib.h*.

7.23.3Input parameters

The xl_time_obt_to_time CFI function has the following input parameters:

Table 73: Input parameters of xl_time_obt_to_time function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
sat_id	long *	-	Satellite ID	-	Complete
proc_id	long *	-	Processing format ID	-	Complete
obt_param	void *		Pointer to xl_ <satellite>_obt_p aram</satellite>	-	-
obt_value_in	void *		Pointer to xl_ <satellite>_obt_v alue</satellite>	-	-

Table 74: Input parameters of xl_envisat_obt_param structure

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
sat_id	long	-	Satellite ID	-	XL_SAT_ENVISAT
time0	double	-	Reference time	Decimal days	[-18262.0,36524.0]
				(Processing format)	
obt0	unsigned long[2]	-	Array of counters	TBD	TBD
			containing the OBT		
			at the reference		
			time (in the satellite		
			dependant format)		
period0	unsigned long	-	Actual on-board	TBD	TBD
			clock period		

Table 75: Input parameters of xl_envisat_obt_value structure

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
sat_id	long	-	Satellite ID	-	XL_SAT_ENVISAT





obt	unsigned long[2]	Array of counters	TBD	TBD
		containing the OBT		
		time (in the satellite		
		dependant format)		

Table 76: Input parameters of xl_goce_obt_param structure

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
sat_id	long	-	Satellite ID	-	XL_SAT_GOCE
utc0_c	unsigned long	-	Coarse UTC0	seconds	>=0
utc0_f	unsigned int	-	Fine UTC0	2 ⁻¹⁶ seconds	>=0
obt0_c	unsigned long	-	Coarse OBT0	seconds	>=0
obt0_f	unsigned int	-	Fine OBT0	2 ⁻¹⁶ seconds	>=0
gradient	double	-	Gradient between	-	-
			the OBT and the		
			UTC		
offset	double	-	Offset between the	seconds	-
			OBT and the UTC		

Table 77: Input parameters of xl_goce_obt_value structure

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
sat_id	long	-	Satellite ID	_	XL_SAT_GOCE
obt	double	-	OBT time	sconds	-

Table 78: Input parameters of xl_smos_obt_param structure

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
sat_id	long	_	Satellite ID	-	XL_SAT_SMOS
delta_seco	long	-	Number of seconds	seconds	
nds			to be applied to		
			UTC to give UTC		
			Proteus (in case		
			UTC Proteus		
			reference is actually		
			GPS Time)		
obet0_c	unsigned long	-	OBET0 Coarse	seconds	>=0
			Time		
obet0_f	unsigned long	-	OBET 0Fine Time	2 ⁻¹⁶ seconds	>=0
utc0_week	unsigned long	-	UTC0 (Proteus	weeks	>=0
			format) week		
			number		
utc0_seco	unsigned long	-	UTC0 (Proteus	seconds	>=0
nd			format) seconds of		
			week		
utc0_fracti	unsigned long	-	UTC0 (Proteus	2 ⁻¹⁶ seconds	>=0
on			format) fraction of		





1			
		seconds	
		pederias	

Table 79: Input parameters of xl_smos_obt_value structure

C name	C type	Array Element	Description (Reference)	Unit (Format)	Allowed Range
sat_id	long	-	Satellite ID	,	XL_SAT_SMOS
	unsigned long	-	OBET Coarse Time	seconds	>=0
obet_f	unsigned long	-	OBET Fine Time	2 ⁻¹⁶ seconds	>=0

Table 80: Input parameters of xl_adm_obt_param structure

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
sat_id	long	-	Satellite ID	-	XL_SAT_ADM
delta_seco	long		Number of seconds	seconds	
nds			to be applied to		
			UTC to give GPS		
			(GPST - UTC)		

Table 81: Input parameters of xl_adm_obt_value structure

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
sat_id	long	-	Satellite ID	-	XL_SAT_ADM
cuc_sec	unsigned long	-	CCSDS	seconds	>=0
			Unsegmented Time		
			Code (seconds)		
cuc subse	unsigned long	-	CCSDS	2 ⁻¹⁶ seconds	>=0
c			Unsegmented Time		
			Code (subseconds)		

It is possible to use enumeration values rather than integer values for some of the input arguments:

- Satellite ID: sat id. See [GEN SUM].
- Processing format ID: proc id. Current document, section 6.2.

7.23.4Output parameters

The output parameters of the xl time obt to time CFI function are:

Table 82: Output parameters of xl_time_obt_to_time function

C name	C type	Array Element	Description (Reference)	Unit (Format)	Allowed Range
xl_time_obt_to _time	long	-	Status flag	_	-





time_out	double*		UTC Time in Processing Format	Decimal days, MJD2000 (Processing format)	[-18262.0,36524.0]
ierr	long	-	Error vector	-	-

7.23.5Warnings and errors

Next table lists the possible error messages that can be returned by the **xl_time_obt_to_time** CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO_LIB software library **xl_get_msg** (see [GEN_SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained by translating the error vector returned by the **xl_time_obt_to_time** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM]).

Table 83: Error messages of xl_time_obt_to_time function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Satellite ID is not correct	No calculation performed	XL_CFI_TIME_OBT_TIME_ SAT_ERR	0
ERR	Processing format ID is not correct	No calculation performed	XL_CFI_TIME_OBT_TIME_ PROC_ERR	1
ERR	Structure inconsistent with Satellite ID	No calculation performed	XL_CFI_TIME_OBT_TI ME_INCONSISTENT_ST RUCT_ERR	2
ERR	Input reference time is out of range	No calculation performed	XL_CFI_TIME_OBT_TIME_ DAY_REF_ERR	3
ERR	No OBT defined for this satellite ID	No calculation performed	XL_CFI_TIME_OBT_TIME_ OBT_SAT_ERR	4
ERR	OBT at reference time is out of allowed range	No calculation performed	XL_CFI_TIME_OBT_TIME_ OBT_ERR	5
ERR	Period of the On-Board clock is null	No calculation performed	XL_CFI_TIME_OBT_TIME_ CLOCK_ERR	6
ERR	Output time is out of range	No calculation performed	XL_CFI_TIME_OBT_TIME_ DAY_OUT_ERR	7





7.24xl_time_time_to_obt

7.24.10verview

The xl_time_time_to_obt CFI function transforms a UTC Processing time to OBT count.

User should be aware that the use of UTC in Processing format is not encouraged, due to the discontinuty that is caused by the introduction of leap seconds. See [IERS] for further details.

See [MCD] for details on time formats and representations, in particular the definition OBT.

Note that no rounding to any number of significant bits is performed by **xl_time_to_obt**. The user application must perform this rounding if necessary. An example of rounding is provided in the example program within the EO LIB library.

The xl_time_to_obt CFI function applies to satellites where OBT time is a counter, which needs to be correlated to an actual time reference. Nevertheless, some other satellites, like Cryosat, use an actual time reference on-board. In this case, the on-board time conversions are handled by the xl_time_processing_to_processing_function.

Due to the different OBT models used by the various spacecraft, specific data structures are used for each of them. The keep a single interface for the function, a void pointer is used to pass the specific structures to the generic function.

The following data structures are defined for ENVISAT:

```
/* Envisat OBT Structure */
      typedef struct
       long
                      sat id;
       double
                      time0;
       unsigned long obt0[2];
       unsigned long period0;
       } xl envisat obt_param;
      typedef struct
       long
                      sat id;
       unsigned long obt[2];
       } xl envisat obt value;
for GOCE:
      /* GOCE OBT Structure */
      typedef struct
       long
                      sat id;
       unsigned long utc0 c;
       unsigned int
                      utc0 f;
       unsigned long obt0 c;
```





```
unsigned int obt0 f;
       double
                     gradient;
       double
                     offset;
      } xl goce obt param;
      typedef struct
       long
                     sat id;
       double
                     obt;
      } xl goce obt value;
for SMOS
      typedef struct
       long sat id;
       long delta seconds; /* number of seconds to be applied to UTC to
                               give UTC Proteus (just in case UTC Proteus
                               reference is actually GPS Time) */
       unsigned long obet0 c; /* OBET Coarse Time (in seconds) */
       unsigned long obet0 f; /* OBET Fine Time */
       unsigned long utc0 week; /* UTC (Proteus format) week number */
       unsigned long utc0 seconds; /* UTC (Proteus format) seconds of
                                       week */
       unsigned long utc0 fraction; /* UTC (Proteus format) fraction of
                                               seconds */
      } xl smos obt param;
      typedef struct
       long sat id;
       unsigned long obet c; /* OBET Coarse Time (in seconds) */
       unsigned long obet f; /* OBET Fine Time */
      } xl smos obt value;
and for ADM
      typedef struct
       long sat id;
```





The sat id parameter within the stucture has to be assigned equal to the sat id passed to the function.

7.24.2Calling interface

The calling interface of the **xl_time_to_obt** CFI function is the following (input parameters are <u>underlined</u>):





The XL_NUM_ERR_TIME_OBT constant is defined in the file *explorer_lib.h*.

7.24.3Input parameters

}

The xl_time_to_obt CFI function has the following input parameters:

Table 84: Input parameters of xl_time_obt_to_time function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
sat_id	long *	-	Satellite ID	-	Complete
proc_id	long *	-	Processing format	-	Complete
			ID		
obt_param	void *	-	Pointer to	-	-
			xl_ <satellite>_obt_p</satellite>		
			aram		
time_in	double*	-	UTC Time	Decimal days	[-18262.0,36524.0]
				(Processing format)	

Table 85: Input parameters of xl_envisat_obt_param structure

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
sat_id	long	-	Satellite ID	-	XL_SAT_ENVISAT
time0	double	-	Reference time	Decimal days	[-18262.0,36524.0]
				(Processing format)	
obt0	unsigned long[2]		Array of counters containing the OBT at the reference time (in the satellite dependent format)	TBD	TBD
period0	unsigned long	-	Actual on-board clock period	TBD	TBD

Table 86: Input parameters of xl_goce_obt_param structure

	~ .	l .	-	TT	4 33 3 35
C name	C type	Array	Description	Unit	Allowed Range
Chame	C type	Allay	Description	Unit	Anowed Range





		Element	(Reference)	(Format)	
sat_id	long	-	Satellite ID	-	XL_SAT_GOCE
utc0_c	unsigned long	-	Coarse UTC0	seconds	>=0
utc0_f	unsigned int	-	Fine UTC0	2 ⁻¹⁶ seconds	>=0
obt0_c	unsigned long	-	Coarse OBT0	seconds	>=0
obt0_f	unsigned int	-	Fine OBT0	2 ⁻¹⁶ seconds	>=0
gradient	double	-	Gradient between the OBT and the UTC	_	-
offset	double	-	Offset between the OBT and the UTC	seconds	-

Table 87: Input parameters of xl_smos_obt_param structure

C name	C type	Array	Description	Unit	Allowed Range
		Element	_	(Format)	8
sat_id	long	-	Satellite ID	-	XL_SAT_SMOS
delta_seco	long	-	Number of seconds	seconds	
nds			to be applied to		
			UTC to give UTC		
			Proteus (in case		
			UTC Proteus		
			reference is actually		
			GPS Time)		
obet0_c	unsigned long	-	OBET0 Coarse	seconds	>=0
			Time		
obet0_f	unsigned long	-	OBET 0Fine Time	2 ⁻¹⁶ seconds	>=0
utc0_week	unsigned long	-	UTC0 (Proteus	weeks	>=0
			format) week		
			number		
utc0_seco	unsigned long	-	UTC0 (Proteus	seconds	>=0
nd			format) seconds of		
			week		
utc0_fracti	unsigned long	-	UTC0 (Proteus	2 ⁻¹⁶ seconds	>=0
on			format) fraction of		
			seconds		

Table 88: Input parameters of xl_adm_obt_param structure

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
sat_id	long	-	Satellite ID	-	XL_SAT_ADM
delta_seco	long	-	Number of seconds	seconds	
nds			to be applied to		
			UTC to give GPS		
			(GPST - UTC)		

It is possible to use enumeration values rather than integer values for some of the input arguments:

• Satellite ID: sat_id. See [GEN_SUM].





• Time reference ID: time_ref. See [GEN_SUM].

7.24.4Output parameters

The output parameters of the xl_time_to_obt CFI function are:

Table 89: Output parameters of xl_time_time_to_obt function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_time_time_t o_obt	long	-	Status flag	-	-
obt_value_out	void *	-	Pointer to xl_ <satellite>_obt_value</satellite>	-	-
ierr	long	-	Error vector	-	-

Table 90: Output parameters of xl_envisat_obt_value structure

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
sat_id	long	-	Satellite ID	-	XL_SAT_ENVISAT
obt	unsigned long[2]	-	Array of counters	TBD	TBD
			containing the OBT		
			time (in the satellite		
			dependant format)		

Table 91: Output parameters of xl_goce_obt_value structure

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
sat_id	long	-	Satellite ID	-	XL_SAT_GOCE
obt	double	-	OBT time	sconds	-

Table 92: Output parameters of xl_smos_obt_value structure

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
sat_id	long	-	Satellite ID	-	XL_SAT_SMOS
obet_c	unsigned long	-	OBET Coarse Time	seconds	>=0
obet_f	unsigned long	-	OBET Fine Time	2 ⁻¹⁶ seconds	>=0

Table 93: Output parameters of xl_adm_obt_value structure

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
sat_id	long	-	Satellite ID	-	XL_SAT_ADM





cuc_sec	unsigned long	-	CCSDS	seconds	>=0
_			Unsegmented Time		
			Code (seconds)		
cuc_subse	unsigned long	-	CCSDS	2 ⁻¹⁶ seconds	>=0
c			Unsegmented Time		
			Code (subseconds)		

7.24.5Warnings and errors

Next table lists the possible error messages that can be returned by the **xl_time_to_obt** CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO LIB software library **xl_get_msg** (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained by translating the error vector returned by the **xl_time_to_obt** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM]).

Table 94: Error messages of xl_time_time_to_obt function

Error type	Error message	Cause and impact	Error code	Error No
ERR	Satellite ID is not correct	No calculation performed	XL_CFI_TIME_TIME_OBT_ SAT_ERR	0
ERR	Processing format ID is not correct	No calculation performed	XL_CFI_TIME_TIME_OBT_ PROC_ERR	1
ERR	Structure inconsistent with Satellite ID	No calculation performed	XL_CFI_TIME_TIME_OBT_ INCONSISTENT_STRUCT_ ERR	2
ERR	Input time is out of range	No calculation performed	XL_CFI_TIME_TIME_OBT_ DAY_IN_ERR	3
ERR	Input reference time is out of range	No calculation performed	XL_CFI_TIME_TIME_OBT_ DAY_REF_ERR	4
ERR	No OBT defined for this satellite ID	No calculation performed	XL_CFI_TIME_TIME_OBT_ OBT_SAT_ERR	5
ERR	OBT at reference time is out of allowed range	No calculation performed	XL_CFI_TIME_TIME_OBT_ OBT_ERR	6
ERR	Period of the On-Board clock is null	No calculation performed	XL_CFI_TIME_TIME_OBT_ CLOCK_ERR	7






7.25xl_change_cart_cs

7.25.10verview

The xl_change_cart_cs CFI function transforms a cartesian state vector between different reference frames. The transformation are done sequentially following the schema in figure. Note that the transformations between BM2000, HM2000 and GM2000 involve a translation of the input vectors (TR3 and TR3'). In case that the input vector is a direction and not a location, the transformation should only apply the rotations between frames, so the transformation should be done in several steps with xl_change_cart_cs, skipping the translations¹.

Note: conversion from/to LIF frame is not enabled by default. To enable it, the user needs to set the enable flag and the reference longitude and UTC time (see [MCD]). This can be done as follows:

- read time id data using the xl time get id data function;
- fill the structure launch_inertial_frame_config within the time_id data;
- set the modified time id data using function xl_time_set_id_data.



Reference frames:

```
GALACTIC = Galactic CS (see section 5.1.1)
BM1950
            = Barycentric Mean of 1950.0 (see section 5.1.2)
BM2000
            = Barycentric Mean of 2000.0 (see section 5.1.3)
HM2000
            = Heliocentric Mean of 2000.0 (see section 5.1.4)
             = Geocentric Mean of 2000.0 (see section 5.1.5)
GM2000
             = Mean of Date (see section 5.1.6)
MoD
ToD
             = True of Date (see section 5.1.7)
            = Pseudo Earth Fixed (see section 5.1.8)
PEF
EF
             = Earth Fixed (see section 5.1.9)
LIF
           = Launch Inertial Frame (see section 5.1.11)
```

Transfromations:

```
TR1 = Galactic to Barycentric Mean of 1950 (see section 5.3.1)
TR2 = Barycentric 1950 to Barycentric 2000 (see section 5.3.2)
TR3 = Solar system barycentre to Earth centre translation (see section 5.3.3)
TR3' = Sun centre to Earth centre translation (see section 5.3.4)
TR4 = Precession (see section 5.3.5)
TR5 = Nutation (see section 5.3.6)
TR6 = Earth rotation + nutation term (see section 5.3.7)
TR7 = Polar motion rotation (see section 5.3.8)
TR8 = Earth rotation
```

Figure 2: Change cartesian coordinates

For this purposoe it is also possible to use the CFI function **xp_change_frame** in the eo_pointing library





7.25.2Calling interface

The calling interface of the **xl_change_cart_cs** CFI function is the following (input parameters are <u>underlined</u>):

```
#include <explorer lib.h>
      long mode, cs in, cs out, time ref;
      double time;
      double pos[3], vel[3], acc[3];
      double pos out[3], vel out[3], acc out[3];
      xl model id model id = {NULL};
      xl time id time id = {NULL};
      long status;
      status =
                  xl change cart cs (&model id, &time id,
                                   &mode, &cs in, &cs out,
                                   &time ref, &time, pos, vel, acc,
                                   pos out, vel out, acc out);
      /* Or, using the run id */
      long run id;
                  xl change cart cs run (& run id, & mode, & cs in,
      status =
&cs out,
                                        &time ref, &time, pos, vel, acc,
                                        pos out, vel out, acc out);
}
```

7.25.3Input parameters

The xl_change_cart_cs CFI function has the following input parameters:

Table 95: Input parameters of xl_change_cart_cs function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
model_id	xl_model_i d*	-	Model ID	-	-
time_id	xl_time_id*		Structure that contains the time correlations.	-	-
mode	long*	_	Calculation mode selection		Complete
cs_in	long *	-	Initial reference frame ID	=	Complete





cs_out	long *	-	Final reference frame ID	-	Complete
time_ref	long *	-	Time reference ID	-	Any except
					XL_TIME_UNDEF
time	double*	-	Reference time	Decimal days	[-18262.0,36524.0]
				(Processing format)	
pos[3]	double	all	Input position vector	m	-
			(Initial reference frame)		
vel[3]	double	all	Input velocity vector	m/s	-
			(Initial reference frame)		
			This value is dummy if		
			mode is·XL_CALC_POS		
			except for the		
			transformations between		
			BM1950 and BM2000		
acc[3]	double	all	Input acceleration vector	m/s ²	-
			(Initial reference frame)		
			Dummy if <i>mode</i> is either:		
			· XL_CALC_POS		
			· XL_CALC_POS_VEL		

It is possible to use enumeration values rather than integer values for some of the input arguments:

- Calculation mode selection: mode. See current document, section 6.2.
- Time reference ID: time_ref. See [GEN_SUM].
- Reference frame: cs in, cs out. See current document, section 6.2.

Notes:

- the function could not work correctly if the time references are not properly initialised before calling the function (see section 4.2. for details).
- For objects located closer to 1 AU, the transformation from and to BM1950 may produce incorrect results

7.25.4Output parameters

The output parameters of the xl_change_cart_cs CFI function are:

Table 96: Output parameters of xl_change_cart_cs function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_change_cart_cs	long	-	Extended status flag	-	-
pos_out[3]	double	all	Output position vector	m	-
			(Final reference frame)		
vel_out[3]	double	all	Output velocity vector	m/s	-
			(Final reference frame)		
			Returned only if <i>mode</i> is either:		
			· XL_CALC_POS_VEL		
			· XL_CALC_POS_VEL_ACC		
acc_out[3]	double	all	Output acceleration vector	m/s ²	-





(Final reference frame)	
Returned only if <i>mode</i> is:	
XL_CALC_POS_VEL_ACC	

7.25.5Warnings and errors

Next table lists the possible error messages that can be returned by the xl_change_cart_cs CFI function after translating the returned extended status flag into the equivalent list of error messages by calling the function of the EO LIB software library xl get msg (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the extended status flag returned by the **xl_change_cart_cs** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM]).

Table 97: Error messages of xl_change_cart_cs function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Input time reference ID is not correct	·	XL_CFI_CHANGE_CART_ CS_REF_ERR	0
ERR	Input date is out of range	No calculation performed	XL_CFI_CHANGE_CART_ CS_DAY_ERR	1
ERR	Calculation mode ID is not correct	No calculation performed	XL_CFI_CHANGE_CART_ CS_MODE_ERR	2
ERR	Input reference frame is not correct	No calculation performed	XL_CFI_CHANGE_CART_ CS_INPUT_CS_ERR	3
ERR	Output reference frame is not correct	·	XL_CFI_CHANGE_CART_ CS_OUTPUT_CS_ERR	4
ERR	Time Reference not initialised	No calculation performed	XL_CFI_CHANGE_CART_ CS_REF_INIT_ERR	5
	Bulletin A: previous computation perfromed inside file interval, current performed with formula	Calculation performed	XL_CHANGE_CART_CS_B UL_A_FORMULA_WARN	6
WARN	Bulletin B+A: current computation performed inside B-A gap. Previous computation was done inside B or A files intervals.	Calculation performed	XL_CHANGE_CART_CS_B UL_B_A_GAP_WARN	7
WARN	Previous computation performed inside initialization validity, current computation performed outside initialization validity	Calculation performed	XL_CHANGE_CART_CS_V ALIDITY_WARN	8
ERR	Error computing TAI time.	No calculation performed	XL_CHANGE_CART_CS_TI ME_COMPUTATION_ERR	9
ERR	Error computing transformation.	No calculation performed	XL_CHANGE_CART_CS_C HANGE_CS_ERR	10
ERR	Conversion to/from LIF requires time id initialised with EOGS.	No calculation performed	XL_CHANGE_CART_CS_E OGS_NOT_INITIALISED_E RR	11









7.26xl_geod_to_cart

7.26.10verview

The xl_geod_to_cart CFI function transforms from geodetic to cartesian coordinates.

7.26.2Calling interface

The calling interface of the **xl_geod_to_cart** CFI function is the following (input parameters are underlined):

7.26.3Input parameters

The xl geod to cart CFI function has the following input parameters:

Table 98: Input parameters of xl_geod_to_cart function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
model_id	xl_model_id	-	Model ID	-	-
mode	long*	_	Calculation mode selection	-	Select either:
					· XL_CALC_POS
					· XL_CALC_POS_VEL
lon	double *	-	Geocentric longitude	deg	[0,360)
			(Earth fixed CS)		
lat	double *	_	Geodetic latitude	deg	[-90,90]
			(Earth fixed CS)		
h	double *	-	Geodetic altitude	m	h >= -b _{ellipsoid}
			(Earth fixed CS)		(sat_id dependent)
lon_rate	double *	-	Geocentric longitude rate	deg/s	-
			(Earth fixed CS)		
			Dummy if <i>mode</i> is:		





		· XL_CALC_POS		
lat_rate	double * -	Geodetic latitude rate	deg/s	-
		(Earth fixed CS)		
		Dummy if <i>mode</i> is:		
		· XL_CALC_POS		
h_rate	double *	Geodetic altitude rate	m/s	-
		(Earth fixed CS)		
		Dummy if <i>mode</i> is:		
		XL_CALC_POS		

It is possible to use enumeration values rather than integer values for some of the input arguments:

• Calculation mode selection: mode. See current document, section 6.2.

7.26.4Output parameters

The output parameters of the xl_geod_to_cart CFI function are:

Table 99: Output parameters of xl_geod_to_cart function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_geod_to_cart	long	_	Extended status flag	-	-
pos[3]	double		Cartesian position vector (Earth fixed CS)	m	-
vel[3]	double		Cartesian velocity vector (Earth fixed CS) Returned only if <i>mode</i> is: XL_CALC_POS_VEL	m/s	-

7.26.5Warnings and errors

Next table lists the possible error messages that can be returned by the xl_geod_to_cart CFI function after translating the returned extended status flag into the equivalent list of error messages by calling the function of the EO LIB software library xl get msg (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the extended status flag returned by the **xl_geod_to_cart** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM]).

Table 100: Error messages of xl_geod_to_cart function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Wrong geodetic latitude on	No calculation performed	XL_CFI_GEOD_CART_EL_	0
	input (out of range)		GT_90_ERR	
WARN	Calculation mode ID is not	Calculation performed.	XL_CFI_GEOD_CART_MO	1
	correct	A message informs the user.	DE WARN	





The altitude of the geodetic state vector is not checked, so in case it does not satisfy its allowed range it may result in raising an internal error (see section 10).





7.27xl_cart_to_geod

7.27.10verview

The xl_cart_to_geod CFI function transforms from cartesian to geodetic coordinates.

The user can choose the method for the calculation of the geodetic coordinates by setting the input variable "mode":

- Bowring **iterative** method: This method is more accurate but it provides a poor runtime perforance. The mode input parameter values are:
 - XL_CALC_POS or XL_CALC_ITER_POS: for the transformation of a position vector.
 - XL_CALC_POS_VEL or XL_CALC_ITER_POS_VEL: for the transformation of the position and the velocity vectors
- Bowring **direct** method: less accurate than the iterative method at the satellite height, but it provides a better runtime perfomance. The mode input parameters values are:
 - XL_CALC_NO_ITER_POS: for the transformation of a position vector.
 - XL_CALC_NO_ITER_POS_VEL: for the transformation of the position and the velocity vectors

The following table shows the difference in accuracy between the two methods:

]	Method	Max Latitude Error [deg]	Max altitude Error [m]
Iterative	Satellite Height (~700km)	~10 ⁻⁵	~10-5
	Ground	~10 ⁻⁵	~10-5
Direct	Satellite Height (~700km)	~10-3	~10-3
	Ground	~10 ⁻⁵	~10-5

The difference in performance can be seen in "Runtime Performances" section.

7.27.2Calling interface

The calling interface of the xl_cart_to_geod function is the following (input parameters are underlined):

```
#include <explorer_lib.h>
{
    long mode;
    xl_model_id model_id = {NULL};
    double pos[3], vel[3];
    double lon, lat, h, lon_rate, lat_rate, h_rate;
    long status;
    status = xl cart to geod (&model id, &mode, pos, vel,
```





```
&lon, &lat,&h,
&lon_rate, &lat_rate, &h_rate);
```

7.27.3Input parameters

}

The xl_cart_to_geod CFI function has the following input parameters:

Table 101: Input parameters of xl_cart_to_geod function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	_
model_id	xl_model_id	-	Model ID	_	-
mode	long*	-	Calculation mode selection	-	Select either: XL_CALC_POS XL_CALC_POS_VEL XL_CALC_ITER_POS
					XL_CALC_ITER_POS_VEL XL_CALC_NO_ITER_POS XL_CALC_NO_ITER_POS_VEL
pos[3]	double	all	Cartesian position vector (Earth fixed CS)	m	r > a _{ellipsoid} - b _{ellipsoid}
vel[3]	double		Cartesian velocity vector (Earth fixed CS) Dummy if <i>mode</i> is: XL_CALC_POS XL_CALC_ITER_POS XL_CALC_NO ITER POS	m/s	-

It is possible to use enumeration values rather than integer values for some of the input arguments:

• Calculation mode selection: mode. See current document, section 6.2.

7.27.40utput parameters

The output parameters of the xl_cart_to_geod CFI function are:

Table 102: Output parameters of xl_cart_to_geod function

C name	C type	Array	Description	Unit	Allowed
		Element	(Reference)	(Format)	Range
xl_cart_to_geod	long	-	Extended status flag	-	-
lon	double *	-	Geocentric longitude	deg	>= 0
			(Earth fixed CS)		< +360
lat	double *	-	Geodetic latitude	deg	>= -90
			(Earth fixed CS)		<= +90
h	double *	-	Geodetic altitude	m	-
			(Earth fixed CS)		
lon_rate	double *	-	Geocentric longitude rate	deg/s	-
_			(Earth fixed CS)		
			Returned only if <i>mode</i> is:		





		XL_CALC_POS_VEL XL_CALC_ITER_POS_VEL XL_CALC_NO_ITER_POS_VEL	
lat_rate	double * -	Geodetic latitude rate (Earth fixed CS) Returned only if <i>mode</i> is: XL_CALC_POS_VEL XL_CALC_ITER_POS_VEL XL_CALC_NO_ITER_POS_VEL	
h_rate	double * -	Geodetic altitude rate m/s (Earth fixed CS) Returned only if <i>mode</i> is: XL_CALC_POS_VEL XL_CALC_ITER_POS_VEL XL_CALC_NO_ITER_POS_VEL	

7.27.5Warnings and errors

Next table lists the possible error messages that can be returned by the **xl_cart_to_geod** CFI function after translating the returned extended status flag into the equivalent list of error messages by calling the function of the EO_LIB software library **xl_get_msg** (see [GEN_SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the extended status flag returned by the **xl_cart_to_geod** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN SUM]).

Table 103: Error messages of xl_cart_to_geod function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Internal computation error # 1	No calculation performed	XL_CFI_CART_GEOD_FR AME_ERR	0
ERR	Input vector out of valid range	No calculation performed	XL_CFI_CART_GEOD_VE CTOR_ERR	1
WARN	Calculation mode ID is not correct	Calculation performed. A message informs the user.	XL_CFI_CART_GEOD_MO DE_WARN	2
WARN	Geocentric longitude set to 0 deg (ambiguous case)	Calculation performed. A message informs the user.	XL_CFI_CART_GEOD_AM BIGUITY_WARN	3
WARN	Internal computation warning # 1		XL_CFI_CART_GEOD_AC CURACY_WARN	4
WARN	Internal computation warning # 2	•	XL_CFI_CART_GEOD_ITE RATIONS_WARN	5
WARN	Internal computation warning # 3	Calculation performed. A message informs the user.	XL_CFI_CART_GEOD_DE FVAL_WARN	6





7.28xl_kepl_to_cart

7.28.10verview

The xl_kepl_to_cart CFI function transforms from keplerian to cartesian coordinates.

7.28.2Calling interface

The calling interface of the **xl_kepl_to_cart** CFI function is the following (input parameters are underlined):

7.28.3Input parameters

}

The xl_kepl_to_cart CFI function has the following input parameters:

Table 104: Input parameters of xl_kepl_to_cart function

C name	C type	Array	Description	Unit	Allowed
		Element	(Reference)	(Format)	Range
model_id	xl_model_ id*	-	Model ID	-	Complete
kepl_mode	long*	-	Flag for selecting: · Mean elements = XL_KEPLER_MEAN · Osculating elements = XL_KEPLER_OSC		Complete
kepl_in[6]	double	[0]		m	>= 0
		[1]	Eccentricity (True of Date CS)	-	[0,1)
		[2]	Inclination (True of Date CS)	deg	[0,180]
		[3]	Right ascension of the ascending node	deg	[0,360)





	(True of Date CS)		
[4]	Argument of perigee	deg	[0,360)
	(True of Date CS)		
[5]	Mean anomaly	deg	[0,360)
	(True of Date CS)		

It is possible to use enumeration values rather than integer values for some of the input arguments:

• Kepler state vector model: kepl mode. See section 6.2.

7.28.4Output parameters

The output parameters of the xl_kepl_to_cart CFI function are:

Table 105: Output parameters of xl_kepl_to_cart function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_kepl_to_cart	long	-	Status flag	-	-
pos_out[3]	double	all	Cartesian position vector (True of Date CS)	m	-
vel_out[3]	double	all	Cartesian velocity vector (True of Date CS)	m/s	-
ierr	long	-	Error vector	-	-

7.28.5Warnings and errors

Next table lists the possible error messages that can be returned by the xl_kepl_to_cart CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO LIB software library xl get msg (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the error vector returned by the **xl_kepl_to_cart** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM])

Table 106: Error messages of xl_kepl_to_cart function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Input semi-major axis <= 0	No calculation performed	XL_CFI_K2C_A_ZERO_ER R	0
ERR	Input eccentricity < 0	No calculation performed	XL_CFI_K2C_E_ZERO_ER R	1
ERR	Input eccentricity > 1	No calculation performed	XL_CFI_K2C_E_ONE_ERR	2
ERR	Internal Error: Error in calling XL_Mean_to_osc	No calculation performed	XL_CFI_K2C_INTERNAL_ M2O_ERR	3
ERR	Internal computation error #1	No calculation performed	XL_CFI_K2C_COMPUTATI ON_ERR	4





WARN	Internal Warning: Warning in	Calculation performed.	XL_CFI_K2C_INTERNAL_	5
	calling XL_Mean_to_osc	A message informs the user.	M2O_WARN	
WARN	Kepler's equations not	Calculation performed.	XL_CFI_K2C_NO_CONVE	6
	converged	A message informs the user.	RGED_WARN	





7.29xl_cart_to_kepl

7.29.10verview

The xl_cart_to_kepl CFI function transforms from cartesian to keplerian coordinates.

7.29.2Calling interface

The calling interface of the **xl_cart_to_kepl** CFI function is the following (input parameters are underlined):

7.29.3Input parameters

}

The xl cart to kepl CFI function has the following input parameters:

Table 107: Input parameters of xl_cart_to_kepl function

C name	C type	Array	Description	Unit	Allowed
		Element	(Reference)	(Format)	Range
model_id	xl_model_	-	Model ID	_	_
	id				
pos_in[3]	double	all	Cartesian position vector	m	_
			(True of Date CS)		
vel_in[3]	double	all	Cartesian velocity vector	m/s	_
			(True of Date CS)		
kepl_mode	long*	-	Flag for selecting:	-	Complete
			· Mean elements = XL_KEPLER_MEAN		
			· Osculating elements = XL_KEPLER_OSC		

It is possible to use enumeration values rather than integer values for some of the input arguments:





Page: 151

• Kepler state vector model: kepl_mode. See section 6.2.

7.29.4Output parameters

The output parameters of the xl cart to kepl CFI function are:

Table 108: Output parameters of xl_cart_to_kepl function

C name	C type	Array	Description	Unit	Allowed
		Element	(Reference)	(Format)	Range
xl_cart_to_kepl	long	-	Status flag	-	-
kepl_out[6]	double	[0]	Semi-major axis	m	>= 0
			(True of Date CS)		
		[1]	Eccentricity	-	[0,1)
			(True of Date CS)		
		[2]	Inclination	deg	[0,180]
			(True of Date CS)		
		[3]	Right ascension of the ascending node	deg	[0,360)
			(True of Date CS)		
		[4]	Argument of perigee	deg	[0,360)
			(True of Date CS)		
		[5]	Mean anomaly	deg	[0,360)
			(True of Date CS)		
ierr	long	-	Error vector	-	-

7.29.5Warnings and errors

Next table lists the possible error messages that can be returned by the xl_cart_to_kepl CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO LIB software library xl get msg (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the error vector returned by the **xl_cart_to_kepl** function by calling the function of the EO_LIB software library **xl get code** (see [GEN SUM]).

Table 109: Error messages of xl_cart_to_kepl function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Earth's Mu < 0	No calculation performed	XL_CFI_C2K_MU_ZERO_E RR	0
ERR	Input orbit radius = 0	No calculation performed	XL_CFI_C2K_OR_ZERO_E RR	1
ERR	Input orbit velocity = 0	No calculation performed	XL_CFI_C2K_OV_ZERO_E RR	2
ERR	Semi-major axis undefined	No calculation performed	XL_CFI_C2K_OA_UNDEFI NED_ERR	3
ERR	Semi-major axis < 0	No calculation performed	XL_CFI_C2K_OA_ZERO_E RR	4





ERR	Internal computation error #1	No calculation performed	XL_CFI_C2K_COMPUTATI ON ERR	5
ERR	Internal Error: Error in calling XL_Osc_to_mean		XL_CFI_C2K_INTERNAL_ O2M_ERR	6
WARN	Inclination = 0 or 180 deg	Calculation performed. A message informs the user.	XL_CFI_C2K_OI_ZERO_W ARN	7
WARN	Eccentricity = 0	Calculation performed. A message informs the user.	XL_CFI_C2K_OE_ZERO_	8
WARN	Internal Warning: Warning in calling XL_Osc_to_mean		XL_CFI_C2K_INTERNAL_	9





7.30xl_cart_to_radec

7.30.10verview

The xl_cart_to_radec CFI function transforms cartesian coordinates to spherical coordinates:

- From equatorial cartesian coordinates to right ascension and declination.
 or
- From galactic cartesian coordinates to galactic longitude and latitude.

7.30.2Calling interface

The calling interface of the **xl_cart_to_radec** CFI function is the following (input parameters are <u>underlined</u>):

7.30.3Input parameters

The xl cart to radec CFI function has the following input parameters:

Table 110: Input parameters of xl_cart_to_radec function

C name	C type	Array	Description	Unit	Allowed
		Element	(Reference)	(Format)	Range
model_id	xl_model_ id	-	Model ID	-	-
mode	long*		Flag to select transformation, position or position and velocity:	-	Complete
			XL_CALC_POS		
			XL_CALC_POS_VEL		
			For galactic coordinates only position can be transformed.		





cs_in	long*		Coordinate reference frame for the input vector.	-	All except XL EF
pos[3]	double	all	Cartesian position vector	m	-
vel[3]	double	all	Cartesian velocity vector	m/s	-

It is possible to use enumeration values rather than integer values for some of the input arguments:

• Calculation mode: mode. See section 6.2

• Reference frame: cs in. See section 6.2

7.30.40utput parameters

The output parameters of the xl_cart_to_radec CFI function are:

Table 111: Output parameters of xl_cart_to_radec function

C name	C type	Array	Description	Unit	Allowed
		Element	(Reference)	(Format)	Range
xl_cart_to_radec	long	-	Status flag	-	-
ra	double	-	Right ascension (or galactic longitude)	rad	$[0, 2\pi)$
dec	double	-	Declination (or galactic latitude)	rad	$[-\pi/2,\pi/2]$
mu_ra	double	-	Proper motion in the right ascension	rad/century	-
mu_dec	double	-	Proper motion in the declination	rad/century	-
rad_vel	double	-	Radial velocity	AU/century	-
par	double	-	Parallax	rad	$[0, 2\pi)$
ierr	long	-	Error vector	_	-

7.30.5Warnings and errors

Next table lists the possible error messages that can be returned by the **xl_cart_to_radec** CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO LIB software library **xl get msg** (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the error vector returned by the **xl_cart_to_radec** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM]).

Table 112: Error messages of xl_cart_to_radec function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Not possible to calculate velocity vector in galactic frame.	No calculation performed	XL_CFI_CART_TO_RADEC _WRONG_INPUT_ERR	0
ERR	Mode input is not an allowed value.	No calculation performed	XL_CFI_CART_TO_RADEC _WRONG_MODE_ERR	1
ERR	cs_in input is not an allowed value.	No calculation performed	XL_CFI_CART_TO_RADEC _WRONG_CS_IN_ERR	2





Page: 155

ERR The frame's center is not an allowed position input No calculation performed XL_CFI_CART_TO_RADEC 3

WRONG_POSITION_ERR





7.31xl_radec_to_cart

7.31.10verview

The xl_radec_to_cart CFI function transforms spherical coordinates to cartesian coordinates:

From right ascension and declination to equatorial cartesian coordinates.

or

• From galactic longitude and latitude to galactic cartesian coordinates.

7.31.2Calling interface

The calling interface of the **xl_radec_to_cart** CFI function is the following (input parameters are <u>underlined</u>):

7.31.3Input parameters

The xl_radec_to_cart CFI function has the following input parameters:

Table 113: Input parameters of xl_radec_to_cart function

C name	C type	Array	Description	Unit	Allowed
		Element	(Reference)	(Format)	Range
model_id	xl_model _id	-	Model ID	-	_
mode	long*		Flag to select transformation, position or position and velocity:	-	Complete
			XL CALC POS		





			XL_CALC_POS_VEL For galactic coordinates only position can		
			be transformed.		
cs_in	long*	-	Coordinate reference frame for the input	-	All except
			vector.		XL_EF
ra	double	-	Right ascension (or galactic longitude)	rad	$[0, 2\pi)$
dec	double	-	Declination (or galactic latitude)	rad	$[-\pi/2,\pi/2]$
mu_ra	double	-	Proper motion in the right ascension	rad/century	-
mu_dec	double	-	Proper motion in the declination	rad/century	-
rad_vel	double	-	Radial velocity	AU/century	-
par	double	-	Parallax	rad	$[0, 2\pi)$

7.31.40utput parameters

The output parameters of the xl_radec_to_cart CFI function are:

Table 114: Output parameters of xl_radec_to_cart function

C name	C type	Array	Description	Unit	Allowed
		Element	(Reference)	(Format)	Range
xl_radec_to_cart	long	-	Status flag	-	-
pos[3]	double	all	Cartesian position vector	m	-
vel[3]	double	all	Cartesian velocity vector	m/s	-
ierr	long	-	Error vector	-	-

7.31.5Warnings and errors

Next table lists the possible error messages that can be returned by the **xl_radec_to_cart** CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO LIB software library **xl_get_msg** (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the error vector returned by the **xl_radec_to_cart** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM]).

Table 115: Error messages of xl_radec_to_cart function

Error	Error message	Cause and impact	Error code	Error
type				No
	Not possible to calculate velocity vector in galactic frame.	No calculation performed	XL_CFI_RADEC_TO_CART _WRONG_INPUT_ERR	0
ERR	Mode input is not an allowed value.	No calculation performed	XL_CFI_RADEC_TO_CART _WRONG_MODE_ERR	1
ERR	cs_in input is not an allowed value."	No calculation performed	XL_CFI_RADEC_TO_CART _WRONG_CS_IN_ERR	2
ERR	parallax can't be equal to zero.	No calculation performed	XL_CFI_RADEC_TO_CART _PAR_ERR	3









7.32xl_topocentric_to_ef

7.32.10verview

The **xl_topocentric_to_ef** CFI function transforms topocentric azimuth and elevation to the Earth Fixed Referece frame.

7.32.2Calling interface

The calling interface of **xl_topocentric_to_ef** the CFI function is the following (input parameters are <u>underlined</u>):

```
#include <explorer lib.h>
      xl model id model id = {NULL};
             mode, deriv;
      long
      double pos[3], vel[3];
      double azim, elev, range,
             azim d, elev d, range d,
             ef dir[3], ef dir d[3];
      long ierr[XL NUM ERR TOP TO EF], status;
                   xl topocentric to ef(&model id, &mode, &deriv, pos,
      status =
vel,
                                    &azim, &elev, &range,
                                    &azim d, &elev d, &range d,
                                    ef dir, ef dir d,
                                    ierr);
}
```

7.32.3Input parameters

The x1 topocentric to ef CFI function has the following input parameters:

Table 116: Input parameters of xl_topocentric_to_ef function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
model_id	xl_model _id	-	Model ID	-	
mode	long		Flag to indicate if the input coordinates is location or a direction	-	XL_MODE_FLA G_LOCATIONXL_MODE_FLA





		_			
					G
					DIRECTION
 deriv 	long	-	Flag to indicate if the 1st. derivative	-	XL NO DER
			has to be computed.		• XL DER 1ST
• pos	double	all	Position of the topocentric CS in the EF CS	m	
vel	double	all	Velocity of the topocentric CS in the EF CS	m/s	-
azim	double	-	Azimuth	deg	[0, 360)
elev	double	-	Elevation	deg	[-90, +90]
range	double	-	Distance	m	-
azim_d	double	-	Azimuth rate	deg/s	[0, 360)
elev_d	double	-	Elevation rate	deg/s	[-90, +90]
range_d	double	-	Range rate	m/s	-

7.32.40utput parameters

The output parameters of the xl_topocentric_to_ef CFI function are:

Table 117: Output parameters of xl_topocentric_to_ef function

C name	C type	Array	Description	Unit	Allowed
		Element	(Reference)	(Format)	Range
xl_topocentric_to_ ef	long	-	Status flag	-	-
ef_dir	double	all	Cartesian position vector in EF	m	-
	double	all	Cartesian velocity vector in EF	m/s	-
ierr	long	-	Error vector	-	-

7.32.5Warnings and errors

Next table lists the possible error messages that can be returned by the **xl_topocentric_to_ef** CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO LIB software library **xl_get_msg** (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the error vector returned by the **xl_topocentric_to_ef** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM]).

Table 118: Error messages of xl_topocentric_to_ef function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Wrong for the parameter	No calculation performed	XL_CFI_TOP_TO_EF_WR	0
	Location/Direction		ONG_MODE_FLAG_ERR	
ERR	Wrong parameter for the	No calculation performed	XL_CFI_TOP_TO_EF_WR	1
	derivative		ONG_DERIV_FLAG_ERR	
ERR	Could not convert input vector	No calculation performed	XL_CFI_TOP_TO_EF_CAR	2
	for the topocentric center to	-	T_TO_GEOD_ERR	





161

	geodetic coordinates			
ERR	Could not get the pointing direction from the input Azimuth and elevation	No calculation performed	XL_CFI_TOP_TO_EF_POI NTING_DIR_ERR	3





7.33xl_ef_to_topocentric

7.33.10verview

The **xl_ef_to_topocentric** CFI function transforms Earth Fixed coordinates to topocentric coordinates for a given ground position.

7.33.2Calling interface

The calling interface of **xl_ef_to_topocentric** the CFI function is the following (input parameters are underlined):

```
#include <explorer lib.h>
      xl model id model id = {NULL};
             mode, deriv;
      long
      double pos[3], vel[3];
      double azim, elev, range,
             azim d, elev d, range d,
             ef dir[3], ef dir d[3];
      long ierr[XL NUM ERR TOP TO EF], status;
      status =
                  xl ef to topocentric(&model id,
                                    &mode, &deriv, pos, vel,
                                    ef dir, ef dir d,
                                    &azim, &elev, &range,
                                    &azim d, &elev d, &range d,
                                    ierr);
}
```

7.33.3Input parameters

The xl_ef_to_topocentric CFI function has the following input parameters:

Table 119: Input parameters of xl_ef_to_topocentric function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
model_id	xl_model _id	-	Model ID	-	-
mode	long		Flag to indicate if the input coordinates is location or a direction	-	XL_MODE_FLA G_LOCATIONXL_MODE_FLA





					G DIRECTION
• deriv	long	-	Flag to indicate if the 1st. derivative has	-	XL_NO_DER
			to be computed.		• XL_DER_1ST
• pos	double	all	Position of the topocentric CS in the EF CS	m	-
vel	double	all	Velocity of the topocentric CS in the EF CS	m/s	-
ef_dir	double	all	Cartesian position vector in EF	m	-
ef_dir_d	double	all	Cartesian velocity vector in EF	m/s	-

7.33.40utput parameters

The output parameters of the xl_ef_to_topocentric CFI function are:

Table 120: Output parameters of xl ef to topocentric function

C name	C type	Array	Description	Unit	Allowed
		Element	(Reference)	(Format)	Range
xl_topocentric_to_ ef	long	-	Status flag	_	-
azim	double	-	Azimuth	deg	[0, 360)
elev	double	-	Elevation	deg	[-90, +90]
range	double	-	Distance	m	-
azim_d	double	-	Azimuth rate	deg/s	[0, 360)
elev_d	double	-	Elevation rate	deg/s	[-90, +90]
range_d	double	-	Range rate	m/s	-
ierr	long	-	Error vector	-	-

7.33.5Warnings and errors

Next table lists the possible error messages that can be returned by the xl_ef_to_topocentric CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO LIB software library xl_get_msg (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the error vector returned by the **xl_ef_to_topocentric** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM]).

Table 121: Error messages of xl ef to topocentric function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Wrong for the parameter Location/Direction	No calculation performed	XL_CFI_EF_TO_TOP_WR ONG_MODE_FLAG_ERR	0
	Could not convert input vector for the topocentric center to geodetic coordinates	No calculation performed	XL_CFI_EF_TO_TOP_CAR T_TO_GEOD_ERR	1





ERR	Wrong parameter for the derivative	No calculation performed	XL_CFI_EF_TO_TOP_WR ONG DERIV FLAG ERR	2
ERR	Error when computing Azimuth and Elevation	No calculation performed	XL_CFI_EF_TO_TOP_DIR_ POINTING_ERR	3





7.34xl_sun

7.34.10verview

The **xl_sun** CFI function calculates the position and velocity vector of the Sun in the Earth Fixed coordinate system.

7.34.2Calling interface

The calling interface of the **xl** sun function is the following (input parameters are <u>underlined</u>):

```
#include <explorer lib.h>
{
      long time ref;
      double time, sun pos[3], sun vel[3];
       xl model id model id = {NULL};
       xl time id time id = {NULL};
      long ierr[XL NUM ERR SUN], status;
      status =
                   xl sun(&model id,
                       &time id, &time ref, &time,
                       sun pos, sun vel,
                       ierr);
      /* Or, using the run id */
      long run id;
      status = xl sun run(&run id, &time ref, &time, sun pos, sun vel,
                          ierr);
}
```

7.34.3Input parameters

The **xl_sun** CFI function has the following input parameters:

Table 122: Input parameters of xl_sun function

C name	C type	Array Element	Description (Reference)	Unit (Format)	Allowed Range
model_id	xl_model_i d*	-	Model ID	-	-
time_id	xl_time_id*	-	Structure that contains	=	-





			the time correlations.		
time_ref	long *	-	Initial time reference ID	_	Any except
					XL_TIME_UNDEF
time	double*	-	Input time	Decimal days	[-18262.0,36524.0]
				(Processing format)	

It is possible to use enumeration values rather than integer values for some of the input arguments:

• Time reference ID: time ref. See [GEN SUM].

Note that for the function to work correctly, the time references should be properly initialised before calling the function (see section 4.2 for details).

7.34.40utput parameters

The output parameters of the xl sun CFI function are:

Table 123: Output parameters of xl_sun function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_sun	long	-	Status flag	-	-
sun_pos[3]	double	all	Position vector of the Sun in	m	-
			the Earth Fixed CS		
sun_vel[3]	double	all	Velocity vector of the Sun in	m/s	-
			the Earth Fixed CS		
ierr	long	-	Error vector	-	-

7.34.5Warnings and errors

Next table lists the possible error messages that can be returned by the **xl_sun** CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO_LIB software library **xl_get_msg** (see [GEN_SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the error vector returned by the **xl_sun** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM]).

Table 124: Error messages of xl_sun function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Input time reference ID is not correct	No calculation performed	XL_CFI_SUN_REF_ERR	0
ERR	Input date is out of range	No calculation performed	XL_CFI_SUN_DAY_ERR	1
ERR	Time Reference not initialised	No calculation performed	XL_CFI_SUN_REF_INIT_E RR	2
ERR	Error in calling XL Sun PosVel	No calculation performed	XL_CFI_SUN_SUN_ERR	3









7.35xl_moon

7.35.10verview

The **xl_moon** CFI function calculates the position and velocity vector of the Moon in the Earth Fixed coordinate system.

7.35.2Calling interface

The calling interface of the **xl moon** CFI function is the following (input parameters are <u>underlined</u>):

```
#include <explorer lib.h>
{
      long time ref;
      double time, moon pos[3], moon vel[3];
      xl model id model id = {NULL};
      xl time id time id = {NULL};
      long ierr[XL NUM ERR MOON], status;
      status =
                   xl moon (& model id,
                       &time id, &time ref, &time,
                       moon pos, moon vel,
                       ierr);
      /* Or, using the run id */
      long run id;
      status = xl moon run(&run id, &time ref, &time,
                           moon pos, moon vel,
                            ierr);
}
```

7.35.3Input parameters

The **xl_moon** CFI function has the following input parameters:

Table 125: Input parameters of xl_moon function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	





model_id	xl_model_i d*	_	Model ID	-	-
time_id	xl_time_id*		Structure that contains the time correlations.	-	-
time_ref	long *	_	Initial time reference ID	-	Any except XL_TIME_UNDEF
time	double*	_	1 -	Decimal days (Processing format)	[-18262.0,36524.0]

It is possible to use enumeration values rather than integer values for some of the input arguments:

• Time reference ID: time_ref. See [GEN_SUM].

Note that for the function to work correctly, the time references should be properly initialised before calling the function (see section 4.2. for details).

7.35.40utput parameters

The output parameters of the **xl moon** CFI function are:

Table 126: Output parameters of xl_moon function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_moon	long	-	Status flag	-	-
moon_pos[3]	double	all	Position vector of the Moon	m	-
			in the Earth Fixed CS		
moon_vel[3]	double	all	Velocity vector of the Moon	m/s	-
			in the Earth Fixed CS		
ierr	long	_	Error vector	_	=

7.35.5Warnings and errors

Next table lists the possible error messages that can be returned by the **xl_moon** CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO LIB software library **xl get msg** (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the error vector returned by the **xl_moon** function by calling the function of the EO_LIB software library **xl get code** (see [GEN SUM]).

Table 127: Error messages of xl_moon function

Error	Error message	Cause and impact	Error code	Error
type				No
	Input time reference ID is not correct	No calculation performed	XL_CFI_MOON_REF_ERR	0





 Code:
 EO-MA-DMS-GS-0003

 Date:
 10/05/2019

 Issue:
 4.17

 Page:
 170

ERR	Input date is out of range	No calculation performed	XL_CFI_MOON_DAY_ERR	1
ERR	Time Reference not initialised	No calculation performed	XL_CFI_MOON_REF_INIT_ ERR	2
ERR	Error in calling XL Moon PosVel	No calculation performed	XL_CFI_MOON_MOON_ER	3





7.36xl_planet

7.36.10verview

The **xl_planet** CFI function calculates the position and velocity vector of a planet in the Earth Fixed coordinate system.

7.36.2Calling interface

The calling interface of the xl planet CFI function is the following (input parameters are <u>underlined</u>):

7.36.3Input parameters

The xl_planet CFI function has the following input parameters:

Table 128: Input parameters of xl_planet function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
model_id	xl_model_i d*	-	Model ID	-	-
time_id	xl_time_id*	-	Structure that contains the time correlations.	-	-
planet	long *	_	Planet ID	-	Complete





Code:	EO-MA-DMS-GS-0003
Date:	10/05/2019
Issue:	4.17
Page:	172

time_ref	long *	-	Initial time reference ID	-	Any except XL_TIME_UNDEF
time	double*	-	Input time	Decimal days	[-18262.0,36524.0]
				(Processing format)	

It is possible to use enumeration values rather than integer values for some of the input arguments:

- Time reference ID: time ref. See [GEN SUM].
- Planet ID: planet. Current document, section 6.2.

Note that for the function to work correctly, the time references should be properly initialised before calling the function (see section 4.2 for details).

7.36.4Output parameters

The output parameters of the **xl_planet** CFI function are:

Table 129: Output parameters of xl_planet function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_planet	long	-	Status flag	-	-
planet_pos[3]	double	all	Position vector of the Planet	m	-
			in the Earth Fixed		
			coordinate system		
planet_vel[3]	double	all	Velocity vector of the Planet	m/s	-
			in the Earth Fixed		
			coordinate system		
ierr	long	-	Error vector	-	-

7.36.5Warnings and errors

Next table lists the possible error messages that can be returned by the **xl_planet** CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO LIB software library **xl get msg** (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the error vector returned by the **xl_planet** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM]).

Table 130: Error messages of xl_planet function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Input time reference ID is not correct	No calculation performed	XL_CFI_PLANET_REF_ER R	0
ERR	Input date is out of range	No calculation performed	XL_CFI_PLANET_DAY_ER R	1





ERR	Time Reference not initialised	No calculation performed	XL_CFI_PLANET_REF_INI	2
			T_ERR	
ERR	Planet code is not correct	No calculation performed	XL_CFI_PLANET_PLANET	3
			ERR	
WARN	Internal Warning: XL_Planets	Calculation performed.	XL_CFI_PLANET_CONV_	4
	solution didn't converge	A message informs the user.	WARN	





7.37xl_star_radec

7.37.10verview

The xl_star_radec CFI function calculates the right ascension and declination of a star in the True of Date coordinate system.

7.37.2Calling interface

The calling interface of the x1 star radec CFI function is the following (input parameters are <u>underlined</u>):

```
#include <explorer lib.h>
      lond time ref;
      double time, ra0, dec0, mu ra, mu dec;
      double rad vel, par, ra, dec;
      xl time id time id = {NULL};
      xl model id model id = {NULL};
      long ierr[XL NUM ERR STAR], status;
      status =
                  xl star radec(&model id, &time_id,
                             &time ref, &time, &ra0, &dec0,
                             &mu ra, &mu dec, &rad vel, &par,
                              &ra, &dec, ierr);
      /* Or, using the run id */
      long run id;
     status = xl star radec run(&run id, &time ref, &time, &ra0, &dec0,
                             &mu ra, &mu dec, &rad vel, &par,
                              &ra, &dec, ierr);
```

7.37.3Input parameters

The xl star radec CFI function has the following input parameters:

Table 131: Input parameters of xl_star_radec function

C name C type	Array	Description	Unit	Allowed Range
---------------	-------	-------------	------	---------------





		Element	(Reference)	(Format)	
model_id	xl_model_i d*	-	Model ID	-	-
time_id	xl_time_id*		Structure that contains the time correlations.	-	-
time_ref	long *	-	Initial time reference ID	-	Any except XL_TIME_UNDEF
time	double*	-	Input time	Decimal days (Processing format)	[-18262.0,36524.0]
ra0	double *	-	Right ascension of the star at J2000.0 (Barycentric Mean of 2000.0 CS)	rad	[0,2π)
dec0	double *	-	Declination of the star at J2000.0 (Barycentric Mean of 2000.0 CS)	rad	[-π/2,π/2]
mu_ra	double *		Proper motion in the right ascension at J2000.0 (Barycentric Mean of 2000.0 CS)	rad/century	-
mu_dec	double *		Proper motion in the declination at J2000.0 (Barycentric Mean of 2000.0 CS)	rad/century	-
rad_vel	double *	-	Radial velocity of the star at J2000.0 (Barycentric Mean of 2000.0 CS)	AU/century	-
par	double *	-	Parallax of the star at J2000.0 (Barycentric Mean of 2000.0 CS)	rad	-

It is possible to use enumeration values rather than integer values for some of the input arguments:

• Time reference ID: time ref. See [GEN SUM].

Note that for the function to work correctly, the time references should be properly initialised before calling the function (see section 4.2 for details).

7.37.40utput parameters

The output parameters of the xl_star_radec CFI function are:

Table 132: Output parameters of xl_star_radec function

C name	C type	Array	Description	Unit	Allowed
		Element	(Reference)	(Format)	Range
xl_star_radec	long	_	Status flag	-	-
ra	double *	-	Right ascension of the star at specified time (True of Date CS)	rad	[0,2π)
dec	double *	-	Declination of the star at specified time (True of Date CS)	rad	[-π/2, π/2]
ierr	long	-	Error vector	-	-





7.37.5Warnings and errors

Next table lists the possible error messages that can be returned by the **xl_star_radec** CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO LIB software library **xl_get_msg** (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the error vector returned by the **xl_star_radec** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM]).

Table 133: Error messages of xl_star_radec function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Input time reference ID is not correct	No calculation performed	XL_CFI_STAR_RADEC_RE F_ERR	0
ERR	Input date is out of range	No calculation performed	XL_CFI_STAR_RADEC_DA Y_ERR	1
ERR	Time Reference not initialised	No calculation performed	XL_CFI_STAR_RADEC_RE F_INIT_ERR	2
ERR	Error in calling XL_Star	No calculation performed	XL_CFI_STAR_RADEC_ST AR_ERR	3
ERR	Error in calling XL_Dir_Pointing	No calculation performed	XL_CFI_STAR_RADEC_DI RPOINT_ERR	4
WARN	Warning in calling XL_Dir_Pointing	Calculation performed. A message informs the user.	XL_CFI_STAR_RADEC_DI RPOINT_WARN	5

The declination is not checked, so in case it does not satisfy its allowed range it may result in raising an internal error (see section 10).





7.38xl_star_catalog

7.38.10verview

The xl_star_catalog CFI function calculates the right ascension and declination of a star in a selected star catalogue.

7.38.2Calling interface

The calling interface of the xl star catalog CFI function is the following (input parameters are <u>underlined</u>):

```
#include <explorer lib.h>
      lond time ref, catalog in, cs out, mode;
      double time, ra0, dec0, mu ra0, mu dec0;
      double rad vel0, par0, ra, dec;
      xl model id model id = {NULL};
      xl time id time id = {NULL};
      long ierr[XL NUM ERR STAR CATALOG], status;
      status =
                  xl star catalog(&model id, &time id,
                               &time ref, &time, &mode,
                               &catalog in, &catalog out, &ra0, &dec0,
                                &mu ra0, &mu dec0, &rad vel0, &par0,
                                &ra, &dec, ierr);
      /* Or, using the run id */
      long run id;
      status = xl star catalog run(&run id, &time ref, &time, &mode,
                               &catalog in, &catalog out, &ra0, &dec0,
                               &mu ra0, &mu dec0, &rad vel0, &par0,
                               &ra, &dec, ierr);
}
```

7.38.3Input parameters

The xl star catalog CFI function has the following input parameters:

Table 134: Input parameters of xl_star_catalog function





		Element	(Reference)	(Format)	
model_id	xl_model_i d*	-	Model ID.	-	-
time_id	xl_time_id*	-	Structure that contains the time correlations.	-	-
time_ref	long *	-	Initial time reference ID	-	Any except XL_TIME_UNDEF
time	double*	-	Input time	Decimal days (Processing format)	[-18262.0,36524.0]
mode	long*	-			
catalog_in	long*	-	Input star catalog	-	All
catalog out	long*	-	Output coordinate frame	-	All
ra0	double *	-	Right ascension of the star in the input catalog	rad	[0,2π)
dec0	double *	-	Declination of the star in the input catalog	rad	$[-\pi/2,\pi/2]$
mu_ra0	double *	-	Proper motion in the right ascension in the input catalog	rad/century	-
mu_dec0	double *	-	Proper motion in the declination in the input catalog	rad/century	-
rad_vel0	double *	-	Radial velocity of the star in the input catalog	AU/century	-
par0	double *	_	Parallax of the star in the input catalog	rad	-

It is possible to use enumeration values rather than integer values for some of the input arguments:

- Time reference ID: time ref. See [GEN SUM].
- Star catalog ID: catalog in.See section 6.2
- Reference frame: cs out. See section 6.2

Note that for the function to work correctly, the time references should be properly initialised before calling the function (see section 4.2 for details).

7.38.40utput parameters

The output parameters of the xl_star_catalog CFI function are:

Table 135: Output parameters of xl_star_catalog function

C name	C type	Array	Description	Unit	Allowed
		Element	(Reference)	(Format)	Range
xl_star_catal og	long	-	Status flag	-	-
ra	double *		Right ascension of the star at specified time in the out_cs reference frame.	rad	[0,2π)
dec	double *		Declination of the star at specified time in the out_cs reference frame.	rad	[-π/2, π/2]
ierr	long	-	Error vector	-	-





7.38.5Warnings and errors

Next table lists the possible error messages that can be returned by the xl_star_catalog CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO LIB software library xl get msg (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the error vector returned by the **xl_star_catalog** function by calling the function of the EO_LIB software library **xl get code** (see [GEN SUM]).

Table 136: Error messages of xl_star_catalog function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Wrong input catalog	No calculation performed	XL_CFI_STAR_CATALOG_WRO	0
			NG_INPUT_CATALOG_ERR	
ERR	Wrong output catalog	No calculation performed	XL_CFI_STAR_CATALOG_WRO	1
			NG_OUTPUT_CATALOG_ERR	
ERR	Error in xl_star_radec	No calculation performed	XL_CFI_STAR_CATALOG_STAR	2
			_RADEC_ERR	
ERR	Error when converting from	No calculation performed	XL_CFI_STAR_CATALOG_FK4_	3
	FK4 to FK5		TO_FK5_ERR	
ERR	Error in xl_radec_to_cart	No calculation performed	XL CFI STAR CATALOG RADE	4
		·	C_TO_CART_ERR	
ERR	Error in	No calculation performed	XL CFI STAR CATALOG CHAN	5
	xl_change_coordinate_cs		GE_CART_CS_ERR	
ERR	Error in xl_cart_to_radec	No calculation performed	XL_CFI_STAR_CATALOG_CART	6
		-	_TO_RADEC_ERR	





7.39xl_geod_distance

7.39.10verview

The xl_geod_distance CFI function calculates the geodesic distance between two points that lay on the same ellipsoid, and the azimuth of the related geodesic line at both points. See diagram below.




Figure 3: Azimuth figures returned by xl_geod_distance function

7.39.2Calling interface

The calling interface of the **xl_geod_distance** CFI function is the following (input parameters are <u>underlined</u>):





elecnor group Page:

7.39.3Input parameters

The xl geod distance CFI function has the following input parameters:

Table 137: Input parameters of xl_geod_distance function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
model_id	xl_model_i d	-	Model ID	-	-
lon1	double *	-	Geocentric longitude of the	deg	[0,360)
			first input point		
			(Earth fixed CS)		
lat1	double *	-	Geodetic latitude of the first	deg	[-90,90]
			input point		
			(Earth fixed CS)		
lon2	double *	-	Geocentric longitude of the	deg	[0,360)
			second input point		
			(Earth fixed CS)		
lat2	double *	-	Geodetic latitude of the	deg	[-90,90]
			second input point		
			(Earth fixed CS)		
h	double *	-	Geodetic altitude of both	m	h >= -b _{wgs}
			input points		(satellite ID dependent)
			(Earth fixed CS)		,

7.39.41Output parameters

The output parameters of the xl_geod_distance CFI function are:

Table 138: Output parameters of xl_geod_distance function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_geod_distance	long	-	Extended status flag	-	-
distance	double *	-	Geodesic distance between	m	>= 0
			the two input points		
			(Earth fixed CS)		
az_1_to_2	double *	-	Azimuth of the geodesic line		[0,360)
			from point 1 to point 2	deg	
			(Topocentric CS)		
az_2_to_1	double *	-	Azimuth of the geodesic line		>= 0
			from point 2 to point 1	deg	< 360
			(Topocentric CS)	_	
			Note that az2 = az1 + 180		
			approximately		

7.39.5Warnings and errors

Next table lists the possible error messages that can be returned by the xl_geod_distance CFI function after





translating the returned extended status flag into the equivalent list of error messages by calling the function of the EO_LIB software library **xl_get_msg** (see [GEN_SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the extended status flag returned by the **xl_geod_distance** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM]).

Table 139: Error messages of xl_geod_distance function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Different altitudes in the two	No calculation performed	XL_CFI_GEOD_DIST_ALTI	0
	points		TUDE_ERR	
ERR	Calculation not performed in	No calculation performed	XL_CFI_GEOD_DIST_GEO	1
	XL_Geo_Car		CAR ERR	
ERR	Calculation not performed in	No calculation performed	XL_CFI_GEOD_DIST_DIR_	2
	XL_Pt_Dir_Range		RANGE_ERR	
ERR	No solution returned by	No calculation performed	XL_CFI_GEOD_DIST_DIR_	3
	XL_Dir_Pointing		POINTING_ERR	
WARN	Antipodal points.Two possible	Calculation performed.	XL_CFI_GEOD_DIST_ANTI	4
	azimuth values (0 or	A message informs the user.	PODAL_POINTS_WARN	
	180). Selected value is 0.0 deg			
WARN	Default values returned by	Calculation performed.	XL_CFI_GEOD_DIST_DIR_	5
	XL_Dir_Pointing	A message informs the user.	POINTING_WARN	

The altitude of the two points is not checked, so in case it does not satisfy its allowed range it may result in raising an internal error (see section 10).

For antipodal points, a little variation of the input coordinates may lead to incoherent values for the output distance, depending on the point location on the ellipsoid.





7.40 xl_time_get_leap_second_info

7.40.10verview

The **xl_time_get_leap_second_info** CFI function retrieves the leap second location (if any) in the initialised time range.

In order to avoid ambiguities the instant of Leap Second insertion is given both as the instant just before insertion (i.e. when the LS start) and the instant just after insertion (i.e. when the LS ends).

As an example, in the case of the (positive) LS inserted on January 1st, 1999, the function would return (if ascii id out = XL ASCII STD REF MICROSEC):

```
leap_flag = 1
ascii_utc_time_before_leap = UTC=1998-12-31_23:59:60.000000
ascii utc time after leap = UTC=1999-01-01 00:00:00.000000
```

In the case of a negative LS, inserted as an example on January 1st, 2009, the function would return (if ascii id out = XL ASCII STD REF MICROSEC):

```
leap_flag = -1
ascii_utc_time_before_leap = UTC=2008-12-31_23:59:58.000000
ascii utc time after leap = UTC=2009-01-01 00:00:00.000000
```

Note that, if the time correlations where initalised with an Orbit Scenario File, LS could be wrongly calculated (see section 7.1.).

7.40.2Calling interface

The calling interface of the **xl_time_get_leap_second_info** CFI function is the following (input parameters are <u>underlined</u>):



}



Code: EO-MA-DMS-GS-0003
Date: 10/05/2019
Issue: 4.17
Page: 184

```
&leap_flag, ascii_utc_time_before_leap,
ascii_utc_time_after_leap, ierr);
```

The XL_TIME_ASCII_DIM_MAX and XL_NUM_ERR_LEAP_INFO constants are defined in the file explorer_lib.h.

7.40.3Input parameters

The xl time get leap second info CFI function has the following input parameters:

Table 140: Input parameters of xl_time_get_leap_second_info function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
time_id	xl_time_id*	-	Structure that	-	-
			contains the time		
			correlations.		
ascii_id_out	long *	-	ASCII format ID for	-	Complete
			output		

It is possible to use enumeration values rather than integer values for the input argument:

• ASCII format ID: ascii id out. Current document, section 6.2.

7.40.4Output parameters

The output parameters of the xl time get leap second info CFI function are:

Table 141: Output parameters of xl_time_get_leap_second_info function

C name	С	Array	Description	Unit	Allowed Range
	type	Element	(Reference)	(Format)	
xl_time_get_lea p_second_info	long	_	Status flag	_	-
leap_flag	long *	-	Flag for leap second presence within time initialization data		-1 = Negative Leap Second (a LS has been removed) (very rare case) 0 = No leap second within initialization data +1 = Positive Leap Second (a LS has been added) (usual case)
ascii_utc_time_	char	See Table 4	UTC time just before	See Table 4	See Table 4 and Table 5
before_leap		and Table 5	leap second insertion (dummy if leap_flag=0)	and Table 5	
ascii_utc_time_	char	See Table 4	UTC time just after leap	See Table 4	See Table 4 and Table 5
after_leap		and Table 5	second insertion	and Table 5	
			(dummy if leap_flag=0)		
ierr	long	-	Error vector	-	-





Note that if more than one leap second is contained within the time initialization data for the selected satellite, only the last (most recent) one is returned.

No more than one leap second is likely to be found in the data, unless the range of time initializazion span more than one year (a total of 23 leap seconds have been inserted until 2002, since the system was introduced in 1972).

7.40.5Warnings and errors

Next table lists the possible error messages that can be returned by the **xl_time_get_leap_second_info** CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO_LIB software library **xl_get_msg** (see [GEN_SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained by translating the error vector returned by the **xl_time_get_leap_second_info** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM]).

Table 142: Error messages of xl_time_get_leap_second_info function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Output ascii format ID is not	No calculation performed	XL_CFI_TIME_LEAP_SEC	0
	correct		OND_ASCII_OUT_ERR	
ERR	Satellite ID and output format	No calculation performed	XL_CFI_TIME_LEAP_SEC	1
	ID are not compatible		OND_COMP_OUT_ERR	
ERR	Error in adding times in	No calculation performed	XL_CFI_TIME_LEAP_SEC	2
	Processing format		OND_ADD_ERR	
ERR	Error in converting from	No calculation performed	XL_CFI_TIME_LEAP_SEC	3
	Processing to ASCII format	-	OND_P2A_ERR	
WARN	Time Reference not initialised	No calculation performed	XL_CFI_TIME_LEAP_SEC	4
		A message informs the user.	OND_TIME_REF_INIT_WA	
		-	RN	





7.41 xl_euler_to_matrix

7.41.10verview

The **xl_euler_to_matrix** CFI function computes the rotation matrix equivalent to apply the three consecutive rotation through the given Euler angles. In other words, the result of multiplying the matrix to a vector is the same that applying the Euler rotations to the vector.

The rotation of a vector through the Euler angles is defined as three rotations of the reference frame:

- 1. Rotation around -Ys over a roll angle h
- 2. Rotation around -X1s (i.e the rotated Xs) over a pitch angle x
- 3. Rotation around +Z2s (i.e the rotated Z1s) over a yaw angle z.

Next drawing depicts the three rotations:




Figure 4: Euler Angles

Note on matrix notation:

If XYZ are the axes of the original reference frame, and X'Y'Z' are the axes of the rotated frame, the rows of the rotation matrix are respectively X, Y and Z axes expressed in X'Y'Z' system.

In the C representation, M[0][], M[1][], M[2][] are respectively 1st, 2nd and 3rd row of a rotation matrix M.

The rotation matrix M satisfies the following equivalence:

$$V = M \cdot V$$

where V' is a vector expressed in the X'Y'Z' reference system and V is expressed in the XYZ reference system.

7.41.2Calling interface

The calling interface of the **xl_euler_to_matrix** CFI function is the following (input parameters are <u>underlined</u>):

#include <explorer lib.h>





```
double angles[3];
double matrix[3][3];
long ierr[XL_NUM_ERR_EULER_TO_MATRIX], status;

status = xl_euler_to_matrix (angles, matrix, ierr);
}
```

The XL_NUM_ERR_EULER_TO_MATRIX constant is defined in the file *explorer_lib.h.*

7.41.3Input parameters

The xl_euler_to_matrix CFI function has the following input parameters:

Table 143: Input parameters of xl_euler_to_matrix function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
angles	double[3]	[0]	Pitch angle	degrees	-
		[1]	Roll angle		
		[2]	Yaw angle		

7.41.40utput parameters

The output parameters of the xl euler to matrix CFI function are:

Table 144: Output parameters of xl_euler_to_matrix function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_euler_to_matrix	long	-	Status flag	_	-
matrix	double [3][3]	All	Rotation matrix equivalent	_	-
			to the Euler angles		
ierr	long	-	Error vector	_	-

7.41.5Warnings and errors

No errors have been envisaged for this function.





7.42xl_matrix_to_euler

7.42.10verview

The **xl_matrix_to_euler** CFI function computes the Euler angles (see section 7.41.1) equivalent to the input rotation matrix (the matrix is checked to be orthonormal; if not, an error is returned). This function is the inverse of **xl euler to matrix**.

The transformation from a rotation matrix to Euler angles is not unique, there are two sets of angles that lead to the same rotation matrix. More precisely, the rotation given by (*pitch*, *roll*, *yaw*) is equivalent to (180-pitch, 180+roll, 180+yaw). Of the two possible solutions, this function chooses the one in which the *pitch* angle is between -90° and +90° (or $\cos(pitch) > 0$)

Another indetermination happens when the pitch angle is ± 90 . In this case, the values for roll and yaw depends on each other. In this case the function returns a warning (section 7.42.5) and a solution is returned for which the yaw angle is set to 0.**Note on matrix notation:**

If XYZ are the axes of the original reference frame, and X'Y'Z' are the axes of the rotated frame, the rows of the rotation matrix are respectively X, Y and Z axes expressed in X'Y'Z' system.

In the C representation, M[0][], M[1][], M[2][] are respectively 1st, 2nd and 3rd row of a rotation matrix M.

The rotation matrix M satisfies the following equivalence:

$$V = M \cdot V'$$

where V' is a vector expressed in the X'Y'Z' reference system and V is expressed in the XYZ reference system.

7.42.2Calling interface

The calling interface of the xl_matrix_to_euler CFI function is the following (input parameters are underlined):

```
#include <explorer_lib.h>
{
     double angles[3];
     double matrix[3][3];
     long ierr[XL_NUM_ERR_MATRIX_TO_EULER], status;

     status = xl_matrix_to_euler (matrix, angles, ierr);
}
```

The XL NUM ERR MATRIX TO EULER constant is defined in the file explorer_lib.h.

7.42.3Input parameters

The xl_matrix_to_euler CFI function has the following input parameters:





Table 145: Input parameters of xl_matrix_to_euler function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
matrix	double [3][3]	All	Rotation matrix	-	-

7.42.4Output parameters

The output parameters of the xl_matrix_to_euler CFI function are:

Table 146: Output parameters of xl_matrix_to_euler function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_matrix_to_eu ler	long	-	Status flag	-	-
angles	double[3]		V .	degrees	[-180, 180]
			Roll angle Yaw angle		
ierr	long	-	Error vector	-	-

7.42.5Warnings and errors

Next table lists the possible error messages that can be returned by the **xl_matrix_to_euler** CFI function after translating the returned error vector into the equivalent list of error messages by calling the function of the EO LIB software library **xl get msg** (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained by translating the error vector returned by the **xl_matrix_to_euler** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM]).

Table 147: Error messages of xl_matrix_to_euler function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	The matrix does not define a rotation	No calculation performed	XL_CFI_MATRIX_TO_EUL ER_WRONG_MATRIX_ER R	0
WARN	determination	Calculation performed. The roll and yaw angles are indetermined, so the yaw is set to zero and the roll is computed as if the yaw were 0. In whatever case the three angles are equivalent to the rotation matrix. This situation happens when the pitch angle is 90° or -90°.	_	1





ERR	The matrix is not	No calculation performed.	XL_CFI_MATRIX_TO_EULE	2
	orthonormal	The CFI performs a check, with a	R_ORTHONORMAL_ERR	
		tolerance of 10 ⁻⁶ , that the product		
		of the input matrix and its		
		transposed is the unitary matrix		





7.43xl_position_on_orbit

7.43.10verview

The xl_position_on_orbit CFI function calculates the angle describing the position of the satellite within the orbit, using as input a Cartesian orbit state vector in EF. This angle is defined as the angle between the satellite position and the intersection of the orbital plane with a reference plane (the reference plane is the equator in GM2000, ToD or EF CS).

COMPATIBILITY NOTE: The output of this function is consistent with the calculation of orbit number and time from ANX within the EO CFI only when the required angle type is compliant with [EO_OPS] and [MCD] i.e. either ToD or EF.

7.43.2 Calling interface

The calling interface of the **xl_position_on_orbit** CFI function is the following (input parameters are <u>underlined</u>):

```
#include <explorer lib.h>
      long angle type, time ref, deriv;
      double time, pos[3], vel[3], acc[3],
      double angle, angle rate, angle rate rate;
       xl time id time id = {NULL};
      long status, ierr[XL NUM ERR POSITION ON ORBIT];
      status = xl position on orbit(&model id,
                                      &time id,
                                      &angle type,
                                      &time ref, &time,
                                     pos, vel, acc, &deriv,
                                      &angle, &angle rate,
                                      &angle rate rate,
                                      ierr);
      /* Or, using the run id */
      long run id;
      status = xl position on orbit run(& run id,
                                          &angle type,
                                          &time ref, &time,
                                          pos, vel, acc, &deriv,
                                          &angle, &angle rate,
                                          &angle rate rate,
                                          ierr);
```



}



Code: EO-MA-DMS-GS-0003 Date: 10/05/2019 Issue: 4.17

Page: 192

7.43.3Input parameters

The **xl_position_on_orbit** CFI function has the following input parameters:

Table 148: Input parameters of xl_position_on_orbit function

C name	C type	Array Eleme nt	Description (Reference)	Unit (Format)	Allowed Range
model_id	xl_model_id *	_	Model ID	-	
time_id	xl_time_id*	_	Structure that contains the time correlations.	-	_
angle_type	long*	-	Type of angle. It defines the reference plane.	_	XL_ANGLE_TYPE _TRUE_LAT_TOD XL_ANGLE_TYPE _TRUE_LAT_GM20 00 XL_ANGLE_TYPE_ TRUE_LAT_EF
time_ref	long*	-	Time reference ID	-	Complete
time	double*	_	Reference time	Decimal days (Processing format)	[-18262.0,36524.0]
pos	double[3]	all	Satellite position vector (Earth Fixed CS)	m	_
vel	double[3]	all	Satellite velocity vector (Earth Fixed CS)	m/s	-
acc	double[3]	all	Satellite acceleration vector (Earth Fixed CS)	m/s2	-
deriv	long *	_	Derivative ID	-	Allowed values: (0) XL_NO_DER (1) XL_DER_1ST (2) XL_DER_2ND

It is possible to use enumeration values rather than integer values for some of the input arguments:

• Time reference ID: time_ref.

7.43.40utput parameters

The output parameters of the xl_position_on_orbit CFI function are:

Table 149: Output parameters of xl_position_on_orbit function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
angle	double*	-	Angle describing the	deg	
			position in the orbit		
angle_rate	double*	-	Angle describing the	deg/s	-
			position in the orbit-rate		





angle_rate_rate	double*		Angle describing the position in the orbit-rate-rate	deg/s2	-
<pre>ierr[XL_NUM_ERR POSITION_ON ORBIT]</pre>	long	all	Status vector	_	_

7.43.5Warnings and errors

Next table lists the possible error messages that can be returned by the xl_position_on_orbit CFI function after translating the returned status vector into the equivalent list of error messages by calling the function of the EO LIB software library xl_get_msg (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation, mainly on the results vector.

The table is completed by the error code and value. These error codes can be obtained translating the status vector returned by the **xl_position_on_orbit** CFI function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM]).

Table 150: Error messages of xl_position_on_orbit function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Angle type is not valid	No calculation performed	XL_CFI_POSITION_ON_	0
			ORBIT_ANGLE_TYPE_E	
			RR	
ERR	Error occured during call to	No calculation performed	XL_CFI_POSITION_ON_	1
	xl_change_cart_cs		ORBIT_CHANGE_CART	
			CS ERR	
ERR	Error occured during call to	No calculation performed	XL_CFI_POSITION_ON_	2
	XL True Lat		ORBIT TRUE LAT ERR	
ERR	Position and velocity are	No calculation performed	XL_CFI_POSITION_ON_	3
	parallel		ORBIT PARALLEL POS	
			VEL ĒRR	
ERR	Orbit is equatorial	No calculation performed	XL_CFI_POSITION_ON_	<u>4</u>
	_		ORBIT_EQUATORIAL_O	
			RBIT_ERR	





7.44xl_get_rotation_angles

7.44.10verview

The xl_get_rotation_angles CFI function calculates the rotation angles between two sets of orthonormal right-handed unit vectors expressed wrt an identical coordinate frame.

7.44.2Calling interface

The calling interface of the **xl_get_rotation_angles** CFI function is the following (input parameters are <u>underlined</u>):

The XL NUM ERR GET ROTATION ANGLES constant is defined in the file explorer_lib.h.

7.44.3Input parameters

The xl_get_rotation_angles CFI function has the following input parameters:

Table 151: Input parameters of xl_get_rotation_angles function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xs_initial[3]	double	all	Unitary direction vector	-	-
			along the X-axes of the initial		
			attitude frame		
			(Coordinate System)		
ys_initial[3]	double	all	Unitary direction vector	-	-
			along the Y-axes of the initial		
			attitude frame		
			(Coordinate System)		
zs_initial[3]	double	all	Unitary direction vector	-	-
			along the Z-axes of the initial		
			attitude frame		





			(Coordinate System)	
xs_final[3]	double	all	Unitary direction vector -	-
			along the X-axes of the final	
			attitude frame	
			(Coordinate System)	
ys_final[3]	double	all	Unitary direction vector -	-
			along the Y-axes of the final	
			attitude frame	
			(Coordinate System)	
zs_final[3]	double	all	Unitary direction vector -	-
			along the Z-axes of the final	
			attitude frame	
			(Coordinate System)	

7.44.4Output parameters

The output parameters of the **xl_get_rotation_angles** CFI function are:

Table 152: Output parameters of xl_get_rotation_angles function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
ang[3]	double	[0]	Pitch angle between initial	deg	[-180,180)
			and final Attitude Frames		
		[1]	Roll angle between initial	deg	[-180,180)
			and final Attitude Frames		
		[2]	Yaw angle between initial	deg	[-180,180)
			and final Attitude Frames		
ierr	long	_	Error vector	_	-

7.44.5Warnings and errors

Next table lists the possible error messages that can be returned by the xl_get_rotation_angles CFI function after translating the returned extended status flag into the equivalent list of error messages by calling the function of the EO LIB software library xl get msg (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the extended status flag returned by the **xl_get_rotation_angles** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM])

Table 153: Error messages of xl_get_rotation_angles function

Error	Error message	Cause and impact	Error code	Error
type				No
	orthogonal	The CFI performs a check,	XL_CFI_GET_ROTATIO N_ANGLES_NO_ORTH OGONAL_ERR	0





ERR	Error occured during call to	No calculation performed	XL CFI GET ROTATIO	1
	function XL CS Rotation		N ĀNGĪES ĒS ROTAT	
			ION_ERR	





7.45xl_get_rotated_vectors

7.45.10verview

The **xl_get_rotated_vectors** CFI function calculates the rotated unit vectors given a set of unit vectors and the rotation angles expressed wrt an identical coordinate frame.

7.45.2Calling interface

The calling interface of the **xl_get_rotated_vectors** CFI function is the following (input parameters are <u>underlined</u>):

The XL NUM ERR GET ROTATED VECTORS constant is defined in the file explorer_lib.h.

7.45.3Input parameters

The xl_get_rotated_vectors CFI function has the following input parameters:

Table 154: Input parameters of xl_get_rotated_vectors function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xs_initial[3]	double	all	Unitary direction vector	-	-
			along the X-axes of the initial		
			attitude frame		
			(Coordinate System)		
ys_initial[3]	double	all	Unitary direction vector	-	-
			along the Y-axes of the initial		
			attitude frame		
			(Coordinate System)		
zs_initial[3]	double	all	Unitary direction vector	-	-
			along the Z-axes of the initial		
			attitude frame		
			(Coordinate System)		





ang[3] double		[0]	Pitch angle between initial and final Attitude Frames	deg	[-180,180)
		[1]	Roll angle between initial and final Attitude Frames	deg	[-180,180)
		[2]	Yaw angle between initial and final Attitude Frames	deg	[-180,180)

7.45.4Output parameters

The output parameters of the xl_get_rotated_vectors CFI function are:

Table 155: Output parameters of xl_get_rotated_vectors function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xs_final[3]	double	all	Unitary direction vector	-	-
			along the X-axes of the		
			rotated attitude frame		
			(Coordinate System)		
ys_final[3]	double	all	Unitary direction vector	-	-
			along the Y-axes of the		
			rotated attitude frame		
			(Coordinate System)		
zs_final[3]	double	all	Unitary direction vector	-	-
			along the Z-axes of the		
			rotated attitude frame		
			(Coordinate System)		
ierr	long	-	Error vector	-	-

7.45.5Warnings and errors

Next table lists the possible error messages that can be returned by the xl_get_rotated_vectorsCFI function after translating the returned extended status flag into the equivalent list of error messages by calling the function of the EO LIB software library xl_get_msg (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the extended status flag returned by the **xl_get_rotated_vectors** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM]).

Table 156: Error messages of xl_get_rotated_vectors function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	orthogonal	No calculation performed. The CFI performs a check, with a tolerance of 10 ⁻⁶ , that the internal product of the input vectors is zero.	XL_CFI_GET_ROTATED_ VECTORS_NO_ORTHO GONAL_ERR	1
ERR	Error occurred during call to	No calculation performed	XL CFI GET ROTATED	2





Page: 199

function XL_Rotate_CS	_VECTORS_ROTATE_C	
	S_ERR	





7.46xl_quaternions_to_vectors

7.46.10verview

The xl_quaternions_to_vectors CFI function calculates the orthonormal unit vectors from a given set of quaternions.

7.46.2Calling interface

The calling interface of the **xl_quaternions_to_vectors** CFI function is the following (input parameters are <u>underlined</u>):

The XL_NUM_ERR_QUATERNIONS_TO_VECTORS constant is defined in the file explorer_lib.h.

7.46.3Input parameters

The xl_quaternions_to_vectors CFI function has the following input parameters:

Table 157: Input parameters of xl_quaternions_to_vectors function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
quaternions	double[4]	-	Quaternions	-	-

7.46.4Output parameters

The output parameters of the xl quaternions to vectors CFI function are:

Table 158: Output parameters of xl_quaternions_to_vectors function

C name	C type	Array	Description	Unit	Allowed Range





		Element	(Reference)	(Format)	
ux_vec[3]	double	all	Unitary direction vector	-	-
			along the X-axes of the		
			coordinate or attitude frame		
uy_vec[3]	double	all	Unitary direction vector	-	-
			along the Y-axes of the		
			coordinate or attitude frame		
uz_vec[3]	double	all	Unitary direction vector	-	-
			along the Z-axes of the		
			rcoordinate or attitude frame		
ierr	long	-	Error vector	-	-

7.46.5Warnings and errors

Next table lists the possible error messages that can be returned by the **xl_quaternions_to_vectors**CFI function after translating the returned extended status flag into the equivalent list of error messages by calling the function of the EO_LIB software library **xl_get_msg** (see [GEN_SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the extended status flag returned by the **xl_quaternions_to_vectors** function by calling the function of the EO LIB software library **xl get code** (see [GEN SUM]).

Table 159: Error messages of xl_quaternions_to_vectors function

Error	Error message	Cause and impact	Error code	Error
type				No
	Wrong input quaternion. The module is different from 1	No calculation performed	XL_CFI_QUATERNIONS_T O_VEC_WRONG_INPUT_E RR	0





7.47xl_vectors_to_quaternions

7.47.10verview

The xl_vectors_to_quaternions CFI function calculates the set of quaternions that correspond to a set of orthonormal unit vectors.

7.47.2Calling interface

The calling interface of the **xl_vectors_to_quaternions** CFI function is the following (input parameters are <u>underlined</u>):

The XL NUM ERR VECTORS TO QUATERNIONS constant is defined in the file explorer lib.h.

7.47.3Input parameters

The xl vectors to quaternions CFI function has the following input parameters:

Table 160: Input parameters of xl_vectors_to_quaternions function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
ux_vec[3]	double	all	Unitary direction vector	-	-
			along the X-axes of the		
			coordinate or attitude frame		
uy_vec[3]	double	all	Unitary direction vector	-	-
			along the Y-axes of the		
			coordinate or attitude frame		
uz_vec[3]	double	all	Unitary direction vector	-	-
			along the Z-axes of the		
			coordinate or attitude frame		





7.47.40utput parameters

The output parameters of the xl_vectors_to_quaternions CFI function are:

Table 161: Output parameters of xl_vectors_to_quaternions function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
quaternions	double[4]	-	Quaternions	_	-
ierr	long	-	Error vector	-	-

7.47.5Warnings and errors

Next table lists the possible error messages that can be returned by the **xl_vectors_to_quaternions** CFI function after translating the returned extended status flag into the equivalent list of error messages by calling the function of the EO_LIB software library **xl_get_msg** (see [GEN_SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the extended status flag returned by the **xl_vectors_to_quaternions** function by calling the function of the EO LIB software library **xl get code** (see [GEN SUM]).

Table 162: Error messages of xl_vectors_to_quaternions function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Wrong input vectors.	No calculation performed	XL_CFI_VEC_TO_QUATER NIONS_WRONG_INPUT_E RR	0
ERR	orthonormal	No calculation performed. The CFI performs a check, with a tolerance of 10 ⁻⁶ , that the internal product of the input vectors is zero.	XL_CFI_VEC_TO_QUATER NIONS_ORTHONORMAL_E RR	1





7.48xl_default_sat_init

7.48.10verview

The xl_default_sat_init CFI function initializes a default satellite from a satellite configuration file (see [D_H_SUM]). This operation is needed whenever a default satellite is to be used for the first time, otherwise the satellite will not be recognized.

When the satellite is initialized, the function returns the satellite identifier (the sat_id). The sat_id cannot be chosen by the user, as the program will give the first available satellite if there is any. In order that a sat_id number can be used again for another initialization, it has to be freed by calling to the CFI function **xl default sat close**.

Important note: Some parameters in the configuration file should be within the following ranges:

- nominal semimajor axis (a) >0
- nominal inclination (i): 0 deg < i < 180 deg
- nominal eccentricity (e): 10-6 deg < e < 1

7.48.2Calling interface

The calling interface xl_default_sat_init function is the following (input parameters are <u>underlined</u>):

```
#include <explorer_lib.h>
{
    long sat_id;
    char *conf_file;
    long ierr[XL_NUM_ERR_DEFAULT_SAT_INIT];
    long status;

    status = xl_default_sat_init(&sat_id, conf_file, ierr);
}
```

7.48.3Input parameters

The xl_default_sat_init function has the following input parameters:

Table 163: Input parameters of xl_default_sat_init function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
conf_file	char*	_	Path and name for the Satellite	-	-
			Configuration File (see		
			[D_H_SUM] for further details		
			about the configuration file).		





7.48.40utput parameters

The output parameters of the xl default sat init function are:

Table 164: Output parameters of xl_default_sat_init function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
sat_id	long*		Satellite ID The value is asigned automatically if there is an available satellite.		From XL_SAT_DEFA ULT to XL_SAT_DEFA ULT9
ierr	long*	all	Error status flags	-	

It is possible to use enumeration values rather than integer values for some of the input arguments:

Satellite ID: sat_id. See [GEN_SUM].

7.48.5Warnings and errors

Next table lists the possible error messages that can be returned by the xl_default_sat_init CFI function after translating the returned extended status flag into the equivalent list of error messages by calling the function of the EO LIB software library xl_get_msg (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the extended status flag returned by the **xl_default_sat_init** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM]).

Table 165: Error messages of xl_default_sat_init function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Default satellite ID is not	The satellite identification	XL_CFI_DEFAULT_SAT_INI	0
	correct	number does not belong to a	T_SAT_ERR	
		default satellite.		
		No computation performed		
ERR			XL_CFI_DEFAULT_SAT_INI	1
	configuration file	No computation performed	T_READ_FILE_ERR	





7.49xl_default_sat_close

7.49.10verview

The xl_default_sat_close CFI function frees a default satellite id. that was initialized with xl_default_sat_init, so that it can be used again.

7.49.2Calling interface

The calling interface x1 default sat close function is the following (input parameters are <u>underlined</u>):

```
#include <explorer_lib.h>
{
        long sat_id;
        xl_default_sat_close(&sat_id);
}
```

7.49.3Input parameters

The xl_default_sat_close function has the following input parameters:

Table 166: Input parameters of xl_default_sat_close function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
sat_id	long*	_	Satellite ID to free.	-	From XL_SAT_DEFAULT
					to XL_SAT_DEFAULT9

7.49.4Output parameters

This function does not return any value nor parameters.

7.49.5Warnings and errors

No warning nor errors are returned





7.50xl_set_tle_sat_data

7.50.10verview

The xl_set_tle_sat_data CFI function changes the NORAD default SATCAT data associated to a given predefined satellite ID (the correspondence between satellite IDs and default SATCAT data is given in table 224 from the section 9.17 in [D H SUM]).

This function has to be called before reading and write files that are not compliant with such default values.

This function modifies static variables within the library itself, therefore it is not thread-safe. It is recommended to call this function before any other call to EOCFI functions and before any thread is started.

7.50.2Calling interface

The calling interface xl_set_tle_sat_data function is the following (input parameters are <u>underlined</u>):

7.50.3Input parameters

The xl_set_tle_sat_data function has the following input parameters:

Table 167: Input parameters of xl_set_tle_sat_data function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
sat_id	long*	-	Satellite ID		Any predefined satellite shown in Error: Reference source not found

7.50.40utput parameters

This function returns the status of the execution:

- 0 if the execution was correct
- -1 if an error occurred. This only could happen if the input sat id was incorrect.





7.50.5Warnings and errors

No warning nor errors are returned





7.51xl_model_init

7.51.1 Overview

The **xl_model_init** CFI function initialises the model id with the requested models. There are two ways to initialise the model id:

- Selecting a set of models via an enumeration value.
- Selecting a specific model for every model types.

Note that the model_id can be used if it has not been initilalised. In that case, the default CFI models are used.

The following table shows the possible models for every model type:

Table 168: Possible models for every model type

Model type	Models
Earth model	XL_MODEL_EARTH_DEFAULT
(XL_MODEL_TYPE_EARTH)	
Sun model	XL_MODEL_SUN_DEFAULT
(XL_MODEL_TYPE_SUN)	XL_MODEL_SUN_TRAVEL_TIME
Moon model	XL MODEL MOON DEFAULT
(XL_MODEL_TYPE_MOON)	
Planet model	XL_MODEL_PLANET_DEFAULT
(XL_MODEL_TYPE_PLANET)	
Star model	XL_MODEL_STAR_DEFAULT
(XL_MODEL_TYPE_STAR)	
Nutation model	XL_MODEL_NUTATION_DEFAULT
(XL_MODEL_TYPE_NUTATION)	
Precession model	XL_MODEL_PRECESSION_DEFAULT
(XL_MODEL_TYPE_PRECESSION)	
Constants model	XL_MODEL_CONSTANTS_DEFAULT
(XL_MODEL_TYPE_CONSTANTS)	
Light propagation model	XL_MODEL_LIGHT_PROPAGATION_DISABLED
(XL_MODEL_TYPE_LIGHT_PROPAGA	XL_MODEL_LIGHT_PROPAGATION_RECEIVER
TION)	XL_MODEL_LIGHT_PROPAGATION_TRANSMITTER

Table 169: Model sets

Model set	Selected Models
XL_MODEL_DEFAULT	XL_MODEL_EARTH_DEFAULT,
	XL_MODEL_SUN_DEFAULT,
	XL_MODEL_MOON_DEFAULT,
	XL_MODEL_PLANET_DEFAULT,
	XL_MODEL_STAR_DEFAULT,
	XL_MODEL_NUTATION_DEFAULT,
	XL_MODEL_PRECESSION_DEFAULT,
	XL_MODEL_CONSTANTS_DEFAULT,
	XL_MODEL_LIGHT_PROPAGATION_DISABLED
XL_MODEL_CONFIG	The models are chosen by the user with the models
	from Table 168





In order to simplify the initialisation, it is possible to select a set of models to be used.

Note 1: if XL_MODEL_SUN_TRAVEL_TIME is selected as Sun model, a compensation for the time needed for the light to travel from the Sun to the satellite is applied in the computations done by functions in the Pointing library related to Sun position with respect to the satellite.

Note 2: When the light propagation model is enabled, the target functions in the Pointing library keep into account the time spent by a generic signal travelling at the speed of light to go from the satellite to the target or vice versa.

7.51.2Calling interface

The calling interface of the xl_model_init CFI function is the following (input parameters are <u>underlined</u>):

The XL_NUM_MODEL_TYPES_ENUM and XL_NUM_ERR_MODEL_INIT constant is defined in the file $explorer_lib.h.$

7.51.3Input parameters

The **xl_model_init** CFI function has the following input parameters:

Table 170: Input parameters of xl_model_init function

C name	C type	Array	Description	Unit	Allowed
		Element	(Reference)	(Format)	Range
mode	long	-	model set (according to Table 169)	_	-
models	long[]	all	These models are used in case of setting the	_	-
			mode parameter to XL_MODEL_CONFIG.		
			The models are defined in Table 168		
		0	Earth model	-	-
		1	Sun model		
		2	Moon model		
		3	Planet model		





4	Star model	
5	Nutation model	
6	Precession model	
7	Constants model	

7.51.4Output parameters

The output parameters of the xl model init CFI function are:

Table 171: Output parameters of xl_model_init function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_model_init	long	_	Status flag	-	-
model_id	xl_model_id	-	Model ID	-	-
ierr	long*	all	Error array	-	-

7.51.5Warnings and errors

Next table lists the possible error messages that can be returned by the **xl_model_init** CFI function after translating the returned extended status flag into the equivalent list of error messages by calling the function of the EO LIB software library **xl_get_msg** (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the extended status flag returned by the **xl_model_init** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM]).

Table 172: Error messages of xl_model_init function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Model ID is already initialised	No calculation performed	XL_CFI_MODEL_INIT_STA TUS_ERR	0
ERR	Memory allocation error	No calculation performed	XL_CFI_MODEL_INIT_ME MORY_ERR	1
	Wrong enumeration value for %s model	No calculation performed	XL_CFI_MODEL_INIT_WR ONG_MODEL_ERR	2





7.52xl_model_close

7.52.10verview

The **xl_model_close** CFI function cleans up any memory allocation performed by the initialization functions.

A complete calling sequence of the time reference computations is presented in section 4.2.

7.52.2Calling interface

The calling interface of the **xl_model_close** CFI function is the following:

```
#include <explorer_lib.h>
{
     xl_model_id model_id = {NULL};
     long ierr[XL_NUM_ERR_MODEL_CLOSE], status;
     status = xl_model_close (&model_id, ierr);
}
```

7.52.3Input parameters

The **xl model close** CFI function has the following input parameters:

Table 173: Input parameters of xl_model_close function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
model_id	xl_model_id*	-	Structure that	-	-
			contains the time		
			correlations.		

7.52.4Output parameters

The output parameters of the xl model close CFI function are:

Table 174: Output parameters of xl_model_close function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_model_close	long	_	Status flag	-	-
ierr	long	-	Error vector	-	-

7.52.5Warnings and errors

Next table lists the possible error messages that can be returned by the xl_model_close CFI function after





translating the returned extended status flag into the equivalent list of error messages by calling the function of the EO_LIB software library **xl_get_msg** (see [GEN_SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the extended status flag returned by the **xl_model_close** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM]).

Table 175: Error messages of xl_model_close function

Error	Error message	Cause and impact	Error code	Error
type				No
	The Model Id is not initialized or it could be in use by another Id.	•	XL_CFI_MODEL_CLOSE_ WRONG_ID_ERR	0





7.53xl_model_get_data

7.53.10verview

The xl_model_get_data CFI function returns a data structure contining the data used for the time initialisation.

7.53.2Calling interface

The calling interface of the xl_model_get_data CFI function is the following:

```
#include <explorer_lib.h>
{
      xl_model_id model_id;
      xl_model_id_data data;
      long status;
      status = xl_model_get_data (&model_id, &data);
}
```

7.53.3Input parameters

The xl_time_get_id_data CFI function has the following input parameters:

Table 176: Input parameters of xl_model_get data function

C name	C type	Array Element	Description (Reference)	Unit (Format)	Allowed Range
model_id	xl_model_id*		Structure that contains	-	-
_			the model information.		

7.53.4Output parameters

The output parameters of the xl_model_get_data CFI function are:

Table 177: Output parameters of xl_model_get data function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
xl_model_get_data	long	_	Status flag	_	-
data	xl_model_data	-	Model ID data	-	-

The data structure xl model data can be seen in Table 8.





7.53.5Warnings and errors

This function does not return any error/warning code. Only the status of the function indicates if the execution was correct or not.

The possible causes of error are:

• The model id was not initialised.





7.54 xl_geoid_calc

7.54.10verview

The xl_geoid_calc CFI function computes the geoid undulation, that is, the height of the geoid over the ellipsoid.

The geoid is computed at a given longitude and latitude according to the input model (default is EGM96 model). EGM96 is a geopotential model of the Earth consisting of spherical harmonic coefficients complete to degree and order 360. The nof_harmonics field in the input structure has to be set to the number of harmonics to be used in the computation (360 or less). The utc_time in the input structure is currently not used in the computation.

7.54.2Calling interface

The calling interface of the xl geoid calc CFI function is the following:

7.54.3Input parameters

The xl_geoid_calc CFI function has the following input parameters:

Table 178: Input parameters of xl_geoid_calc function

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
geoid_calc_inputs	xl_geoid_calc_inputs*	-	Structure that	-	-
			contains the		
			inputs needed for		
			the computation.		

7.54.4Output parameters

The output parameters of the xl_geoid_calc CFI function are:

Table 179: Output parameters of xl_geoid_calc function





		Element	(Reference)	(Format)	
geoid_calc_outputs	xl_geoid_calc_inputs*	-	Structure that	-	-
			contains the		
			outputs of the		
			computation,		
ierr	long	-	Error vector	-	-

7.54.5Warnings and errors

Next table lists the possible error messages that can be returned by the xl_geoid_calc CFI function after translating the returned extended status flag into the equivalent list of error messages by calling the function of the EO LIB software library xl get msg (see [GEN SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the extended status flag returned by the **xl_geoid_calc** function by calling the function of the EO_LIB software library **xl_get_code** (see [GEN_SUM]).

Table 180: Error messages of xl_geoid_calc function

Error	Error message	Cause and impact	Error code	Error
type				No
ERR	Wrong number of harmonics:		XL_CFI_GEOID_CALC_WR	0
	%ld	must be a number between 0	ONG_NUM_HARMONICS_E	
		and 360.	RR	
		No calculation performed		
ERR	Latitude (%lf) outside interval	No calculation performed	XL_CFI_GEOID_CALC_WR	1
	[-90.,90.]		ONG_LAT_ERR	
ERR	Longitude (%lf) outside	No calculation performed	XL_CFI_GEOID_CALC_WR	2
	interval [0.,360.)		ONG_LON_ERR	
ERR	Error computing the undulation	No calculation performed	XL_CFI_GEOID_CALC_UN	3
	from coefficients model		DU_ERR	





7.55 xl_quaternions_interpol

7.55.10verview

The **xl_quaternions_interpol** CFI function performs, given 2 input quaternions, an interpolation for the requested time, obtaining the interpolated quaternion as output.

Notes:

- 1) the algorithm to be used for interpolation is given as input in xl quaternions interpol cfg structure.
- 2) currently the supported algorithms are:
 - Slerp (see details: http://en.wikipedia.org/wiki/Slerp)
- 3) If the requested time is out of the interval defined by the input quaternions, then extrapolation is used and a warning is raised. The extrapolation degrades with the distance to the interval defined by input quaternions. In the following table the degradation for some time distances are shown:

Time out of interval	Error in rotation angles [deg]	Error in rotation angles [deg]		
[seconds]	(Quaternion time step 1 second)	(Quaternion time step 10 seconds)		
1	0.00005	0.00005		
10	0.0003	0.0005		
100	0.06	0.07		
500 0.96		0.95		
1000	2.3	2.3		

7.55.2Calling interface

The calling interface of the xl quaternions interpol CFI function is the following:

```
#include <explorer_lib.h>
{
    long ierr[XL_NUM_ERR_QUATERNIONS_INTERPOL], status;
    xl_quaternions_interpol_cfg quaternions_interpol_cfg;
    double q1[4], q2[4], q_out[4];
    double time_1, time_2, time_out;

status = xl_quaternions_interpol(&quaternions_interpol_cfg, &time_1, q1, &time_2, q2, &time_out, q_out, ierr);
}
```

7.55.3Input parameters

The **xl** quaternions interpol CFI function has the following input parameters:





Table 181: Input parameters of xl_quaternions_interpol

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
quaternions_interpol_cfg	vl quaternions	ī	Structure that	-	-
	nterpol cfg *		contains the		
	intorpoi_oig		inputs needed for		
			the computation.		
time_1	double *	-	Time for	-	
	uoubio		quaternion q1.		
q1	double *		First quaternion	-	
9.	acabic		(for time_1). An		
			array of size 4		
			must be passed.		
time_2	double *	-	Time for	-	
			quaternion q2.		
q2	double *		Second	-	
92	double		quaternion (for		
			time_2). An array		
			of size 4 must be		
			passed.		
time out	double *	-	Time	-	t1 <= t <= t2
	double		interpolation		
			parameter.		

7.55.40utput parameters

The output parameters of the xl quaternions interpol CFI function are:

Table 182: Output parameters of xl_quaternions_interpol

C name	C type	Array	Description	Unit	Allowed Range
		Element	(Reference)	(Format)	
q_out	double *		Interpolated quaternion. An	-	-
			array of size 4		
			must be passed.		
ierr	long	-	Error vector	_	-

7.55.5Warnings and errors

Next table lists the possible error messages that can be returned by the **xl_quaternions_interpol** CFI function after translating the returned extended status flag into the equivalent list of error messages by calling the function of the EO_LIB software library **xl_get_msg** (see [GEN_SUM]).

This table also indicates the type of message returned, i.e. either a warning (WARN) or an error (ERR), the cause of such a message and the impact on the performed calculation.

The table is completed by the error code and value. These error codes can be obtained translating the extended status flag returned by the **xl_quaternions_interpol** function by calling the function of the EO LIB software library **xl get code** (see [GEN SUM]).





Table 183: Error messages of xl_quaternions_interpol function

Error	Error message	Cause and impact	Error code	Error
type				No
WARN	Time interpolation parameter out of quaternions range. Extrapolation will be used.	Calculation performed	XL_CFI_QUATERNIONS_INT ERPOL_INPUT_TIME_OUT_ WARN	- 0
ERR	Wrong algorithm. Only XL_INTERPOL_SLERP allowed.	No calculation performed	XL_CFI_QUATERNIONS_INT ERPOL_WRONG_INPUT_AL GORITHM_ERR	





8 CFI EXECUTABLE PROGRAMS

The following sections describe executables programs based on the CFI functions.

8.1 time_conv

This program makes time conversions between different formats and time references. It is call in the following way:

```
[-ref in] input time ref
time conv
                [-ref out] output time ref
                 -fmt in input format
                 -fmt out output format
                 {-day j200 date (days)|
                 (-t1 tranport 1 [-t2 transport 2] [-t3 transport 3] [-t4 transport 4]) |
                 -date string date (date)}
                [-v]
                \begin{bmatrix} -xd & v \end{bmatrix}
                [-xl_v]
                 [-help]
                [-show]
                [{ (-tai TAI time -gps GPS time -utc UTC time -ut1 UT1 time) |
                  (-tmod time model -tfile time file -trid time reference
                    {(-tm0 time0 -tm1 time1) | (-orb0 orbit0 -orb1 orbit1) } ) }]
```

Note that:

- Order of parameters does not matter.
- Bracketed parameters are not mandatory.
- Options between curly brackets and separated by a vertical bar are mutually exclusive.
- [-xd_v] option for EO DATA HANDLING Verbose mode.
- [-xl v] option for EO LIB Verbose mode.
- [-v] option for Verbose mode for all libraries (default is Silent).
- [-show] displays the inputs of the function and the results.
- Possible values for time_model: USER, NONE, IERS_B_PREDICTED, IERS_B_RESTITUTED, FOS_PREDICTED, FOS_RESTITUTED, DORIS_PRELIMINARY, DORIS_PRECISE, DORIS_NAVIGATOR.
- Possible values for time ref and time reference: TAI, UTC, UT1, GPS.





- Possible values for input format and output format:
 - Julian days: PROC
 - Transport format: TRANS_STD, TRANS_ENVI_GS, TRANS_CRYO_GS, TRANS_CRYO_TM, TRANS_CRYO_TM_SIRAL, SMOS_TM
 - date string: ASCII_STD, ASCII_STD_REF, ASCII_STD_MICROSEC,
 ASCII_STD_REF_MICROSEC, ASCII_COMPACT, ASCII_COMPACT_REF,
 ASCII_COMPACT_MICROSEC, ASCII_COMPACT_REF_MICROSEC, ASCII_ENVI,
 ASCII_ENVI_REF, ASCII_ENVI_MICROSEC, ASCII_ENVI_REF_MICROSEC,
 ASCII_CCSDSA, ASCII_CCSDSA_REF, ASCII_CCSDSA_MICROSEC,
 ASCII_CCSDSA_REF_MICROSEC, ASCII_CCSDSA_COMPACT,
 ASCII_CCSDSA_COMPACT_REF, ASCII_CCSDSA_COMPACT_MICROSEC,
 ASCII_CCSDSA_COMPACT_REF_MICROSEC
- The last three lines of parameters are used for initialising the time correlations. Note that only one set of parameters should be introduced
 - TAI, GPS, UTC and UT1 input times (as in x1_time_ref_init)
 - A file with time reference data, the time mode, the time reference name and a time range (as in x1 time ref init file)
- In a time conversion, if the time reference is not to be changed, the values for "-ref_in", "-ref_out" and the parameters for the time initialization are not needed. Note that the time reference will be always requested if the input/output format contains the reference in the date.

Examples:





9 RUNTIME PERFORMANCES

The library performance has been measured by dedicated test procedures run in 5 different platforms under the below specified machines:

OS ID	Processor	OS	RAM
LINUX64	Intel(R) Xeon(R) CPU E5- 2609 v4 @ 1.70GHz (8 cores)	GNU LINUX 4.10.0-42-generic (Ubuntu 17.04)	64 GB
LINUX64_LEGACY	Intel(R) Xeon(R) CPU E5- 2470 0 @ 2.30GHz (16 cores)	GNU LINUX 2.6.24-16-generic (Ubuntu 10.10)	16 GB
MACIN64	Intel Core i7 4 cores @2,6 GHz	MACOSX 10.12	16 GB
WINDOWS64	Intel(R) Xeon(R)CPU ES- 2630 @ 2.40GHz 2.40GHz	Microsoft Windows 7	16 GB

The table below shows the time (in miliseconds - ms) each function takes to be run under each platform:

Function ID	WINDOWS64	LINUX64	LINUX64	MACIN64
			LEGACY	
xl_time_ref_init_file * File read: BULLETIN B 169. 874 records read. Depends on file reading				
implemented in explorer_data_handling.	3.350000	1.700000	2.100000	1.100000
xl_time_ref_init	0.002544	0.000330	0.000270	0.000440
xl_change_cart_cs	0.004722	0.002390	0.003590	0.001300
xl_cart_to_geod (mode = XL_CALC_POS_VEL)	0.003189	0.001930	0.001530	0.001140
xl_cart_to_geod (mode = XL_CALC_NO_ITER_POS)	0.001812	0.000750	0.000460	0.000380
xl_geod_to_cart	0.001708	0.001160	0.000380	0.000360
xl_cart_to_kepl	0.002054	0.000870	0.000770	0.000540
xl_kepl_to_cart	0.002081	0.001000	0.000780	0.000550
xl_geod_distance	0.011900	0.008000	0.008000	0.005000
x1_sun	0.011400	0.008000	0.014000	0.005000
xl_moon	0.011800	0.011000	0.022000	0.005000
xl planet	0.012300	0.009000	0.016000	0.006000





Page: 224

xl_star_radec	0.010200	0.008000	0.012000	0.004000
xl_time_transport_to_ascii	0.003193	0.001890	0.001900	0.001260
xl_time_transport_to_transport	0.000197	0.000150	0.000160	0.000090
xl_time_transport_to_processing	0.000193	0.000150	0.000140	0.000100
xl_time_processing_to_ascii	0.003204	0.001880	0.001900	0.001290
xl_time_processing_to_transport	0.000190	0.000160	0.000170	0.000080
xl_time_processing_to_cuc	0.000000	0.000000	0.000000	0.000000
xl_time_cuc_to_processing	0.000000	0.000000	0.000000	0.000000
xl_time_processing_to_processing	0.000188	0.000160	0.000170	0.000080
xl_time_ascii_to_ascii	0.005197	0.003100	0.003430	0.002150
xl_time_ascii_to_transport	0.002359	0.001320	0.001520	0.000880
xl time ascii to processing	0.004703	0.002620	0.003030	0.001770
xl_time_get_leap_second_info	0.004737	0.002660	0.003050	0.001790
xl_time_init_status	0.000006	0.000000	0.000000	0.000000
xl_time_get_sat_id	0.000004	0.000004	0.000004	0.000003
xl_time_get_mode	0.000004	0.000004	0.000003	0.000003
xl_time_get_id	0.000175	0.000110	0.000090	0.000130
xl time set id	0.000167	0.000100	0.000100	0.000140
xl_time_add	0.000029	0.000030	0.000020	0.000020
xl_time_diff	0.000037	0.000040	0.000030	0.000020
xl_time_obt_to_time	0.000079	0.000050	0.000050	0.000030
xl_time_time_to_obt	0.000078	0.000080	0.000060	0.000040
xl_get_rotation_angles	0.000712	0.000430	0.000420	0.000230
xl get rotated vectors	0.000536	0.000880	0.000820	0.000190
xl_position_on_orbit	0.004955	0.002460	0.004210	0.001480
xl_cart_to_radec	0.001771	0.000940	0.000870	0.000380
xl radec to cart	0.001714	0.000790	0.000720	0.000370
xl_euler_to_matrix	0.000160	0.000700	0.000650	0.000070
xl_matrix_to_euler	0.000206	0.000230	0.000240	0.000080
xl_star_catalog	0.036766	0.019750	0.028510	0.012660
xl_topocentric_to_ef	0.004800	0.002900	0.003300	0.001600
xl_ef_to_topocentric	0.004740	0.003100	0.003300	0.001600





xl_vectors_to_quaternions	0.000240	0.000200	0.000100	0.000100
xl_quaternions_to_vectors	0.000090	0.000000	0.000100	0.000000
xl_default_sat_init *				
called with xl_default_sat_close	0.000060	0.000100	0.000100	0.000100
xl_quaternions_interpol	0.000130	0.000100	0.000100	0.000100

Note that when the value "0.000000" is defined for a function in a certain platform, it means that its running time is lower than 1 nano-second and so it can be considered as "0".





10 LIBRARY PRECAUTIONS

The following precaution shall be taking into account when using EO_LIB library:

• When a message like:

<LIBRARY NAME>>>> ERROR in xl_function: Internal computation error # n
or

<LIBRARY NAME>>>> WARNING in xl_function: Internal computation warning # n appears, run the program in *verbose* mode for a complete description of warnings and errors and call for maintenance if necessary.