

LAPORAN JURNAL MODUL 7



Disusun Oleh :

Rengganis Tantri Pramudita (2311104065)

Kelas : SE0702

Dosen :

Yudha Islami Sulistya

PROGRAM STUDI SOFTWARE ENGINEERING

DIREKTORAT KAMPUS PURWOKERTO

TELKOM UNIVERSITY PURWOKERTO

2025

- Membuat Branch rengganis
- Menambahkan JSON DESERIALIZATION 1
- Membuat DataMahasiswa.cs

```

using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Text.Json;
using System.Threading.Tasks;

namespace modul7_kelompok7
{
    public class Address
    {
        public string streetAddress { get; set; }
        public string city { get; set; }
        public string state { get; set; }
    }

    public class Course
    {
        public string code { get; set; }
        public string name { get; set; }
    }

    public class DataMahasiswa2311104065
    {
        public string firstName { get; set; }
        public string lastName { get; set; }
        public string gender { get; set; }
        public int age { get; set; }
        public Address address { get; set; }
        public Course[] courses { get; set; }


        public void ReadJSON()
        {
            string jsonString = File.ReadAllText("jurnal7_1_2311104045.json");
            DataMahasiswa2311104065 mahasiswa =
            JsonSerializer.Deserialize<DataMahasiswa2311104065>(jsonString);

            Console.WriteLine($"Nama: {mahasiswa.firstName} {mahasiswa.lastName}");
            Console.WriteLine($"Gender: {mahasiswa.gender}");
            Console.WriteLine($"Age: {mahasiswa.age}");
            Console.WriteLine($"Address: {mahasiswa.address.streetAddress}, {mahasiswa.address.city},
{mahasiswa.address.state}");
            Console.WriteLine("Courses:");
            foreach (var course in mahasiswa.courses)
            {
                Console.WriteLine($"- {course.code}: {course.name}");
            }
        }
    }
}

```

```
}
```

- Commit ke branch rengganis



```
C:\Windows\system32\cmd.e X + v
C:\Users\user\source\repos\KPL_Rengganis-Tantri-Pramudita_2311104065_S1SE-07-02\07_Grammar-Based_Input_Processing_Parsing\modul7_kelomp7>git add .
C:\Users\user\source\repos\KPL_Rengganis-Tantri-Pramudita_2311104065_S1SE-07-02\07_Grammar-Based_Input_Processing_Parsing\modul7_kelomp7>git commit -m "menambahkan kelas DataMahasiswa2311104065"
[rengganis (root-commit) b3cbb6e] menambahkan kelas DataMahasiswa2311104065
30 files changed, 908 insertions(+)
create mode 100644 .vs/ProjectEvaluation/modul7_kelomp7.metadata.v9.bin
create mode 100644 .vs/ProjectEvaluation/modul7_kelomp7.projects.v9.bin
create mode 100644 .vs/ProjectEvaluation/modul7_kelomp7.strings.v9.bin
create mode 100644 .vs/modul7_kelomp7/DesignTimeBuild/.dtbcache.v2
create mode 100644 .vs/modul7_kelomp7/FileContentIndex/5910da78-70f2-4b96-9d53-0ff07aea3143.vsidx
create mode 100644 .vs/modul7_kelomp7/FileContentIndex/8bdc36c9-1b31-4c9f-8e3d-821a9bce6bb2.vsidx
create mode 100644 .vs/modul7_kelomp7/FileContentIndex/ae97dca7-ddd3-4e6d-a803-b9a2db9c873e.vsidx
create mode 100644 .vs/modul7_kelomp7/FileContentIndex/da3e842d-5123-4fef-b3be-34ce9308f2c3.vsidx
create mode 100644 .vs/modul7_kelomp7/FileContentIndex/e8ecc89a-860c-4a55-90b7-a813801e9595.vsidx
create mode 100644 .vs/modul7_kelomp7/v17/.fudcache.v2
create mode 100644 .vs/modul7_kelomp7/v17/.suo
create mode 100644 .vs/modul7_kelomp7/v17/DocumentLayout.backup.json
create mode 100644 .vs/modul7_kelomp7/v17/DocumentLayout.json
create mode 100644 modul7_kelomp7.sln
create mode 100644 modul7_kelomp7/.gitignore.txt
create mode 100644 modul7_kelomp7/DataMahasiswa2311104065.cs
create mode 100644 modul7_kelomp7/Program.cs
create mode 100644 modul7_kelomp7/bin/Debug/net8.0/jurnal7_1_2311104065.json
create mode 100644 modul7_kelomp7/modul7_kelomp7.csproj
create mode 100644 modul7_kelomp7/obj/Debug/net8.0/.NETCoreApp,Version=v8.0.AssemblyAttributes.cs
create mode 100644 modul7_kelomp7/obj/Debug/net8.0/modul7_kelomp7.AssemblyInfo.cs
create mode 100644 modul7_kelomp7/obj/Debug/net8.0/modul7_kelomp7.AssemblyInfoInputs.cache
create mode 100644 modul7_kelomp7/obj/Debug/net8.0/modul7_kelomp7.GeneratedMSBuildEditorConfig.editorconfig
create mode 100644 modul7_kelomp7/obj/Debug/net8.0/modul7_kelomp7.GlobalUsings.g.cs
create mode 100644 modul7_kelomp7/obj/Debug/net8.0/modul7_kelomp7.assets.cache
create mode 100644 modul7_kelomp7/obj/Debug/net8.0/modul7_kelomp7.csproj.nuget.dgspec.json
```

- Membuat Branch rengganis2
- Menambahkan JSON DESERIALIZATION 2

```
{
  "members": [
    {
      "firstName": "Ryan",
      "lastName": "Simamora",
      "gender": "Male",
      "age": 20,
      "nim": "2311104045"
    },
    {
      "firstName": "Rengganis",
      "lastName": "Pramudita",
      "gender": "Female",
      "age": 200,
      "nim": "2311104065"
    },
    {
      "firstName": "Muhammad Shafiq",
```

```

        "lastName": "Rasuna",
        "gender": "Male",
        "age": 20,
        "nim": "2311104043"
    },
    {
        "firstName": "Muhammad Ikhsan",
        "lastName": "Al-Hakim",
        "gender": "Male",
        "age": 20,
        "nim": "2311104064"
    },
    {
        "firstName": "Zaenarif",
        "lastName": "Ainurdin",
        "gender": "Male",
        "age": 20,
        "nim": "2311104049"
    }
]
}

```

- Membuat TeamMembers.cs

```

using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Text.Json;
using System.Threading.Tasks;

namespace modul7_kelompok7
{
    public class Member
    {
        public string firstName { get; set; }
        public string lastName { get; set; }
        public string gender { get; set; }
        public int age { get; set; }
        public string nim { get; set; }
    }

    public class TeamMembers2311104065
    {

```

```

public Member[] members { get; set; }

public void ReadJSON()
{
    string jsonString = File.ReadAllText("jurnal7_2_2311104065.json");
    TeamMembers2311104065 team =
    JsonSerializer.Deserialize<TeamMembers2311104065>(jsonString);

    Console.WriteLine("Team member list:");
    foreach (var member in team.members)
    {
        Console.WriteLine($"{member.nim} {member.firstName} {member.lastName} ({member.age}
{member.gender})");
    }
}
}
}

```

- Commit ke branch rengganis2

```

C:\Users\user\source\repos\KPL_Rengganis-Tantri-Pramudita_2311104065_S1SE-07-02\07_Grammar-Based_Input_Processing_Parsing\modul7_kelomp7>git add .

C:\Users\user\source\repos\KPL_Rengganis-Tantri-Pramudita_2311104065_S1SE-07-02\07_Grammar-Based_Input_Processing_Parsing\modul7_kelomp7>git commit -m "menambahkan kelas TeamMembers2311104065"
[rengganis2 9bf36bb] menambahkan kelas TeamMembers2311104065
18 files changed, 223 insertions(+), 17 deletions(-)
create mode 100644 .vs/modul7_kelompok7/FileContentIndex/0d729701-24e6-4c4c-93f8-8dc292d074ad.vsidx
rename .vs/modul7_kelompok7/FileContentIndex/{8bdc36c9-1b31-4c9f-8e3d-821a9bce6bb2.vsidx => 8a4e4e43-60ff-4969-9d19-9e8bc3894a6c.vsidx} (100%)
delete mode 100644 .vs/modul7_kelompok7/FileContentIndex/ae97dca7-ddd3-4e6d-a803-b9a2db9c873e.vsidx
create mode 100644 .vs/modul7_kelompok7/FileContentIndex/ce3ccd04-9d45-4053-a327-595f8d25a116.vsidx
delete mode 100644 .vs/modul7_kelompok7/FileContentIndex/e8ecc89a-860c-4a55-90b7-a813801e9595.vsidx
create mode 100644 modul7_kelompok7/TeamMembers2311104065.cs
create mode 100644 modul7_kelompok7/bin/Debug/net8.0/jurnal7_2_2311104065.json

C:\Users\user\source\repos\KPL_Rengganis-Tantri-Pramudita_2311104065_S1SE-07-02\07_Grammar-Based_Input_Processing_Parsing\modul7_kelomp7> git push -u origin rengganis2
Enumerating objects: 52, done.
Counting objects: 100% (52/52), done.
Delta compression using up to 12 threads
Compressing objects: 100% (25/25), done.
Writing objects: 100% (29/29), 19.60 KiB | 912.00 KiB/s, done.
Total 29 (delta 11), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (11/11), completed with 10 local objects.
remote:
remote: Create a pull request for 'rengganis2' on GitHub by visiting:
remote:   https://github.com/rengganistan/KPL_Rengganis-Tantri-Pramudita_2311104065_S1SE-07-02/pull/new/rengganis2
remote:
To https://github.com/rengganistan/KPL_Rengganis-Tantri-Pramudita_2311104065_S1SE-07-02.git
 * [new branch]   rengganis2 -> rengganis2
branch 'rengganis2' set up to track 'origin/rengganis2'.

```

- Membuat Branch rengganismain
- Menambahkan JSON DESERIALIZATION 3

```

{
  "glossary": {
    "title": "example glossary",
    "GlossDiv": {
      "title": "S",
      "GlossList": {
        "GlossEntry": {
          "ID": "SGML",
          "SortAs": "SGML",
          "GlossTerm": "Standard Generalized Markup Language",

```

```

        "Acronym": "SGML",
        "Abbrev": "ISO 8879:1986",
        "GlossDef": {
            "para": "A meta-markup language, used to create markup languages such as DocBook.",
            "GlossSeeAlso": [ "GML", "XML" ]
        },
        "GlossSee": "markup"
    }
}
}
}
}
}

```

- Menambhakan GlossyItem.cs

```

using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Text.Json;
using System.Threading.Tasks;

namespace modul7_kelompok7
{
    public class GlossDef
    {
        public string para { get; set; }
        public string[] GlossSeeAlso { get; set; }
    }

    public class GlossEntry
    {
        public string ID { get; set; }
        public string SortAs { get; set; }
        public string GlossTerm { get; set; }
        public string Acronym { get; set; }
        public string Abbrev { get; set; }
        public GlossDef GlossDef { get; set; }
        public string GlossSee { get; set; }
    }

    public class GlossList
    {
        public GlossEntry GlossEntry { get; set; }
    }

    public class GlossDiv
    {
        public string title { get; set; }
        public GlossList GlossList { get; set; }
    }

    public class Glossary
    {
        public string title { get; set; }
    }
}

```

```

        public GlossDiv GlossDiv { get; set; }
    }

    public class GlossaryItem2311104065
    {
        public Glossary glossary { get; set; }

        public void ReadJSON()
        {
            string jsonString = File.ReadAllText("jurnal7_3_2311104065.json");
            GlossaryItem2311104065 glossaryItem =
            JsonSerializer.Deserialize<GlossaryItem2311104065>(jsonString);

            var entry = glossaryItem.glossary.GlossDiv.GlossList.GlossEntry;

            Console.WriteLine("GlossEntry:");
            Console.WriteLine($"ID: {entry.ID}");
            Console.WriteLine($"SortAs: {entry.SortAs}");
            Console.WriteLine($"GlossTerm: {entry.GlossTerm}");
            Console.WriteLine($"Acronym: {entry.Acronym}");
            Console.WriteLine($"Abbrev: {entry.Abbrev}");
            Console.WriteLine($"Definition: {entry.GlossDef.para}");
            Console.WriteLine("See Also: " + string.Join(", ", entry.GlossDef.GlossSeeAlso));
            Console.WriteLine($"See: {entry.GlossSee}");
        }
    }
}

```

- Membuat Program.cs

```

using System;
using modul7_kelompok7;

class Program
{
    static void Main(string[] args)
    {
        Console.WriteLine("===== Deserialisasi Data Mahasiswa =====");
        var dataMahasiswa = new DataMahasiswa2311104065();
        dataMahasiswa.ReadJSON();

        Console.WriteLine("\n===== Deserialisasi Team Members =====");
        var teamMembers = new TeamMembers2311104065();
        teamMembers.ReadJSON();

        Console.WriteLine("\n===== Deserialisasi Glossary Item =====");
        var glossaryItem = new GlossaryItem2311104065();
        glossaryItem.ReadJSON();
        Console.ReadLine();
    }
}

```

- Commit ke branch rengganismain

```
C:\Windows\system32\cmd.exe
C:\Users\user\source\repos\KPL_Rengganis-Tantri-Pramudita_2311104065_S1SE-07-02\07_Grammar-Based_Input_Processing_Parsing\modul7_kelompok7>git add .
C:\Users\user\source\repos\KPL_Rengganis-Tantri-Pramudita_2311104065_S1SE-07-02\07_Grammar-Based_Input_Processing_Parsing\modul7_kelompok7>git commit -m "menambahkan GlossyItem2311104065"
[rengganismain 1fbef07] menambahkan GlossyItem2311104065
37 files changed, 335 insertions(+), 118 deletions(-)
delete mode 100644 .vs/modul7_kelompok7/FileContentIndex/0d729701-24e6-4c4c-93f8-8dc292d074ad.vsidx
create mode 100644 .vs/modul7_kelompok7/FileContentIndex/35436a43-bfec-4076-8737-38ac0fe3ef2b.vsidx
create mode 100644 .vs/modul7_kelompok7/FileContentIndex/544d2236-e0ed-4eda-bb79-9b9fcc8fa432.vsidx
delete mode 100644 .vs/modul7_kelompok7/FileContentIndex/5910da78-70f2-4b96-9d53-0ff07aea3143.vsidx
delete mode 100644 .vs/modul7_kelompok7/FileContentIndex/8a4e4e43-60ff-4969-9d19-9e8bc3894a6c.vsidx
create mode 100644 .vs/modul7_kelompok7/FileContentIndex/cd580bf7-2108-42a4-890f-36f9fa1527ec.vsidx
delete mode 100644 .vs/modul7_kelompok7/FileContentIndex/ce3ccd04-9d45-4053-a327-595f8d25a116.vsidx
create mode 100644 .vs/modul7_kelompok7/FileContentIndex/d8d68d25-1bd1-4cbf-9a60-c4e8fa583c6d.vsidx
create mode 100644 modul7_kelompok7/GlossaryItem2311104065.cs
create mode 100644 modul7_kelompok7/bin/Debug/net8.0/jurnal7_3_2311104065.json
create mode 100644 modul7_kelompok7/bin/Debug/net8.0/modul7_kelompok7.deps.json
create mode 100644 modul7_kelompok7/bin/Debug/net8.0/modul7_kelompok7.dll
create mode 100644 modul7_kelompok7/bin/Debug/net8.0/modul7_kelompok7.exe
create mode 100644 modul7_kelompok7/bin/Debug/net8.0/modul7_kelompok7.pdb
create mode 100644 modul7_kelompok7/bin/Debug/net8.0/modul7_kelompok7.runtimeconfig.json
create mode 100644 modul7_kelompok7/obj/Debug/net8.0/apphost.exe
create mode 100644 modul7_kelompok7/obj/Debug/net8.0/modul7_kelompok7.csproj.BuildWithSkipAnalyzers
create mode 100644 modul7_kelompok7/obj/Debug/net8.0/modul7_kelompok7.csproj.CoreCompileInputs.cache
create mode 100644 modul7_kelompok7/obj/Debug/net8.0/modul7_kelompok7.csproj.FileListAbsolute.txt
create mode 100644 modul7_kelompok7/obj/Debug/net8.0/modul7_kelompok7.dll
create mode 100644 modul7_kelompok7/obj/Debug/net8.0/modul7_kelompok7.genruntimeconfig.cache
create mode 100644 modul7_kelompok7/obj/Debug/net8.0/modul7_kelompok7.pdb
create mode 100644 modul7_kelompok7/obj/Debug/net8.0/modul7_kelompok7.sourcelink.json
create mode 100644 modul7_kelompok7/obj/Debug/net8.0/ref/modul7_kelompok7.dll
create mode 100644 modul7_kelompok7/obj/Debug/net8.0/refint/modul7_kelompok7.dll
```

- Hasil running

```
C:\Users\user\source\repos\K
===== Deserialisasi Data Mahasiswa =====
Nama: Rengganis Pramudita
Gender: female
Age: 20
Address: Soka Karangdowo, Klaten, Jawa Tengah
Courses:
- YIS: Konstruksi Perangkat Lunak
- AAH: Arsitektur dan Desain Perangkat Lunak
- MSA: Basis Data
- GFA: Interaksi Manusia Komputer
- RAD: Pemodelan Perangkat Lunak
- ADI: Proyek Tingkat II
- GFA: Rekayasa Kebutuhan Perangkat Lunak

===== Deserialisasi Team Members =====
Team member list:
2311104045 Ryan Simamora (20 Male)
2311104065 Rengganis Pramudita (200 Female)
2311104043 Muhammad Shafiq Rasuna (20 Male)
2311104064 Muhammad Ikhsan AL-Hakim (20 Male)
2311104049 Zaenarif Ainurdin (20 Male)

===== Deserialisasi Glossary Item =====
GlossEntry:
ID: SGML
SortAs: SGML
GlossTerm: Standard Generalized Markup Language
Acronym: SGML
Abbrev: ISO 8879:1986
Definition: A meta-markup language, used to create markup languages such as DocBook.
See Also: GML, XML
See: markup
```


- Melakukan pull request pada github

