

TUGAS PENDAHULUAN MODUL 7



Disusun Oleh :

Rengganis Tantri Pramudita (2311104065)

Kelas : SE0702

Dosen :

Yudha Islami Sulistya

PROGRAM STUDI SOFTWARE ENGINEERING

DIREKTORAT KAMPUS

PURWOKERTO TELKOM UNIVERSITY PURWOKERTO

2025

1. Membuat file tpmodul8-2311104065 dan menambahkan .gitignore
2. Menambahkan covidconfig.cs dan program.cs

- Covidconfig.cs

```
using System;
using System.IO;
using System.Text.Json;

public class CovidConfig
{
    public string satuan_suhu { get; set; }
    public int batas_hari_deman { get; set; }
    public string pesan_ditolak { get; set; }
    public string pesan_diterima { get; set; }

    private const string configPath = "covid_config.json";

    public static CovidConfig LoadConfig()
    {
        if (File.Exists(configPath))
        {
            string json = File.ReadAllText(configPath);
            return JsonSerializer.Deserialize<CovidConfig>(json);
        }
        else
        {
            // Nilai default
            return new CovidConfig
            {
                satuan_suhu = "celcius",
                batas_hari_deman = 14,
                pesan_ditolak = "Anda tidak diperbolehkan masuk ke dalam gedung ini",
                pesan_diterima = "Anda dipersilahkan untuk masuk ke dalam gedung ini"
            };
        }
    }

    public void SimpanConfig()
    {
        string json = JsonSerializer.Serialize(this, new JsonSerializerOptions { WriteIndented = true });
        File.WriteAllText(configPath, json);
    }

    public void UbahSatuan()
    {
        if (satuan_suhu == "celcius")
            satuan_suhu = "fahrenheit";
        else
    }
```

```
        satuan_suhu = "celcius";

        SimpanConfig();
    }
}
```

Penjelasan:

Kode di atas adalah class CovidConfig yang berfungsi untuk mengelola konfigurasi aplikasi melalui file covid_config.json. Class ini bisa membaca konfigurasi dari file jika file tersebut sudah ada (dengan method LoadConfig()), atau menggunakan nilai default jika file belum dibuat. Class ini juga bisa menyimpan perubahan konfigurasi ke file melalui method SimpanConfig(). Selain itu, ada method UbahSatuan() yang berguna untuk mengganti satuan suhu dari celcius ke fahrenheit (atau sebaliknya) dan langsung menyimpan perubahan itu ke file JSON.

- Program.cs

```
using System;

class Program
{
    static void Main(string[] args)
    {
        CovidConfig config = CovidConfig.LoadConfig();

        Console.WriteLine("Berapa suhu badan anda saat ini? Dalam nilai " + config.satuan_suhu + ":");
        double suhu = Convert.ToDouble(Console.ReadLine());

        Console.WriteLine("Berapa hari yang lalu (perkiraan) anda terakhir memiliki gejala demam?");
        int hari = Convert.ToInt32(Console.ReadLine());

        bool suhuNormal = false;

        if (config.satuan_suhu == "celcius")
            suhuNormal = suhu >= 36.5 && suhu <= 37.5;
        else if (config.satuan_suhu == "fahrenheit")
            suhuNormal = suhu >= 97.7 && suhu <= 99.5;

        if (suhuNormal && hari < config.batas_hari_deman)
        {
            Console.WriteLine(config.pesan_diterima);
        }
        else
        {
            Console.WriteLine(config.pesan_ditolak);
        }
    }
}
```

```

    }


    config.UbahSatuan();
    Console.WriteLine("\nSatuan suhu telah diubah menjadi: " + config.satuan_suhu);
}
}

```

Penjelasan:

Kode Program di atas adalah program utama yang menggunakan konfigurasi dari class CovidConfig. Pertama, program membaca file konfigurasi dan menampilkan pertanyaan kepada user tentang suhu badan dan berapa hari lalu mengalami gejala demam. Berdasarkan input tersebut dan konfigurasi yang ada, program akan menentukan apakah user diizinkan masuk atau ditolak dengan menampilkan pesan yang sesuai. Setelah proses tersebut, program juga akan mengubah satuan suhu dari celcius ke fahrenheit atau sebaliknya, lalu menampilkan satuan suhu terbaru ke layar.

3. Melakukan commit



```

Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Users\user\source\repos\KPL_Rengganis-Tantri-Pramudita_2311104065_S1SE-07-02\08_Runtime_Configuration_dan_Internationalization\
tpmodul8-2311104065> git remote -v
origin  https://github.com/rengganistan/KPL_Rengganis-Tantri-Pramudita_2311104065_S1SE-07-02.git (fetch)
origin  https://github.com/rengganistan/KPL_Rengganis-Tantri-Pramudita_2311104065_S1SE-07-02.git (push)
PS C:\Users\user\source\repos\KPL_Rengganis-Tantri-Pramudita_2311104065_S1SE-07-02\08_Runtime_Configuration_dan_Internationalization\
tpmodul8-2311104065> git add .
error: open("tpmodul8-2311104065/.vs/tpmodul8-2311104065/FileContentIndex/31998860-fd65-489e-8468-5c10dcd8b2c8.vsidx"): Permission de
nied
error: unable to index file 'tpmodul8-2311104065/.vs/tpmodul8-2311104065/FileContentIndex/31998860-fd65-489e-8468-5c10dcd8b2c8.vsidx'
fatal: adding files failed
PS C:\Users\user\source\repos\KPL_Rengganis-Tantri-Pramudita_2311104065_S1SE-07-02\08_Runtime_Configuration_dan_Internationalization\
tpmodul8-2311104065> git add .
PS C:\Users\user\source\repos\KPL_Rengganis-Tantri-Pramudita_2311104065_S1SE-07-02\08_Runtime_Configuration_dan_Internationalization\
tpmodul8-2311104065> git commit -m "menyelesaikan program dengan runtime configuration"
[main 8d26c12] menyelesaikan program dengan runtime configuration
32 files changed, 209 insertions(+), 16 deletions(-)
create mode 100644 tpmodul8-2311104065/.vs/tpmodul8-2311104065/FileContentIndex/31998860-fd65-489e-8468-5c10dcd8b2c8.vsidx
create mode 100644 tpmodul8-2311104065/.vs/tpmodul8-2311104065/FileContentIndex/b660cd35-6aa4-4739-836e-3f47e376c967.vsidx
delete mode 100644 tpmodul8-2311104065/.vs/tpmodul8-2311104065/FileContentIndex/ba927b08-7f9e-40d8-b8f5-d2a9bdf73d79.vsidx
create mode 100644 tpmodul8-2311104065/.vs/tpmodul8-2311104065/FileContentIndex/f956438e-e17a-4b43-b0e9-1376023b3596.vsidx
create mode 100644 tpmodul8-2311104065/tpmodul8-2311104065/bin/Debug/net8.0/covid_config.json
create mode 100644 tpmodul8-2311104065/tpmodul8-2311104065/bin/Debug/net8.0/tpmodul8-2311104065.deps.json
create mode 100644 tpmodul8-2311104065/tpmodul8-2311104065/bin/Debug/net8.0/tpmodul8-2311104065.dll
create mode 100644 tpmodul8-2311104065/tpmodul8-2311104065/bin/Debug/net8.0/tpmodul8-2311104065.exe
create mode 100644 tpmodul8-2311104065/tpmodul8-2311104065/bin/Debug/net8.0/tpmodul8-2311104065.pdb
create mode 100644 tpmodul8-2311104065/tpmodul8-2311104065/bin/Debug/net8.0/tpmodul8-2311104065.runtimeconfig.json
create mode 100644 tpmodul8-2311104065/tpmodul8-2311104065/covidconfig.cs
create mode 100644 tpmodul8-2311104065/tpmodul8-2311104065/obj/Debug/net8.0/apphost.exe

```

```
Windows PowerShell
create mode 100644 tpmodul8-2311104065/tpmodul8-2311104065/obj/Debug/net8.0/tpmodul8-2311104065.dll
create mode 100644 tpmodul8-2311104065/tpmodul8-2311104065/obj/Debug/net8.0/tpmodul8-2311104065.genruntimeconfig.cache
create mode 100644 tpmodul8-2311104065/tpmodul8-2311104065/obj/Debug/net8.0/tpmodul8-2311104065.pdb
create mode 100644 tpmodul8-2311104065/tpmodul8-2311104065/obj/Debug/net8.0/tpmodul8-2311104065.sourcelink.json
PS C:\Users\user\source\repos\KPL_Rengganis-Tantri-Pramudita_2311104065_S1SE-07-02\08_Runtime_Configuration_dan_Internationalization\
tpmodul8-2311104065> git push -u origin main
To https://github.com/rengganistan/KPL_Rengganis-Tantri-Pramudita_2311104065_S1SE-07-02.git
! [rejected]        main -> main (fetch first)
error: failed to push some refs to 'https://github.com/rengganistan/KPL_Rengganis-Tantri-Pramudita_2311104065_S1SE-07-02.git'
hint: Updates were rejected because the remote contains work that you do not
hint: have locally. This is usually caused by another repository pushing to
hint: the same ref. If you want to integrate the remote changes, use
hint: 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.
PS C:\Users\user\source\repos\KPL_Rengganis-Tantri-Pramudita_2311104065_S1SE-07-02\08_Runtime_Configuration_dan_Internationalization\
tpmodul8-2311104065> git pull origin main
remote: Enumerating objects: 105, done.
remote: Counting objects: 100% (105/105), done.
remote: Compressing objects: 100% (68/68), done.
remote: Total 102 (delta 31), reused 97 (delta 29), pack-reused 0 (from 0)
Receiving objects: 100% (102/102), 99.73 KiB | 804.00 KiB/s, done.
Resolving deltas: 100% (31/31), completed with 1 local object.
From https://github.com/rengganistan/KPL_Rengganis-Tantri-Pramudita_2311104065_S1SE-07-02
 * branch            main      -> FETCH_HEAD
 * a2bf728...2da5a5d main      -> origin/main (forced update)
CONFLICT (modify/delete): 08_Runtime_Configuration_dan_Internationalization/.md deleted in HEAD and modified in 2da5a5de462ccd059dbcb82e94cd8916df762bd9. Version 2da5a5de462ccd059dbcb82e94cd8916df762bd9 of 08_Runtime_Configuration_dan_Internationalization/.md left in tree.
Automatic merge failed; fix conflicts and then commit the result.
PS C:\Users\user\source\repos\KPL_Rengganis-Tantri-Pramudita_2311104065_S1SE-07-02\08_Runtime_Configuration_dan_Internationalization\
tpmodul8-2311104065> git push -u origin main
To https://github.com/rengganistan/KPL_Rengganis-Tantri-Pramudita_2311104065_S1SE-07-02.git
! [rejected]        main -> main (non-fast-forward)
```

4. Hasil running

```
Microsoft Visual Studio Debu: x + v
Berapa suhu badan anda saat ini? Dalam nilai celcius:
14
Berapa hari yang lalu (perkiraan) anda terakhir memiliki gejala demam?
3
Anda tidak diperbolehkan masuk ke dalam gedung ini

Satuan suhu telah diubah menjadi: fahrenheit

C:\Users\user\source\repos\KPL_Rengganis-Tantri-Pramudita_2311104065_S1SE-07-02\08_Runtime_Configuration_dan_Internationalization\tpmodul8-2311104065\tpmodul8-2311104065\bin\Debug\net8.0\tpmodul8-2311104065.exe (process 1
ode 0 (0x0)).
To automatically close the console when debugging stops, enable Tools->Options->Debugging->Automatic
le when debugging stops.
Press any key to close this window . . .
```