
```
RENI SUSANTI
NAMA
         :
NIM
                  210511079
KELAS : REGULER 2 (B)
TUGAS : LATIHAN 1
CONTOH 1:
class Buku:
    def __init__(self, judul, penulis):
        self.judul = judul
        self.penulis = penulis
    def info(self):
        print(f"Judul: {self.judul}\nPenulis: {self.penulis}")
bukuA = Buku("Harry Potter and the Philosopher's Stone", "J.K. Rowling")
bukuA.info()
CONTOH 2:
class Celcius:
    @staticmethod
    def to_fahrenheit(celcius):
        return (celcius *9/5) + 32
    @staticmethod
    def to_Kelvin(celcius):
        return celcius + 273.15
    @staticmethod
    def to_reamur(celcius):
        return celcius * 4/5
mycelcius = 80
myfahrenheit = Celcius.to_fahrenheit(mycelcius)
print(myfahrenheit)
CONTOH 3:
class Kalkulator:
    @staticmethod
    def add(x, y):
        return x + y
    @staticmethod
    def subtract(x, y):
```

```
return x - y
    @staticmethod
    def multiply(x, y):
       return x * y
   @staticmethod
    def divide(x, y):
       if y == 0:
           raise ValueError('Tidak dapat membagi dengan nol.')
       return x / y
# memanggil metode statis add() dan subtract() di dalam class Math
print(Kalkulator.add(3, 5))
                              # output: 8
print(Kalkulator.subtract(10, 7)) # output: 3
# memanggil metode statis multiply() dan divide() di dalam class Math
print(Kalkulator.multiply(4, 6)) # output: 24
print(Kalkulator.divide(12, 4)) # output: 3.0
CONTOH 4:
class Lingkaran:
    def __init__(self, jari_jari):
       self.jari_jari = jari_jari
    def luas(self):
        return 3.14 * (self.jari_jari ** 2)
lingkaranA = Lingkaran(7)
print(f"Luas lingkaran: {lingkaranA.luas()}")
CONTOH 5:
class Mahasiswa:
    def __init__(self, nama, npm):
       self.nama = nama
       self.npm =npm
    def info(self):
        print(f"Nama: {self.nama}\nNPM: {self.npm}")
mahasiswaB = Mahasiswa("Ahmad", "123456789")
mahasiswaB.info()
```

## CONTOH 6:

```
class Mobil:
    def __init__(self, merk, warna):
        self.merk = merk
        self.warna = warna
    def info(self):
        print(f"mobil {self.merk} berwarna {self.warna}")
mobilA = Mobil("Toyota", "Hitam")
mobilA.info() # Output: Mobil Toyota berwarna Hitam
CONTOH 7:
class PesawatTerbang:
    def __init__(self, maskapai, tujuan):
        self.maskapai = maskapai
        self.tujuan = tujuan
    def info(self):
        print(f"Maskapai: {self.maskapai}\nTujuan: {self.tujuan}")
pesawatA = PesawatTerbang("Garuda Indonesia", "Jakarta - Bali")
pesawatA.info()
```



\

