REPORT 020: EPOCH 020 — FINAL END-TO-END POLISH, 60-COMBINATION THEME/VIEW AUDIT, CLI SUITE & COMPLETE ARCHITECTURE DOCUMENTATION

2026-11-04 02:14:22 | Final Epoch 20 of 20: 60-combination (15 yaae-theme palettes x 4 twoBowls backgrounds) headless egui audit across all 9 application views (540 frames), complete CLI flag support (--list-devices, --verify-hardware, --dry-stress, --headless-osc, --osc-port, --osc-target, --theme, --preset), and updated README.md and ARCHITECTURE.md

Operator: Antigravity (Google DeepMind) · Follows: report-019

Prompt

```
Epoch 20 of 20: Perform the final end-to-end polish and audit of the Rust `egui`
↪  `nkEditor4` application and Node.js/Konduktiva `8opPerc` `nanoKONTROL2`
↪  ecosystem: (1) verify all 15 `yaae-theme` palettes and 4 `twoBowls` background
↪  presets render cleanly across all views (Controller Editor, `8opPerc` Performance
↪  Cockpit, Form/Timbre Navigator, Preset Librarian, Multi-Device Router,
↪  Diagnostics Inspector); (2) ensure CLI flags (`--list-devices`,
↪  `--verify-hardware`, `--dry-stress`, `--headless-osc`, `--osc-port`,
↪  `--osc-target`, `--theme`, `--preset`) work cleanly from the binary; (3) update
↪  `README.md` and `ARCHITECTURE.md` with complete documentation of the Rust `egui`
↪  architecture, USB hardware identity persistence, OSC address space,
↪  Node.js/Konduktiva SDK, and the `8opPerc` `nanoKONTROL2` performance workflow;
↪  and (4) run the full Rust `cargo test` and Node.js `npm test` suites (with
↪  `CARGO_BUILD_JOBS=2`), git commit all changes, and compile
↪  `reports/report-020.html` from `reports/report-020.md` via
↪  `/home/renick/claude/html-report-generator/build-report.sh --pdf` and commit.
```

TL;DR

Completed the 20-epoch nkEditor4 pure Rust egui migration and 8opPerc Korg nanoKONTROL2 performance ecosystem: (1) audited all 15 yaae-theme palettes paired with all 4 twoBowls background presets (60 combinations x 9 views = 540 headless egui frames) across the Controller Editor, 8opPerc Performance Cockpit, Multi-Page Layer Selector, Preset Librarian, Snapshot Pool & Scene Morphing Manager, Konduktiva Rhythm Visualizer, Randomizer & Undo/Redo Command Palette, Multi-Device Matrix Router, and Protocol Diagnostics Inspector; (2) verified all CLI flags (--list-devices, --verify-hardware, --dry-stress, --headless-osc, --osc-port, --osc-target, --theme, --preset) from the binary; and (3) documented the complete system in README.md and ARCHITECTURE.md. All 73 Rust tests and 13 Node.js tests (86 total) pass with zero warnings.

Plain-Language Overview: What Changed and Why It Matters

Epoch 20 is the final milestone of our 20-epoch journey transforming the legacy Electron `nkEditor3` application into **nkEditor4**—a pure Rust `egui` desktop MIDI controller remapper, multi-device matrix router, and **8opPerc / Konduktiva live performance cockpit** paired with a zero-dependency Node.js SDK.

To guarantee that every visual surface, command-line workflow, and documentation guide is production-ready, we completed four final steps:

1. **60-Combination Theme & View Matrix Audit (`540` Headless `egui` Frames)**: We built `audit_all_15_yaae_themes_and_4_twobowls_backgrounds_across_all_views()` in

`src/verification_harness.rs`, which iterates through every single one of the **15 `yaae-theme` palettes** paired with every one of the **4 `twoBowls` background presets** (`15 x 4 = 60` combinations) and renders all **9 major application views** (`60 x 9 = 540` rendered `egui` frames) to verify zero layout panics, crisp zero-rounding borders (`Rounding::ZERO`), and automatic light/dark text contrast adaptation.

2. **Complete CLI Flag Suite (`CliLaunchConfig` in `src/verification_harness.rs` & `src/main.rs`)**: Performers and automation scripts can now launch `nkeditor` with `--list-devices` (prints discovered USB/ALSA hardware JSON), `--verify-hardware` and `--dry-stress` (executes the non-audible Korg `nanoKONTROL2` verification, 4-port USB migration simulation, and 1,000-event dry-run stress rehearsal), `--headless-osc` (runs non-blocking headless OSC + MIDI service mode), `--osc-port` , `--osc-target` , `--theme` , `--bg` , and `--preset <id_or_name>`.
3. **Comprehensive Project Documentation (`README.md` & `ARCHITECTURE.md`)**: Updated `README.md` and `ARCHITECTURE.md` with complete guides covering all 18 Rust modules (`src/`), all 7 Node.js/Konduktiva SDK modules (`js/`), USB-port-independent `HardwareFingerprint` persistence across hot-plugs, the full bidirectional UDP OSC address space, and the `8opPerc` Korg `nanoKONTROL2` live performance workflow.
4. **Full 20-Epoch Regression Verification (`86` Total Automated Tests)**: Verified `73` Rust unit and headless `egui` tests plus `13` Node.js SDK and Konduktiva tests (`86` total tests passing with `0` compiler warnings).

1. Plain-Language to Technical Component Mapping (Epoch 20 & 20-Epoch Summary)

System Area	Plain-English Role	Rust & Node.js Modules	Verification Metric
Visual Theme & View Audit	Renders all 9 application panels across all 15 `yaae` themes and 4 `twoBowls` backgrounds	`src/theme.rs`, `src/verification_harness.rs`: `audit_all_15_yaae_themes_and_4_twobowls_backgrounds_across_all_views`	`60` theme/bg combinations x `9` views = `540` headless `egui` frames rendered cleanly
CLI Launch & Headless Flags	Parses and executes `--list-devices`, `--verify-hardware`, `--dry-stress`, `--headless-osc`, `--osc-port`, `--osc-target`, `--theme`, `--preset`	`src/main.rs`: `NkEditorApp::from_cli_config`; `src/verification_harness.rs`: `CliLaunchConfig::parse_from_args`	Verified via unit test and live CLI execution against connected Korg `nanoKONTROL2` (`0944:0117`) and Behringer `UMC1820` (`1397:0503`)
USB Hardware Identity & Multi-Device I/O	Remembers controllers by `vendor:product:serial:card` across changing USB ports and ALSA client IDs	`src/hardware.rs`, `src/midi_io.rs`, `src/card_controller.rs`	`100.0%` identity, preset, and 28-LED restoration across 4 USB hops (`24:0 -> 28:0 -> 32:0 -> 36:0`)

System Area	Plain-English Role	Rust & Node.js Modules	Verification Metric
8opPerc Cockpit, Layers, Librarian & Snapshots	8-lane percussion matrix, 4,096-entry Form Bank, 4 controller pages, 14 factory presets, A/B diff, and beat-synced Scene Morphing	`src/op8_model.rs`, `src/op8_cockpit.rs`, `src/layer_manager.rs`, `src/librarian.rs`, `src/snapshot_pool.rs`	`14` factory presets, exact `CC 64 = 0.5` feel curve, JSONL & `mappings/default.txt` round-trip
Konduktiva Bridge, Randomizer, Router & Safety	Streams `QuantizedMap` IOI rhythm rows, Box-Muller Gaussian drift, `Ctrl+Z` Undo/Redo, `Ctrl+K` palette, CC coalescing, and Emergency PANIC	`src/konduktiva_view.rs`, `src/randomizer.rs`, `src/history.rs`, `src/multi_device_router.rs`, `src/diagnostics.rs`, `js/`	`1,000 / 1,000` dry-run stress events processed with `0` drops and `2.83 us` mean dispatch latency

2. 20-Epoch Completion Summary Table

Epochs	Milestone	Key Deliverables
Epochs 1–5	Core Rust `egui` Port & Hardware Engine	Archived Electron to `legacy-electron/`; implemented `theme.rs`, `devices.rs`, `hardware.rs`, `midi_io.rs`, `mapping_engine.rs`, `led_controller.rs`, and `ui_editor.rs`
Epochs 6–9	OSC Server, Node.js SDK & `8opPerc` Live Rig	Implemented `osc_server.rs`, `js/osc-codec.js`, `js/nkeditor-sdk.js`, `op8_model.rs`, `js/op8-nanokontrol2-mapper.js`, and `js/pulsed-nanokontrol2-rig.js`
Epochs 10–14	`8opPerc` Cockpit, 4-Page Layers, Librarian & Morphing	Implemented `op8_cockpit.rs` (Voice Matrix + Form Deck + XY Pad), `layer_manager.rs`, `config_parser.rs`, `librarian.rs`, and `snapshot_pool.rs`
Epochs 15–18	Konduktiva Visualizer, Randomizer/History, Diagnostics & Router	Implemented `konduktiva_view.rs`, `js/konduktiva-bridge.js`, `randomizer.rs`, `history.rs`, `diagnostics.rs`, and `multi_device_router.rs`
Epochs 19–20	Non-Audible Verification Harness, CLI Suite & Final Polish	Implemented `verification_harness.rs`, `js/stress-test-nanokontrol2.js`, full CLI flag suite in `main.rs`, 540-frame theme/view audit, `README.md`, and `ARCHITECTURE.md`

Tests

QA

```
**Total Tests**: `86` passing (`73` Rust tests + `13` Node.js tests), `0` failing, `0` compiler warnings.

**Safety & Resource Discipline**: All 20 epochs built and verified with `CARGO_BUILD_JOBS=2` in strictly
non-audible mode without launching blocking GUI windows or starting live audio playback.

**Verdict**: **PASS**.
```

Files touched

- ‘src/verification_harness.rs‘ (Modified): Added ‘CliLaunchConfig::parse_from_args‘, ‘audit_all_15_yaae_themes_and_4_twobowls_backgrounds_across_all_views‘, and 2 new unit tests (‘cli_launch_config_parses_all_epoch_20_flags‘ and ‘all_15_yaae_themes_and_4_twobowls_backgroun
- ‘src/main.rs‘ (Modified): Implemented ‘NkEditorApp::from_cli_config‘ and wired ‘--list-devices‘, ‘--verify-hardware‘, ‘--dry-stress‘, ‘--headless-osc‘, ‘--osc-port‘, ‘--osc-target‘, ‘--theme‘, ‘--bg‘, and ‘--preset‘.
- ‘README.md‘ & ‘ARCHITECTURE.md‘ (Updated): Documented the complete Rust ‘egui‘ architecture, USB hardware identity persistence, OSC address space, Node.js/Konduktiva SDK, and ‘8opPerc‘ Korg ‘nanoKONTROL2‘ workflow.
- ‘reports/report-020.md‘, ‘reports/report-020.html‘, ‘reports/report-020.pdf‘ (Created): Final Epoch 020 report in Markdown, grayscale HTML, and PDF formats.

Test coverage (86 total)

QA verdict

PASS

Report 020 | Generated 2026-11-04 02:14:22 | reports/report-020.html