


Archived IBM Kingston circuit 1/108: H_t0_g00
Physical triple (43, 44, 45) | Observable H | group 0 | depth 26




Archived IBM Kingston circuit 2/108: H_t0_g01
Physical triple (43, 44, 45) | Observable H | group 1 | depth 26




Archived IBM Kingston circuit 3/108: H_t0_g02
Physical triple (43, 44, 45) | Observable H | group 2 | depth 26




Archived IBM Kingston circuit 4/108: H_t0_g03
Physical triple (43, 44, 45) | Observable H | group 3 | depth 26




Archived IBM Kingston circuit 5/108: H_t0_g04
Physical triple (43, 44, 45) | Observable H | group 4 | depth 26




Archived IBM Kingston circuit 6/108: H_t0_g05
Physical triple (43, 44, 45) | Observable H | group 5 | depth 26




Archived IBM Kingston circuit 7/108: H_t0_g06
Physical triple (43, 44, 45) | Observable H | group 6 | depth 26




Archived IBM Kingston circuit 8/108: H_t0_g07
Physical triple (43, 44, 45) | Observable H | group 7 | depth 26




Archived IBM Kingston circuit 9/108: H_t0_g08
Physical triple (43, 44, 45) | Observable H | group 8 | depth 26




Archived IBM Kingston circuit 10/108: H_t0_g09
Physical triple (43, 44, 45) | Observable H | group 9 | depth 26




Archived IBM Kingston circuit 11/108: H_t0_g10
Physical triple (43, 44, 45) | Observable H | group 10 | depth 26




Archived IBM Kingston circuit 12/108: H_t0_g11
Physical triple (43, 44, 45) | Observable H | group 11 | depth 26




Archived IBM Kingston circuit 13/108: H_t0_g12
Physical triple (43, 44, 45) | Observable H | group 12 | depth 26




Archived IBM Kingston circuit 14/108: H_t0_g13
Physical triple (43, 44, 45) | Observable H | group 13 | depth 26




Archived IBM Kingston circuit 15/108: H_t0_g14
Physical triple (43, 44, 45) | Observable H | group 14 | depth 26




Archived IBM Kingston circuit 16/108: H_t0_g15
Physical triple (43, 44, 45) | Observable H | group 15 | depth 26




Archived IBM Kingston circuit 17/108: H_t0_g16
Physical triple (43, 44, 45) | Observable H | group 16 | depth 26




Archived IBM Kingston circuit 18/108: H_t0_g17
Physical triple (43, 44, 45) | Observable H | group 17 | depth 26




Archived IBM Kingston circuit 19/108: H_t0_g18
Physical triple (43, 44, 45) | Observable H | group 18 | depth 26




Archived IBM Kingston circuit 20/108: H_t0_g19
Physical triple (43, 44, 45) | Observable H | group 19 | depth 26




Archived IBM Kingston circuit 21/108: H_t0_g20
Physical triple (43, 44, 45) | Observable H | group 20 | depth 26




Archived IBM Kingston circuit 22/108: H_t0_g21
Physical triple (43, 44, 45) | Observable H | group 21 | depth 26




Archived IBM Kingston circuit 23/108: H_t0_g22
Physical triple (43, 44, 45) | Observable H | group 22 | depth 26




Archived IBM Kingston circuit 24/108: H_t0_g23
Physical triple (43, 44, 45) | Observable H | group 23 | depth 26




Archived IBM Kingston circuit 25/108: H_t0_g24
Physical triple (43, 44, 45) | Observable H | group 24 | depth 25




Archived IBM Kingston circuit 26/108: H_t0_g25
Physical triple (43, 44, 45) | Observable H | group 25 | depth 25




Archived IBM Kingston circuit 27/108: H_t0_g26
Physical triple (43, 44, 45) | Observable H | group 26 | depth 25




Archived IBM Kingston circuit 28/108: W_t0_g27
Physical triple (43, 44, 45) | Observable W | group 27 | depth 26




Archived IBM Kingston circuit 29/108: W_t0_g28
Physical triple (43, 44, 45) | Observable W | group 28 | depth 26




Archived IBM Kingston circuit 30/108: W_t0_g29
Physical triple (43, 44, 45) | Observable W | group 29 | depth 26




Archived IBM Kingston circuit 31/108: W_t0_g30
Physical triple (43, 44, 45) | Observable W | group 30 | depth 26




Archived IBM Kingston circuit 32/108: W_t0_g31
Physical triple (43, 44, 45) | Observable W | group 31 | depth 26




Archived IBM Kingston circuit 33/108: W_t0_g32
Physical triple (43, 44, 45) | Observable W | group 32 | depth 26




Archived IBM Kingston circuit 34/108: W_t0_g33
Physical triple (43, 44, 45) | Observable W | group 33 | depth 26




Archived IBM Kingston circuit 35/108: W_t0_g34
Physical triple (43, 44, 45) | Observable W | group 34 | depth 26




Archived IBM Kingston circuit 36/108: W_t0_g35
Physical triple (43, 44, 45) | Observable W | group 35 | depth 26




Archived IBM Kingston circuit 37/108: W_t0_g36
Physical triple (43, 44, 45) | Observable W | group 36 | depth 26




Archived IBM Kingston circuit 38/108: W_t0_g37
Physical triple (43, 44, 45) | Observable W | group 37 | depth 26




Archived IBM Kingston circuit 39/108: W_t0_g38
Physical triple (43, 44, 45) | Observable W | group 38 | depth 26




Archived IBM Kingston circuit 40/108: W_t0_g39
Physical triple (43, 44, 45) | Observable W | group 39 | depth 26




Archived IBM Kingston circuit 41/108: W_t0_g40
Physical triple (43, 44, 45) | Observable W | group 40 | depth 26




Archived IBM Kingston circuit 42/108: W_t0_g41
Physical triple (43, 44, 45) | Observable W | group 41 | depth 26




Archived IBM Kingston circuit 43/108: W_t0_g42
Physical triple (43, 44, 45) | Observable W | group 42 | depth 26




Archived IBM Kingston circuit 44/108: W_t0_g43
Physical triple (43, 44, 45) | Observable W | group 43 | depth 26




Archived IBM Kingston circuit 45/108: W_t0_g44
Physical triple (43, 44, 45) | Observable W | group 44 | depth 26




Archived IBM Kingston circuit 46/108: W_t0_g45
Physical triple (43, 44, 45) | Observable W | group 45 | depth 26




Archived IBM Kingston circuit 47/108: W_t0_g46
Physical triple (43, 44, 45) | Observable W | group 46 | depth 26




Archived IBM Kingston circuit 48/108: W_t0_g47
Physical triple (43, 44, 45) | Observable W | group 47 | depth 26




Archived IBM Kingston circuit 49/108: W_t0_g48
Physical triple (43, 44, 45) | Observable W | group 48 | depth 26




Archived IBM Kingston circuit 50/108: W_t0_g49
Physical triple (43, 44, 45) | Observable W | group 49 | depth 26




Archived IBM Kingston circuit 51/108: W_t0_g50
Physical triple (43, 44, 45) | Observable W | group 50 | depth 26




Archived IBM Kingston circuit 52/108: W_t0_g51
Physical triple (43, 44, 45) | Observable W | group 51 | depth 25




Archived IBM Kingston circuit 53/108: W_t0_g52
Physical triple (43, 44, 45) | Observable W | group 52 | depth 25




Archived IBM Kingston circuit 54/108: W_t0_g53
Physical triple (43, 44, 45) | Observable W | group 53 | depth 25




Archived IBM Kingston circuit 55/108: H_t1_g00
Physical triple (20, 21, 36) | Observable H | group 0 | depth 26




Archived IBM Kingston circuit 56/108: H_t1_g01
Physical triple (20, 21, 36) | Observable H | group 1 | depth 26




Archived IBM Kingston circuit 57/108: H_t1_g02
Physical triple (20, 21, 36) | Observable H | group 2 | depth 26




Archived IBM Kingston circuit 58/108: H_t1_g03
Physical triple (20, 21, 36) | Observable H | group 3 | depth 26




Archived IBM Kingston circuit 59/108: H_t1_g04
Physical triple (20, 21, 36) | Observable H | group 4 | depth 26




Archived IBM Kingston circuit 60/108: H_t1_g05
Physical triple (20, 21, 36) | Observable H | group 5 | depth 26




Archived IBM Kingston circuit 61/108: H_t1_g06
Physical triple (20, 21, 36) | Observable H | group 6 | depth 26




Archived IBM Kingston circuit 62/108: H_t1_g07
Physical triple (20, 21, 36) | Observable H | group 7 | depth 26




Archived IBM Kingston circuit 63/108: H_t1_g08
Physical triple (20, 21, 36) | Observable H | group 8 | depth 26




Archived IBM Kingston circuit 64/108: H_t1_g09
Physical triple (20, 21, 36) | Observable H | group 9 | depth 26




Archived IBM Kingston circuit 65/108: H_t1_g10
Physical triple (20, 21, 36) | Observable H | group 10 | depth 26




Archived IBM Kingston circuit 66/108: H_t1_g11
Physical triple (20, 21, 36) | Observable H | group 11 | depth 26




Archived IBM Kingston circuit 67/108: H_t1_g12
Physical triple (20, 21, 36) | Observable H | group 12 | depth 26




Archived IBM Kingston circuit 68/108: H_t1_g13
Physical triple (20, 21, 36) | Observable H | group 13 | depth 26




Archived IBM Kingston circuit 69/108: H_t1_g14
Physical triple (20, 21, 36) | Observable H | group 14 | depth 26




Archived IBM Kingston circuit 70/108: H_t1_g15
Physical triple (20, 21, 36) | Observable H | group 15 | depth 26




Archived IBM Kingston circuit 71/108: H_t1_g16
Physical triple (20, 21, 36) | Observable H | group 16 | depth 26




Archived IBM Kingston circuit 72/108: H_t1_g17
Physical triple (20, 21, 36) | Observable H | group 17 | depth 26




Archived IBM Kingston circuit 73/108: H_t1_g18
Physical triple (20, 21, 36) | Observable H | group 18 | depth 26




Archived IBM Kingston circuit 74/108: H_t1_g19
Physical triple (20, 21, 36) | Observable H | group 19 | depth 26




Archived IBM Kingston circuit 75/108: H_t1_g20
Physical triple (20, 21, 36) | Observable H | group 20 | depth 26




Archived IBM Kingston circuit 76/108: H_t1_g21
Physical triple (20, 21, 36) | Observable H | group 21 | depth 26




Archived IBM Kingston circuit 77/108: H_t1_g22
Physical triple (20, 21, 36) | Observable H | group 22 | depth 26




Archived IBM Kingston circuit 78/108: H_t1_g23
Physical triple (20, 21, 36) | Observable H | group 23 | depth 26




Archived IBM Kingston circuit 79/108: H_t1_g24
Physical triple (20, 21, 36) | Observable H | group 24 | depth 25




Archived IBM Kingston circuit 80/108: H_t1_g25
Physical triple (20, 21, 36) | Observable H | group 25 | depth 25




Archived IBM Kingston circuit 81/108: H_t1_g26
Physical triple (20, 21, 36) | Observable H | group 26 | depth 25




Archived IBM Kingston circuit 82/108: W_t1_g27
Physical triple (20, 21, 36) | Observable W | group 27 | depth 26




Archived IBM Kingston circuit 83/108: W_t1_g28
Physical triple (20, 21, 36) | Observable W | group 28 | depth 26




Archived IBM Kingston circuit 84/108: W_t1_g29
Physical triple (20, 21, 36) | Observable W | group 29 | depth 26




Archived IBM Kingston circuit 85/108: W_t1_g30
Physical triple (20, 21, 36) | Observable W | group 30 | depth 26




Archived IBM Kingston circuit 86/108: W_t1_g31
Physical triple (20, 21, 36) | Observable W | group 31 | depth 26




Archived IBM Kingston circuit 87/108: W_t1_g32
Physical triple (20, 21, 36) | Observable W | group 32 | depth 26




Archived IBM Kingston circuit 88/108: W_t1_g33
Physical triple (20, 21, 36) | Observable W | group 33 | depth 26




Archived IBM Kingston circuit 89/108: W_t1_g34
Physical triple (20, 21, 36) | Observable W | group 34 | depth 26




Archived IBM Kingston circuit 90/108: W_t1_g35
Physical triple (20, 21, 36) | Observable W | group 35 | depth 26




Archived IBM Kingston circuit 91/108: W_t1_g36
Physical triple (20, 21, 36) | Observable W | group 36 | depth 26




Archived IBM Kingston circuit 92/108: W_t1_g37
Physical triple (20, 21, 36) | Observable W | group 37 | depth 26




Archived IBM Kingston circuit 93/108: W_t1_g38
Physical triple (20, 21, 36) | Observable W | group 38 | depth 26




Archived IBM Kingston circuit 94/108: W_t1_g39
Physical triple (20, 21, 36) | Observable W | group 39 | depth 26




Archived IBM Kingston circuit 95/108: W_t1_g40
Physical triple (20, 21, 36) | Observable W | group 40 | depth 26




Archived IBM Kingston circuit 96/108: W_t1_g41
Physical triple (20, 21, 36) | Observable W | group 41 | depth 26




Archived IBM Kingston circuit 97/108: W_t1_g42
Physical triple (20, 21, 36) | Observable W | group 42 | depth 26




Archived IBM Kingston circuit 98/108: W_t1_g43
Physical triple (20, 21, 36) | Observable W | group 43 | depth 26




Archived IBM Kingston circuit 99/108: W_t1_g44
Physical triple (20, 21, 36) | Observable W | group 44 | depth 26




Archived IBM Kingston circuit 100/108: W_t1_g45
Physical triple (20, 21, 36) | Observable W | group 45 | depth 26




Archived IBM Kingston circuit 101/108: W_t1_g46
Physical triple (20, 21, 36) | Observable W | group 46 | depth 26




Archived IBM Kingston circuit 102/108: W_t1_g47
Physical triple (20, 21, 36) | Observable W | group 47 | depth 26




Archived IBM Kingston circuit 103/108: W_t1_g48
Physical triple (20, 21, 36) | Observable W | group 48 | depth 26




Archived IBM Kingston circuit 104/108: W_t1_g49
Physical triple (20, 21, 36) | Observable W | group 49 | depth 26




Archived IBM Kingston circuit 105/108: W_t1_g50
Physical triple (20, 21, 36) | Observable W | group 50 | depth 26



Archived IBM Kingston circuit 106/108: W_t1_g51
Physical triple (20, 21, 36) | Observable W | group 51 | depth 25



Archived IBM Kingston circuit 107/108: W_t1_g52
Physical triple (20, 21, 36) | Observable W | group 52 | depth 25



Archived IBM Kingston circuit 108/108: W_t1_g53
Physical triple (20, 21, 36) | Observable W | group 53 | depth 25

