# PermitPilot | Preliminary plan review

**DRAWING EXTRACTION & HUMAN REVIEW NOT A CODE APPROVAL**

## Official Plan F extraction baseline

Property: Not established reference drawing

Source: SAN DIEGO COUNTY PLOT PLAN.pdf | PDF/image page 5 of 14

Generated: 2026-10-19T08:30:21.679Z | Analysis 204f6382-190d-4c95-98a9-3d616f2ee888

File SHA-256: 89dbbd8f7977d772df44a4eea1a0ec35d795d9830538e3aa1e29f8d5bfe10bdc

Document source URL: https://www.sandiegocounty.gov/content/dam/sdc/pds/bldg/adu_info/pds671_11x17.pdf

### REGULATORY CONTEXT

Selected AHJ: san-diego-county | Verification: unverified

Application date: Unknown | Classification: adu | Work: unknown

Declared code edition: Unknown applicability not independently verified

**Verified active rule set: none. Checks evaluated: 0. Passed compliance checks: 0.**

not_evaluated: Technical code evaluation is unavailable The property's actual permitting authority requires authoritative verification and recorded evidence; mailing city, ZIP, and user confirmation are insufficient for technical checks. Record the actual permit application date as a valid calendar date before selecting a code edition. The residential classification and new/existing construction applicability require review. The applicable code edition and regulatory applicability have not been independently verified. Reviewed sources for the code edition, local amendments, residential instructions, and application-date applicability must be recorded for this exact authority and edition. No independently verified machine-executable rules are enabled for this authority, code edition, application date, and project classification.

Unresolved: The property's actual permitting authority requires authoritative verification and recorded evidence; mailing city, ZIP, and user confirmation are insufficient for technical checks.

Unresolved: Record the actual permit application date as a valid calendar date before selecting a code edition.

Unresolved: The residential classification and new/existing construction applicability require review.

Unresolved: The applicable code edition and regulatory applicability have not been independently verified.

Unresolved: Reviewed sources for the code edition, local amendments, residential instructions, and application-date applicability must be recorded for this exact authority and edition.

Unresolved: No independently verified machine-executable rules are enabled for this authority, code edition, application date, and project classification.

### EXTRACTION SUMMARY

65 candidates; 49 printed dimension candidates; 6 room/space labels.

Processing time: 1609.33 ms. Page rotation: 270 degrees. Extraction: mixed page, schema 1.0.

2 human-reviewed candidates. No geometric room boundaries or comprehensive plan review are claimed.

Unknown / limitation: Label and dimension candidates describe printed text, not measured physical geometry, room boundaries, or code compliance.

Unknown / limitation: No compliance checks have been executed. Jurisdiction, permit date, code edition, and verified rule versions must be established separately.

Unknown / limitation: Images occur on this page. OCR of image-only regions was not run because embedded text is available; text inside images may be missed.

# EVIDENCE REGISTER

### 1. 28'-7" | dimension | corrected

Original: 28'-7" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 28.58333333 ft (343 in)

Human review: corrected; label 28'-7"; value 343 in; recorded 2026-10-19T08:30:21.344Z.

Reviewer note: TEST: re-expressed the printed dimension in a different unit to validate correction persistence. No new measurement or technical compliance is asserted.

Normalized displayed box: x=0.3799, y=0.1050, width=0.0183, height=0.0152

### 2. 10'-8" | dimension | unreviewed

Original: 10'-8" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 10.66666667 ft (128 in)

Normalized displayed box: x=0.2478, y=0.1298, width=0.0183, height=0.0152

### 3. 1'-10" | dimension | unreviewed

Original: 1'-10" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 1.83333333 ft (22 in)

Normalized displayed box: x=0.3398, y=0.1298, width=0.0183, height=0.0152

### 4. 3'-0" | dimension | unreviewed

Original: 3'-0" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 3 ft (36 in)

Normalized displayed box: x=0.3775, y=0.1298, width=0.0143, height=0.0152

### 5. 5'-1" | dimension | unreviewed

Original: 5'-1" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 5.08333333 ft (61 in)

Normalized displayed box: x=0.4370, y=0.1298, width=0.0143, height=0.0152

### 6. 8'-0" | dimension | unreviewed

Original: 8'-0" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 8 ft (96 in)

Normalized displayed box: x=0.5332, y=0.1298, width=0.0143, height=0.0152

### 7. 1'-6" | dimension | unreviewed

Original: 1'-6" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 1.5 ft (18 in)

Normalized displayed box: x=0.4104, y=0.1873, width=0.0143, height=0.0152

### 8. 2'-6" | dimension | unreviewed

Original: 2'-6" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 2.5 ft (30 in)

Normalized displayed box: x=0.1408, y=0.1902, width=0.0143, height=0.0152

### 9. CLOSET | room_label | unreviewed

Original: CLOSET | Page 5 | embedded_text | medium extraction confidence.

Normalized displayed box: x=0.2546, y=0.1975, width=0.0137, height=0.0072

### 10. 4'-0" | dimension | unreviewed

Original: 4'-0" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 4 ft (48 in)

Normalized displayed box: x=0.6213, y=0.2091, width=0.0143, height=0.0152

### 11. 3'-6" | dimension | unreviewed

Original: 3'-6" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 3.5 ft (42 in)

Normalized displayed box: x=0.4913, y=0.2162, width=0.0143, height=0.0152

### 12. 72" | dimension | unreviewed

Original: 72" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 72 in (72 in)

Normalized displayed box: x=0.3775, y=0.2303, width=0.0050, height=0.0072

### 13. 30" | dimension | unreviewed

Original: 30" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 30 in (30 in)

Normalized displayed box: x=0.3861, y=0.2303, width=0.0050, height=0.0072

### 14. 8'-0" | dimension | unreviewed

Original: 8'-0" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 8 ft (96 in)

Normalized displayed box: x=0.2502, y=0.2391, width=0.0143, height=0.0152

### 15. 2'-0" | dimension | unreviewed

Original: 2'-0" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 2 ft (24 in)

Normalized displayed box: x=0.3854, y=0.2565, width=0.0143, height=0.0152

### 16. 6'-10" | dimension | unreviewed

Original: 6'-10" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 6.83333333 ft (82 in)

Normalized displayed box: x=0.3107, y=0.2660, width=0.0183, height=0.0152

### 17. KITCHEN | room_label | unreviewed

Original: KITCHEN | Page 5 | embedded_text | medium extraction confidence.

Normalized displayed box: x=0.5085, y=0.2814, width=0.0457, height=0.0227

### 18. 9'-10" | dimension | unreviewed

Original: 9'-10" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 9.83333333 ft (118 in)

Normalized displayed box: x=0.2916, y=0.2887, width=0.0183, height=0.0152

### 19. 3'-0" | dimension | unreviewed

Original: 3'-0" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 3 ft (36 in)

Normalized displayed box: x=0.6212, y=0.2906, width=0.0143, height=0.0152

### 20. BEDROOM | room_label | confirmed

Original: BEDROOM | Page 5 | embedded_text | medium extraction confidence.

Human review: confirmed; label BEDROOM; value unknown; recorded 2026-10-19T08:30:20.391Z.

Reviewer note: Confirmed the BEDROOM label against the printed source drawing. This confirms text only.

Normalized displayed box: x=0.2247, y=0.2975, width=0.0536, height=0.0227

### 21. 10'-7" | dimension | unreviewed

Original: 10'-7" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 10.58333333 ft (127 in)

Normalized displayed box: x=0.5155, y=0.3033, width=0.0131, height=0.0108

### 22. 9'-10" | dimension | unreviewed

Original: 9'-10" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 9.83333333 ft (118 in)

Normalized displayed box: x=0.5340, y=0.3033, width=0.0131, height=0.0108

### 23. BATH | room_label | unreviewed

Original: BATH | Page 5 | embedded_text | medium extraction confidence.

Normalized displayed box: x=0.3683, y=0.3057, width=0.0285, height=0.0227

### 24. 8'-0" | dimension | unreviewed

Original: 8'-0" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 8 ft (96 in)

Normalized displayed box: x=0.5153, y=0.3147, width=0.0102, height=0.0108

### 25. 10'-2" | dimension | unreviewed

Original: 10'-2" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 10.16666667 ft (122 in)

Normalized displayed box: x=0.2357, y=0.3193, width=0.0131, height=0.0108

### 26. 9'-10" | dimension | unreviewed

Original: 9'-10" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 9.83333333 ft (118 in)

Normalized displayed box: x=0.2542, y=0.3193, width=0.0131, height=0.0108

### 27. 6'-0" | dimension | unreviewed

Original: 6'-0" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 6 ft (72 in)

Normalized displayed box: x=0.3695, y=0.3275, width=0.0102, height=0.0108

### 28. 9'-6" | dimension | unreviewed

Original: 9'-6" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 9.5 ft (114 in)

Normalized displayed box: x=0.3852, y=0.3275, width=0.0102, height=0.0108

### 29. 9'-6" | dimension | unreviewed

Original: 9'-6" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 9.5 ft (114 in)

Normalized displayed box: x=0.1407, y=0.3304, width=0.0143, height=0.0152

### 30. 8'-0" | dimension | unreviewed

Original: 8'-0" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 8 ft (96 in)

Normalized displayed box: x=0.2355, y=0.3308, width=0.0102, height=0.0108

### 31. 8'-0" | dimension | unreviewed

Original: 8'-0" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 8 ft (96 in)

Normalized displayed box: x=0.3665, y=0.3390, width=0.0102, height=0.0108

### 32. 2'-8" | dimension | unreviewed

Original: 2'-8" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 2.66666667 ft (32 in)

Normalized displayed box: x=0.6213, y=0.3550, width=0.0143, height=0.0152

### 33. 1'-6" | dimension | unreviewed

Original: 1'-6" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 1.5 ft (18 in)

Normalized displayed box: x=0.4436, y=0.3749, width=0.0143, height=0.0152

### 34. 1'-4" | dimension | unreviewed

Original: 1'-4" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 1.33333333 ft (16 in)

Normalized displayed box: x=0.6210, y=0.4005, width=0.0143, height=0.0152

### 35. 21'-0" | dimension | unreviewed

Original: 21'-0" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 21 ft (252 in)

Normalized displayed box: x=0.6476, y=0.4043, width=0.0183, height=0.0152

### 36. 4'-0" | dimension | unreviewed

Original: 4'-0" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 4 ft (48 in)

Normalized displayed box: x=0.4469, y=0.4411, width=0.0136, height=0.0144

### 37. 6'-10" | dimension | unreviewed

Original: 6'-10" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 6.83333333 ft (82 in)

Normalized displayed box: x=0.3768, y=0.4419, width=0.0183, height=0.0152

### 38. 4'-0" | dimension | unreviewed

Original: 4'-0" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 4 ft (48 in)

Normalized displayed box: x=0.6213, y=0.4611, width=0.0143, height=0.0152

### 39. DINING ROOM | room_label | unreviewed

Original: DINING ROOM | Page 5 | embedded_text | medium extraction confidence.

Normalized displayed box: x=0.4752, y=0.4779, width=0.0708, height=0.0227

### 40. 4'-0" | dimension | unreviewed

Original: 4'-0" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 4 ft (48 in)

Normalized displayed box: x=0.1408, y=0.4838, width=0.0143, height=0.0152

### 41. 8'-7" | dimension | unreviewed

Original: 8'-7" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 8.58333333 ft (103 in)

Normalized displayed box: x=0.4961, y=0.4998, width=0.0102, height=0.0108

### 42. 10'-2" | dimension | unreviewed

Original: 10'-2" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 10.16666667 ft (122 in)

Normalized displayed box: x=0.5118, y=0.4998, width=0.0131, height=0.0108

### 43. LIVING ROOM | room_label | unreviewed

Original: LIVING ROOM | Page 5 | embedded_text | medium extraction confidence.

Normalized displayed box: x=0.2380, y=0.5031, width=0.0691, height=0.0227

### 44. 8'-0" | dimension | unreviewed

Original: 8'-0" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 8 ft (96 in)

Normalized displayed box: x=0.4945, y=0.5113, width=0.0102, height=0.0108

### 45. 19'-0" | dimension | unreviewed

Original: 19'-0" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 19 ft (228 in)

Normalized displayed box: x=0.2567, y=0.5250, width=0.0131, height=0.0108

### 46. 10'-2" | dimension | unreviewed

Original: 10'-2" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 10.16666667 ft (122 in)

Normalized displayed box: x=0.2752, y=0.5250, width=0.0131, height=0.0108

### 47. 8'-0" | dimension | unreviewed

Original: 8'-0" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 8 ft (96 in)

Normalized displayed box: x=0.2565, y=0.5364, width=0.0102, height=0.0108

### 48. 6'-0" | dimension | unreviewed

Original: 6'-0" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 6 ft (72 in)

Normalized displayed box: x=0.6212, y=0.5747, width=0.0143, height=0.0152

### 49. 5'-0" | dimension | unreviewed

Original: 5'-0" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 5 ft (60 in)

Normalized displayed box: x=0.1407, y=0.5861, width=0.0143, height=0.0152

### 50. 4'-0" | dimension | unreviewed

Original: 4'-0" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 4 ft (48 in)

Normalized displayed box: x=0.2012, y=0.6795, width=0.0143, height=0.0152

### 51. 4'-0" | dimension | unreviewed

Original: 4'-0" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 4 ft (48 in)

Normalized displayed box: x=0.2600, y=0.6795, width=0.0143, height=0.0152

### 52. 10'-0" | dimension | unreviewed

Original: 10'-0" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 10 ft (120 in)

Normalized displayed box: x=0.3606, y=0.6795, width=0.0183, height=0.0152

### 53. 3'-0" | dimension | unreviewed

Original: 3'-0" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 3 ft (36 in)

Normalized displayed box: x=0.4584, y=0.6795, width=0.0143, height=0.0152

### 54. 4'-0" | dimension | unreviewed

Original: 4'-0" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 4 ft (48 in)

Normalized displayed box: x=0.5627, y=0.6795, width=0.0143, height=0.0152

### 55. 1'-7" | dimension | unreviewed

Original: 1'-7" | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 1.58333333 ft (19 in)

Normalized displayed box: x=0.4919, y=0.6796, width=0.0143, height=0.0152

### 56. Window A: A | 3'-0" x 4'-0" | SLIDING | window_schedule | unreviewed

Original: Window A: A | 3'-0" x 4'-0" | SLIDING | Page 5 | embedded_text | medium extraction confidence.

Normalized displayed box: x=0.1239, y=0.8004, width=0.0657, height=0.0095

### 57. Door 1: 1 | 3'-0" x 6'-8" | SWINGING | 1-3/8" SOLID CORE | door_schedule | unreviewed

Original: Door 1: 1 | 3'-0" x 6'-8" | SWINGING | 1-3/8" SOLID CORE | Page 5 | embedded_text | medium extraction confidence.

Normalized displayed box: x=0.4933, y=0.8014, width=0.1429, height=0.0105

### 58. Window B: B | 4'-0" x 4'-0" | SLIDING | window_schedule | unreviewed

Original: Window B: B | 4'-0" x 4'-0" | SLIDING | Page 5 | embedded_text | medium extraction confidence.

Normalized displayed box: x=0.1238, y=0.8096, width=0.0657, height=0.0095

### 59. Door 2: 2 | 3'-0" x 6'-8" | SWINGING | door_schedule | unreviewed

Original: Door 2: 2 | 3'-0" x 6'-8" | SWINGING | Page 5 | embedded_text | medium extraction confidence.

Normalized displayed box: x=0.4932, y=0.8126, width=0.0701, height=0.0089

### 60. Window C: C | 2'-0" x 3'-0" | SLIDING | Y | window_schedule | unreviewed

Original: Window C: C | 2'-0" x 3'-0" | SLIDING | Y | Page 5 | embedded_text | medium extraction confidence.

Normalized displayed box: x=0.1238, y=0.8188, width=0.0850, height=0.0095

### 61. Door 3: 3 | BI-FOLD | LAUNDRY ROOM | door_schedule | unreviewed

Original: Door 3: 3 | BI-FOLD | LAUNDRY ROOM | Page 5 | embedded_text | medium extraction confidence.

Normalized displayed box: x=0.4932, y=0.8218, width=0.1413, height=0.0089

### 62. Window D: D | 3'-0" x 2'-0" | SLIDING | Y | window_schedule | unreviewed

Original: Window D: D | 3'-0" x 2'-0" | SLIDING | Y | Page 5 | embedded_text | medium extraction confidence.

Normalized displayed box: x=0.1237, y=0.8280, width=0.0850, height=0.0095

### 63. Door 4: 4 | 8'-0" x 6'-8" | SLIDING | 6FT CLOSET | door_schedule | unreviewed

Original: Door 4: 4 | 8'-0" x 6'-8" | SLIDING | 6FT CLOSET | Page 5 | embedded_text | medium extraction confidence.

Normalized displayed box: x=0.4933, y=0.8310, width=0.1368, height=0.0095

### 64. 1- 1/4 INCHES | annotation | unreviewed

Original: 1- 1/4 INCHES | Page 5 | embedded_text | medium extraction confidence.

Original numeric value: 1.25 in (1.25 in)

Normalized displayed box: x=0.4685, y=0.9047, width=0.2108, height=0.0081

### 65. 1/4" = 1'-0" | scale | unreviewed

Original: 1/4" = 1'-0" | Page 5 | embedded_text | medium extraction confidence.

Normalized displayed box: x=0.0248, y=0.9590, width=0.0401, height=0.0173


## LIMITATIONS

This is an automated pre-submission extraction review. It separates printed facts, human corrections, unknown information, and unevaluated compliance. It does not certify technical code compliance or guarantee permit approval. Governing requirements and final decisions belong to the authority and qualified professionals.

The San Diego reference drawing is an extraction baseline. San Jose-specific rules are not applied to it. Publication/revision text on a standard plan does not establish the actual permit application date or project regulatory applicability.

# Actual source drawing — candidate locations

Amber: unreviewed source evidence. Green: human-reviewed fact. Neither color indicates code compliance.




## WALL LEGEND

- 2x6 WALL
- 2x4 WALL
- 2x4 PONY WALL

### WINDOW SCHEDULE

| MARK | DIMENSION | TYPE | TEMPERED | NOTES |
|---|---|---|---|---|
| (58) | 3'-0" x 4'-0" | SLIDING | | |
| (61) | 4'-0" x 4'-0" | SLIDING | | |
| (62) | 2'-0" x 3'-0" | SLIDING | Y | |
| (D) | 3'-0" x 2'-0" | SLIDING | Y | |

EXTERIOR WINDOWS, WINDOW WALLS AND GLAZED DOORS, WINDOWS WITHIN EXTERIOR DOORS, AND SKYLIGHTS PER ANY OF THE FOLLOWING (COUNTY CONSOLIDATED WUI CODE 96.2.504.8):

A. MULTILAYERED GLAZED PANELS WITH AT LEAST TWO PANES OF TEMPERED GLASS COMPLYING WITH SECTION 2406 OF THE CALIFORNIA BUILDING CODE. SKYLIGHTS/SOLAR TUBES SHALL BE TEMPERED GLASS PER LISTING REPORT OR MODIFIED SUBJECT TO FIELD INSPECTION.
B. GLASS BLOCK
C. GLAZING WITH A FIRE-PROTECTION RATING OF NOT LESS THAN 20 MINUTES WHEN TESTED ACCORDING TO NFPA 257 OR UL 9, AND SHALL BE EXEMPT FROM THE HOSE STREAM TEST.

### DOOR SCHEDULE

| MARK | DIMENSION | TYPE | TEMPERED | NOTES |
|---|---|---|---|---|
| (59) | 3'-0" x 6'-8" | SWINGING | | 1-3/8" SOLID CORE |
| (61) | 3'-0" x 6'-8" | SWINGING | | |
| (63) | | BI-FOLD | | LAUNDRY ROOM |
| (4) | 8'-0" x 6'-8" | SLIDING | | 6FT CLOSET |

EXTERIOR DOORS SHALL COMPLY WITH ONE OF THE FOLLOWING (COUNTY CONSOLIDATED WUI CODE 96.2.504.9):

A. NONCOMBUSTIBLE CONSTRUCTION
B. SOLID-CORE WOOD NOT LESS THAN 1-⅜ INCHES THICK
C. THE EXTERIOR DOOR SHALL BE CONSTRUCTED OF SOLID CORE WOOD THAT COMPLIES WITH THE FOLLOWING REQUIREMENTS:
   - RAILS AND RAILS SHALL NOT BE LESS THAN 1-⅜ INCHES THICK
   - RAISED PANELS SHALL NOT BE LESS THAN 1-¼ INCHES THICK, EXCEPT FOR THE EXTERIOR PERIMETER OF THE RAISED PANEL THAT SHALL BE PERMITTED TO TAPER TO A TONGUE NOT LESS THAN ⅜ INCH THICK
D. HAVE A FIRE PROTECTION RATING OF NOT LESS THAN 20 MINUTES WHEN TESTED ACCORDING TO NFPA 252, UL 10B OR UL 10C.

## FLOOR PLAN

1/4" = 1'-0"

PDS 671 (REV. 01/01/2026)

## FLOOR PLAN NOTES

1. EXTERIOR WALLS WITHIN 3 FEET OF PROPERTY LINE (WITH SPRINKLERS) OR 5 FEET OF PROPERTY LINE (WITHOUT SPRINKLERS) REQUIRE 1-HOUR FIRE RATING FOR EXPOSURE TO BOTH SIDES.
2. PROJECTIONS:
   - PROHIBITED WITHIN 2 FEET OF PROPERTY LINE
   - 1-HOUR FIRE RATING ON THE UNDERSIDE WITHIN 3FT OF PROPERTY LINE (WITH SPRINKLERS)
   - 1-HOUR FIRE RATING ON THE UNDERSIDE WITHIN 5FT OF PROPERTY LINE (WITHOUT SPRINKLERS)
3. OPENINGS:
   - PROHIBITED WITHIN 3FT OF PROPERTY LINE
   - MAXIMUM 25% OF WALL AREA WITHIN 5 FEET OF PROPERTY LINE (WITHOUT SPRINKLERS)
4. PENETRATIONS:
   - 1-HOUR FIRE-RATED PENETRATIONS OF WALLS WITHIN 3FT OF PROPERTY LINE (WITH SPRINKLERS)
   - 1-HOUR FIRE-RATED PENETRATIONS OF WALLS WITHIN 5FT OF PROPERTY LINE (WITHOUT SPRINKLERS)
5. CONCRETE LANDING WITH MIN 36" DEPTH AND A MAXIMUM OF 1-½" LOWER THAN TOP OF DOOR THRESHOLD

## OPTIONAL ROLL-IN SHOWER PLAN NOTES

1. SHOWER COMPARTMENT SEAT
   - MUST BE FOLDING TYPE, NOT TO EXCEED MORE THAN 6 INCHES FROM MOUNTING WALL WHEN FOLDED
   - LOCATED WITHIN 27 INCHES OF SHOWER CONTROLS
   - MOUNTED MINIMUM 17 INCHES AND MAXIMUM 19 INCHES ABOVE BATHROOM FINISHED FLOOR.
   - SEAT INSTALLED ON SIDE WALL ADJACENT TO CONTROLS AND EXTENDING FROM BACK WALL TO POINT WITHIN 3 INCHES OF SHOWER COMPARTMENT ENTRY
   - STRUCTURAL ADEQUACY OF MOUNTING HARDWARE AND FASTENERS TO ACCOMMODATE 250 POUND POINT LOAD APPLIED AT ANY POINT ON THE GRAB BAR, FASTENER, MOUNTING DEVICE, OR SUPPORTING STRUCTURE
2. SHOWER GRAB BARS
   - MOUNTED MINIMUM 33 INCHES AND MAXIMUM 36 INCHES ABOVE SHOWER FLOOR
   - NOT EXTENDING OVER SHOWER SEAT
   - IF CROSS SECTION IS CIRCULAR, MINIMUM 1-¼" AND MAXIMUM 2" OUTSIDE DIAMETER
   - IF CROSS SECTION IS NON-CIRCULAR, MINIMUM 4" AND MAXIMUM 4.8" PERIMETER AND MAXIMUM 2-¼" CROSS SECTION DIMENSION
   - GRAB BARS MOUNTED ADJACENT TO A WALL, 1-½" ABSOLUTE SPACE BETWEEN WALL AND GRAB BAR
   - MINIMUM 1-½" SPACE BETWEEN GRAB BAR AND PROJECTING OBJECTS BELOW AND AT ENDS
   - MINIMUM 12 INCH SPACE BETWEEN GRAB BAR AND PROJECTING OBJECTS ABOVE
   - SURFACE MATERIAL OF ANY WALLS OR OBJECTS ADJACENT TO GRAB BARS MUST BE FREE OF SHARP OR ABRASIVE ELEMENTS AND HAVE ROUNDED EDGES.
   - STRUCTURAL ADEQUACY OF MOUNTING HARDWARE AND FASTENERS TO ACCOMMODATE 250 POUND POINT LOAD APPLIED AT ANY POINT ON THE GRAB BAR, FASTENER, MOUNTING DEVICE, OR SUPPORTING STRUCTURE
   - WALL REINFORCEMENT TO BE PROVIDED AT LOCATION OF GRAB BARS (E.G. BLOCKING)
3. OPERABLE PARTS OF SHOWER CONTROLS AND FAUCETS:
   - INSTALLED ON BACK WALL OF SHOWER COMPARTMENT ADJACENT TO SEAT WALL
   - LOCATED MINIMUM 19 INCHES AND MAXIMUM 27 INCHES FROM SEAT WALL
   - LOCATED ABOVE GRAB BAR BUT NO HIGHER THAN 48 INCHES ABOVE SHOWER FLOOR
   - CENTERLINE AT MINIMUM 39 INCHES AND MAXIMUM 41 INCHES ABOVE SHOWER FLOOR
   - SINGLE-LEVER DESIGN
   - OPERABLE WITH MAXIMUM 5 POUNDS OF FORCE
   - OPERABLE WITH ONE HAND AND WITHOUT TIGHT GRASPING, PINCHING, OR TWISTING OF WRIST
4. SPRAYER UNIT AND ASSOCIATED OPERABLE PARTS SHALL BE PROVIDED PER THE FOLLOWING:
   - OPERABLE PARTS, INCLUDING HANDLE, TO BE INSTALLED ON BACK WALL OF SHOWER COMPARTMENT MINIMUM 19 INCHES AND MAXIMUM 27 INCHES FROM SEAT WALL
   - OPERABLE PARTS LOCATED ABOVE GRAB BAR BUT NO HIGHER THAN 48 INCHES ABOVE SHOWER FLOOR, MEASURED TO TOP OF MOUNTING BRACKET
   - MINIMUM 59 INCH LONG HOSE
   - CAPABLE FOR USE AS FIXED SHOWER HEAD AND HAND HELD SHOWER
   - ON/OFF CONTROL WITH NON-POSITIVE SHUT OFF
   - ADJUSTABLE -HEIGHT SHOWER HEADS ON VERTICAL BAR SHALL NOT OBSTRUCT USE OF BATHTUB GRAB BARS
5. WHERE SOAP DISHES ARE PROVIDED, MAXIMUM 40 INCHES ABOVE SHOWER FLOOR AND WITHIN REACH LIMITS FROM THE SHOWER SEAT
6. MAXIMUM 2.1% SLOPE IN ALL DIRECTIONS OF ROLL-IN SHOWER FLOORS
7. MAXIMUM ½" HIGH THRESHOLDS WITH MAXIMUM 50% BEVELED SLOPE AT ROLL-IN SHOWERS
8. WHERE DRAINS ARE PROVIDED AT ROLL-IN SHOWERS, MAXIMUM ¼" GRATE OPENINGS FLUSH WITH SHOWER FLOOR SURFACE

## AGING-IN-PLACE AND FALL PREVENTION DESIGN

1. REINFORCEMENT FOR GRAB BARS: AT LEAST ONE BATHROOM ON THE ENTRY LEVEL SHALL BE PROVIDED WITH REINFORCEMENT INSTALLED IN ACCORDANCE WITH SECTION R327.1.1. REINFORCEMENT SHALL BE MINIMUM 2X8 SOLID LUMBER, LOCATED BETWEEN 32" AND 39-¼" ABOVE THE FINISHED FLOOR FLUSH WITH WALL FRAMING ON BOTH SIDE WALLS OF THE FIXTURE.
2. ELECTRICAL OUTLETS, SWITCH, AND CONTROL HEIGHTS SHALL BE LOCATED NO MORE THAN 48" MEASURED FROM THE TOP OF THE OUTLET BOX AND NOT LESS THAN 15" MEASURED FROM THE BOTTOM OF THE OUTLET BOX ABOVE THE FINISHED FLOOR (SECTION R327.1.2). SHOW DIMENSION ON ELEVATION.
3. DOORBELL BUTTONS SHALL NOT EXCEED 48" ABOVE EXTERIOR FLOOR OR LANDING. (SECTION R327.1.4). SHOW DIMENSION ON ELEVATION.
4. INTERIOR DOORS: EFFECTIVE JULY 1, 2024, AT LEAST ONE BATHROOM AND ONE BEDROOM ON THE ENTRY LEVEL SHALL PROVIDE A DOORWAY WITH A NET CLEAR OPENING OF NOT LESS THAN 32 INCHES, MEASURED WITH THE DOOR POSITIONED AT AN ANGLE OF 90 DEGREES FROM THE CLOSE POSITION; OR, IN THE CASE OF A TWO- OR THREE-STORY SINGLE FAMILY DWELLING, ON THE SECOND OR THIRD FLOOR OF THE DWELLING IF A BATHROOM OR BEDROOM IS NOT LOCATED ON THE ENTRY LEVEL.

**COUNTY OF SAN DIEGO**
PLANNING & DEVELOPMENT SERVICES
BUILDING DIVISION

BY USING THESE STANDARD PLANS, THE USER AGREES TO RELEASE THE COUNTY OF SAN DIEGO FROM ANY AND ALL CLAIMS, LIABILITIES, SUITS, AND DEMANDS ON ACCOUNT OF ANY INJURY, DAMAGE, OR LOSS TO PERSONS OR PROPERTY, INCLUDING INJURY OR DEATH, OR ECONOMIC LOSSES, ARISING OUT OF THE USE OF THESE CONSTRUCTION DOCUMENTS. THE USE OF THESE PLANS DOES NOT ELIMINATE OR REDUCE THE USER'S RESPONSIBILITY TO VERIFY ANY AND ALL INFORMATION.

**PROJECT TITLE**

DETACHED DWELLING UNIT (PLAN F - 600 SF)

**SHEET TITLE**

FLOOR PLAN

**SHEET NUMBER**

A1

Source page 5; orientation matches displayed original. Numbered boxes reference the evidence register.