

Simple Habits
Use-Case Specification: Manage Alarms (CRUD)

Version 1.1

Simple Habits	Version: 1.1
Use-Case Specification: <Use-Case Name>	Date: 13/11/16

Revision History

Date	Version	Description	Author
31/10/16	1.0	Initial Creation	Benedikt Bosshammer
13/11/16	1.1	Inserted Feature Files	Benedikt Bosshammer

Simple Habits	Version: 1.1
Use-Case Specification: <Use-Case Name>	Date: 13/11/16

Table of Contents

1.	Select Calendar	4
1.1	Brief Description	4
2.	Flow of Events	4
2.1	Basic Flow	4
2.2	Alternative Flows	Error! Bookmark not defined.
3.	Special Requirements	5
4.	Preconditions	5
5.	Postconditions	5
6.	Extension Points	5

Simple Habits	Version: 1.1
Use-Case Specification: <Use-Case Name>	Date: 13/11/16

Use-Case Specification: Manage Alarms (CRUD)

1. Select Calendar


1.1 Brief Description

This Use Case provides the possibility for the users to select the OS calendars containing the appointments for wake up time calculation.

2. Flow of Events


2.1 Basic Flow

The process of managing the alarms can be represented by a CRUD activity diagram. The User can update either create a new alarm (Create), display all alarms created before (READ), delete on of these alarms (Delete) or edit an alarm (Update)



Simple Habits	Version: 1.1
Use-Case Specification: <Use-Case Name>	Date: 13/11/16

A closer look at the activities for the case the user decides to create a new alarm:



3. Special Requirements
4. Preconditions
5. Postconditions
6. Extension Points