

**Simple Habits**  
**Use-Case Specification: Select alarm sound**

**Version 1.0**

Simple Habits	Version: 1.0
Use-Case Specification: <Use-Case Name>	Date: 30/10/16

## Revision History

Date	Version	Description	Author
31/10/16	1.0	Initial Creation	Benedikt Bosshammer
31/11/16	1.1	Inserted Feature Files	Benedikt Bosshammer

Simple Habits	Version: 1.0
Use-Case Specification: <Use-Case Name>	Date: 30/10/16

## Table of Contents

1. Use-Case Name	<b>Fehler! Textmarke nicht definiert.</b>
1.1 Brief Description	4
2. Flow of Events	4
2.1 Basic Flow	6
2.2 Alternative Flows	6
3. Special Requirements	6
4. Preconditions	6
5. Postconditions	6
6. Extension Points	6

Simple Habits	Version: 1.0
Use-Case Specification: <Use-Case Name>	Date: 30/10/16

## Use-Case Specification: Select alarm sound


### 1. Select alarm sound

#### 1.1 Brief Description

This Use Case provides the possibility for the users to select a sound from different sources for the alarm clock.


### 2. Flow of Events

Within the Initialization of the Smart Alarm the User is asked to select an alarm sound to wake him up in the morning.



Simple Habits	Version: 1.0
Use-Case Specification: <Use-Case Name>	Date: 30/10/16

iOS Mock Up:



Feature File:

```

Feature: SelectAlarmSoundSource

  In order to create a smart alarm
  As a User
  I want to select the source for the alarm sound

  Scenario:
    Given Menu with button "Spotify"
    And Spotify is enabled as source
    When I press the button "Spotify"
    Then The spotify view for detail selection should open

  Scenario:
    Given Menu with button "Deezer"
    And Deezer is enabled as source
    When I press the button "Deezer"
    Then The deezer view for detail selection should open

  Scenario:
    Given Menu with button "Apple Music"
    And Apple Music is enabled as source
    When I press the button "Apple Music"
    Then The Apple Music view for detail selection should open

```

Simple Habits	Version: 1.0
Use-Case Specification: <Use-Case Name>	Date: 30/10/16

- 2.1    **Basic Flow**
- 2.2    **Alternative Flows**
- 3.     **Special Requirements**
- 4.     **Preconditions**
- 5.     **Postconditions**
- 6.     **Extension Points**