

**Simple Habits**  
**Use-Case Specification: Select alarm sound**

**Version 1.0**

Simple Habits	Version: 1.0
Use-Case Specification: <Use-Case Name>	Date: 30/10/16

## Revision History

Date	Version	Description	Author
31/10/16	1.0	Initial Creation	Benedikt Bosshammer

Simple Habits	Version: 1.0
Use-Case Specification: <Use-Case Name>	Date: 30/10/16

## Table of Contents

1.	Use-Case Name	<b>Fehler! Textmarke nicht definiert.</b>
1.1	Brief Description	4
2.	Flow of Events	4
2.1	Basic Flow	5
2.2	Alternative Flows	5
3.	Special Requirements	5
4.	Preconditions	5
5.	Postconditions	5
6.	Extension Points	5

Simple Habits	Version: 1.0
Use-Case Specification: <Use-Case Name>	Date: 30/10/16

# Use-Case Specification: Select alarm sound


## 1. Select alarm sound

### 1.1 Brief Description

This Use Case provides the possibility for the users to select a sound from different sources for the alarm clock.


## 2. Flow of Events

Within the Initialization of the Smart Alarm the User is asked to select an alarm sound to wake him up in the morning.



Simple Habits	Version: 1.0
Use-Case Specification: <Use-Case Name>	Date: 30/10/16

iOS Mock Up:



- 2.1 Basic Flow
- 2.2 Alternative Flows
- 3. Special Requirements
- 4. Preconditions
- 5. Postconditions
- 6. Extension Points