

Simple Habits
Use-Case Specification: Select calendars

Version 1.0

Simple Habits	Version: 1.0
Use-Case Specification: <Use-Case Name>	Date: 30/10/16

Revision History

Date	Version	Description	Author
31/10/16	1.0	Initial Creation	Benedikt Bosshammer

Simple Habits	Version: 1.0
Use-Case Specification: <Use-Case Name>	Date: 30/10/16

Table of Contents

1.	Use-Case Name	Fehler! Textmarke nicht definiert.
1.1	Brief Description	4
2.	Flow of Events	4
2.1	Basic Flow	5
2.2	Alternative Flows	5
3.	Special Requirements	5
4.	Preconditions	5
5.	Postconditions	5
6.	Extension Points	5

Simple Habits	Version: 1.0
Use-Case Specification: <Use-Case Name>	Date: 30/10/16

Use-Case Specification: Select Calendars


1. Select Calendar

1.1 Brief Description

This Use Case provides the possibility for the users to select the OS calendars containing the appointments for wake up time calculation.

2. Flow of Events

Within the Initialization of the Smart Alarm the User is asked to select all his OS Calendars he wants the app to calculate in. It is confirmed by continuing to the next page.



Simple Habits	Version: 1.0
Use-Case Specification: <Use-Case Name>	Date: 30/10/16

iOS Mock Up:



- 2.1 Basic Flow
- 2.2 Alternative Flows
3. Special Requirements
4. Preconditions
5. Postconditions
6. Extension Points