Lab 1 - Data visualization

Himon Chin-Sam

```
library(tidyverse)
```

```
-- Attaching core tidyverse packages ------------------------ tidyverse 2.0.0 --
v dplyr     1.1.4     v readr     2.1.6
v forcats   1.0.1     v stringr   1.6.0
v ggplot2   4.0.1     v tibble    3.3.0
v lubridate 1.9.4     v tidyr     1.3.2
v purrr     1.2.0
-- Conflicts ------------------------------------------ tidyverse_conflicts() --
x dplyr::filter() masks stats::filter()
x dplyr::lag()    masks stats::lag()
i Use the conflicted package (<http://conflicted.r-lib.org/>) to force all conflicts to becor
```

Questions

Part 1

Question 1

```
ggplot(midwest, aes(x = popdensity)) +
  geom_histogram(binwidth = 100) +
  labs(
    x = "Population density",
    y = "Count",
    title = "Population density of midwesten counties",
    subtitle = "Binwidth = 100"
  )
```




```
ggplot(midwest, aes(x = popdensity)) +
  geom_histogram(binwidth = 1000) +
  labs(
    x = "Population density",
    y = "Count",
    title = "Population density of midwesten counties",
    subtitle = "Binwidth = 1000"
  )
```




```
ggplot(midwest, aes(x = popdensity)) +
  geom_histogram(binwidth = 10000) +
  labs(
    x = "Population density",
    y = "Count",
    title = "Population density of midwesten counties",
    subtitle = "Binwidth = 10000"
  )
```




```
ggplot(midwest, aes(x = popdensity)) +
  geom_histogram(binwidth = 100000) +
  labs(
    x = "Population density",
    y = "Count",
    title = "Population density of midwesten counties",
    subtitle = "Binwidth = 100000"
  )
```



Binwidth 1000 is most appropriate for this data because the data is grouped in a sufficient ranges to see patterns in the overall set. Any smaller or bigger will have the data distribution be convoluted and its shape ambiguous.

Question 2

```
ggplot(midwest, aes(x = popdensity)) +
  geom_boxplot() +
  labs(
    x = "Population density",
    y = "Count",
    title = "Population density of midwesten counties",
    subtitle = "Binwidth = 1000"
  )
```



Question 3

Question 4

Question 5

Question 6

Question 7

Part 2

Enough about the Midwest!

Question 8

Question 9