


Deliverable 1.2: Atomic Design System Manual

ATOMS

Button



Usage Context

The Button is used for primary actions that allow users to interact with the heritage showcase, such as exploring heritage information.

Responsive Logic

The button maintains readable text and touch-friendly spacing across desktop, tablet, and mobile screen sizes.

Code Reference

components/atoms/BaseButton.vue

```
<script setup lang="ts">
defineProps<{ label: string; variant?: 'primary' | 'ghost' }>()
</script>

<template>
  <button class="base-button" :class="`base-button--${variant || 'primary'}" type="button">
    {{ label }}
    <span aria-hidden="true"></span>
  </button>
</template>
```

Typography

EYEBROW / LABEL

Discover Pangasinan

Typography creates hierarchy and makes heritage information easier to scan on every screen.

Usage Context

The Typography component is used to maintain consistent heading, label, and body text styles throughout the heritage showcase.

Responsive Logic

Typography adapts to different screen sizes to maintain readability and visual hierarchy on desktop, tablet, and mobile devices.

Code Reference

components/atoms/BaseTypography.vue

```

1 <template>
2   <div class="type-sample">
3     <p class="eyebrow">EYEBROW / LABEL</p>
4     <h2>Discover Pangasinan</h2>
5     <p class="body-copy">Typography creates hierarchy and makes heritage information easier to scan on every screen.</p>
6   </div>
7 </template>

```

Color Tokens

 Primary #0B4F6C	 Heritage Gold #D9A441
 Ink #18323C	 Paper #F8F5EE

Usage Context

Color Tokens define the reusable colors used throughout the interface to maintain a consistent visual design.

Responsive Logic

The color tokens remain consistent across desktop, tablet, and mobile layouts.

Code Reference

components/atoms/ColorTokens.vue

```

1 <template>
2   <div class="token-list" aria-label="Color tokens">
3     <div><span class="token-swatch token-swatch--primary"/><b>Primary</b><code>#0B4F6C</code></div>
4     <div><span class="token-swatch token-swatch--gold"/><b>Heritage Gold</b><code>#D9A441</code></div>
5     <div><span class="token-swatch token-swatch--ink"/><b>Ink</b><code>#18323C</code></div>
6     <div><span class="token-swatch token-swatch--paper"/><b>Paper</b><code>#F8F5EE</code></div>
7   </div>
8 </template>

```

Icon



Usage Context

The Icon component provides reusable icons for functions such as search, location, navigation, and menu actions.

Responsive Logic

Icons maintain appropriate sizing and spacing across different screen sizes and can be used within buttons and navigation elements.

Code Reference


components/atoms/BaselIcon.vue

```

1  <script setup lang="ts">
2  defineProps<{ name?: 'search' | 'pin' | 'arrow' | 'menu' }>()
3  </script>
4
5  <template>
6    <span class="icon" aria-hidden="true">
7      <svg v-if="name === 'search'" viewBox="0 0 24 24"><circle cx="11" cy="11" r="6.5"/><path d="m16 16 5 5"/></svg>
8      <svg v-else-if="name === 'pin'" viewBox="0 0 24 24"><path d="M20 10c0 5-8 11-8 11s4 15 4 10a8 8 0 1 1 16 0Z"/><circle cx="12" cy="10" r="10"/></svg>
9      <svg v-else-if="name === 'menu'" viewBox="0 0 24 24"><path d="M4 7h16M4 12h16M4 17h16"/></svg>
10     <svg v-else viewBox="0 0 24 24"><path d="M5 12h13M13 6l6 6 6 6"/></svg>
11   </span>
12 </template>
13

```

Image



Usage Context

The Image component is used to display photographs of Pangasinan heritage destinations in a consistent format.

Responsive Logic

The image adapts to the available container width while maintaining its proportions across desktop, tablet, and mobile screens.

Code Reference

components/atoms/BaseImage.vue

```

1  <script setup lang="ts">
2  defineProps<{ src: string; alt: string }>()
3  </script>
4
5  <template>
6    
7  </template>
8

```

MOLECULES

Heritage Card



Usage Context

The Heritage Card is used exclusively for displaying individual heritage-site previews in the heritage-site grid.

Responsive Logic


The card adapts to the width of its container. On desktop, multiple cards can be displayed in a row. On tablet and mobile screens, the number of columns decreases and cards can stack vertically.

Code Reference

components/molecules/HeritageCard.vue

```
1  <script setup lang="ts">
2  import BaseImage from '~/components/atoms/BaseImage.vue'
3  import BaseButton from '~/components/atoms/BaseButton.vue'
4  import BaseIcon from '~/components/atoms/BaseIcon.vue'
5
6  defineProps<{ site: { name: string; location: string; category: string; description: string; image: string } }>()
7  </script>
8
9  <template>
10   <article class="heritage-card">
11     <div class="heritage-card__image-wrap">
12       <BaseImage :src="site.image" :alt="'${site.name} heritage preview'" />
13       <span class="heritage-card__badge">{{ site.category }}</span>
14     </div>
15     <div class="heritage-card__content">
16       <div class="heritage-card__location"><BaseIcon name="pin" /> {{ site.location }}</div>
17       <h3>{{ site.name }}</h3>
18       <p>{{ site.description }}</p>
19       <BaseButton label="Explore site" variant="ghost" />
20     </div>
21   </article>
22 </template>
23
```

Search Form

A search form with a light gray border. It contains a text input field with the placeholder text "Search heritage sites..." and a dark blue button with the text "Search" in white.

Usage Context

The Search Form is used to allow users to search and filter heritage destinations displayed in the showcase.

Responsive Logic


The search form expands within its available container. On smaller screens, the form adapts to the available width while keeping the search input accessible and usable.

Code Reference

components/molecules/SearchForm.vue

```
1  <script setup lang="ts">
2    const query = defineModel<string>({ default: '' })
3  </script>
4
5  <template>
6    <form class="search-form" @submit.prevent>
7      <label class="sr-only" for="heritage-search">Search heritage sites</label>
8      <BaseIcon name="search" />
9      <input id="heritage-search" v-model=query type="search" placeholder="Search heritage sites..." autocomplete="off" />
10     <button type="submit">Search</button>
11   </form>
12 </template>
13
```

Navigation Item



Usage Context

The Navigation Item is used as a reusable navigation link for moving between the main sections of the heritage showcase.

Responsive Logic

Navigation items are displayed horizontally when sufficient space is available. On smaller screens, they adapt to the mobile navigation layout to remain accessible without overcrowding the header.

Code Reference

components/molecules/NavigationItem.vue


```

1  <script setup lang="ts">
2  defineProps<{ label: string; href?: string }>()
3  </script>
4
5  <template>
6  |   <a class="nav-item" :href="href || '#'>{{ label }}</a>
7  </template>
8

```

ORGANISMS

Heritage Grid



Usage Context

The Heritage Grid is used to organize and display multiple Heritage Cards in a structured responsive layout for browsing Pangasinan heritage destinations.

Responsive Logic

The grid adjusts the number of columns based on the available screen width. Multiple cards are displayed across larger desktop screens, while tablet and mobile layouts reduce the number of columns and stack cards vertically when necessary.

Code Reference

components/organisms/HeritageGrid.vue

```

1  <script setup lang="ts">
2  import HeritageCard from '~components/molecules/HeritageCard.vue'
3
4  defineProps<{ sites: any[] }>()
5  </script>
6
7  <template>
8    <div class="heritage-grid">
9      <HeritageCard v-for="site in sites" :key="site.name" :site="site" />
10    </div>
11  </template>
12

```

Header Navigation



Usage Context

The Header Navigation is used as the primary navigation area of the Pangasinan Heritage Digital Showcase, allowing users to access the main sections of the website.

Responsive Logic

On desktop screens, navigation links are displayed horizontally. On smaller screens, the navigation changes to a mobile-friendly menu to conserve space while keeping the main navigation accessible.

Code Reference

components/organisms/HeaderNavigation.vue

```

source code > components > organisms > HeaderNavigation.vue > {} script setup
1  <script setup lang="ts">
2  import NavigationItem from '~components/molecules/NavigationItem.vue'
3  const open = ref(false)
4  </script>
5
6  <template>
7    <header class="site-header">
8      <div class="container site-header_inner">
9        <a class="brand" href="#top" aria-label="Pangasinan Heritage home">
10          <span class="brand-mark">PH</span>
11          <span><strong>Pangasinan</strong><small>Heritage Showcase</small></span>
12        </a>
13        <button class="menu-button" type="button" aria-label="Toggle navigation" :aria-expanded="open" @click="open = !open">
14          <BaseIcon name="menu" />
15        </button>
16        <nav class="main-nav" :class="{ 'main-nav--open': open }" aria-label="Main navigation">
17          <NavigationItem label="Home" href="#top" />
18          <NavigationItem label="Heritage" href="#heritage" />
19          <NavigationItem label="About" href="#about" />
20          <NavigationItem label="Contact" href="#contact" />
21        </nav>
22      </div>
23    </header>
24  </template>
25

```

