
# CONNECTORS

# PRODUCT CATALOG





Products appearing in this catalogue may be covered by one or more of the following US Patent Nos. 7644735, 7410108 and other U.S. patents pending or corresponding issued or pending foreign patents.

All rights are reserved. You are specifically prohibited and not allowed to reproduce, copy, duplicate, manufacture, supply, sell, hire, distribute or adapt all or any part of this publication including any packaging. Netafim™, are trademarks of Netafim™ Ltd., registered in the U.S. and other countries.

We endeavor to provide accurate, quality and detailed information. However we cannot accept liability for your reliance on the provided information and you are advised to independently seek professional advice from Netafim<sup>TM</sup> and/or its authorized representatives. There is no undertaking by us that the provided information or any part thereof is accurate, complete or up to date. Mention of third-party products is for informational purposes only and constitutes neither an endorsement nor a recommendation. Netafim<sup>TM</sup> assumes no responsibility with regard to the performance or use of these products. In no event shall Netafim<sup>TM</sup> be liable for any indirect, incidental, special or consequential damages.

2 CONNECTORS 2019 V1.0

#### **CONTENTS**

Introduction	4
Connectors technical data	4
Barb Connectors	5
Start Connectors	12
Barb Connectors for Micro Tubes	14
Barb Connectors for Mining	16
Fast Ring Connectors	18
Twist Lock Connectors	23
Start Connectors for Lay Flat Pipes & Spare Parts	24
Start Connectors for FlexNet™ Pipes & Spare Parts	25
O-Fley Riser	26

#### INTRODUCTION

Netafim<sup>™</sup> comprehensive range of dripperlines / pipes connectors is made of highly resistant durable polymers. They are functional and viable, modeled under the highest market standards and available for all dripperlines / pipes types. Use the catalog to select the right line for your application: Barb connectors, Fast Ring connectors, Twist Lock connectors and a vast family of start and reducing connectors. Note: the illustrations in this catalog are not to scale.



#### BARB CONNECTORS

#### **APPLICATIONS**

In HWD 0.9 - 1.5mm

#### **BENEFITS**

- Relatively easy to install
- UV resistant
- Durable one-piece construction



#### FAST RING CONNECTORS

#### **APPLICATIONS**

In TWD & MWD between 0.135 mm (4.5 mil) and 0.8 mm (32 mil)

#### **BENEFITS**

- Highly reliable connector
- Very easy to handle
- In certain models the connector is supplied in one piece (with rings assembled)
- Easily released from the pipe when required
- UV resistant



#### APPLICATIONS

In TWD and MWD between 0.135 mm (4.5 mil) and 0.8 mm (32 mil)

#### **BENEFITS**

- An extremely reliable connector (fastened by a nut)
- Easily opened (when required)
- Extremely long when SDI is used and a dripperline happens to crack/ blow up needing cut off and repair, it will be relatively easy to connect both ends of the pipe using this connector.

#### **CONNECTORS TECHNICAL DATA**

	DRIPPERLINE		
	INTERNAL DIAMETER (MM)	WALL THICKNESS (MM)	
CONNECTORS FOR HWD			
BARB			
12	10.2	1.0 - 1.2	
16	14.2	0.9 - 1.2	
17	14.6	1.2	
20	17.5	1.0 - 1.2	
25	22	1.5	
BARB FOR MINING (PURPLE)			
12	10.2	1.0 - 1.2	
16	14.2	0.9 - 1.2	
17	14.6	1.2	
18	15.5	1.1	
20	17.5	1.0 - 1.2	
CONNECTORS FOR TWD/MWD		(MIL)	
FAST RING			
12 BLUE RING	11.8	5.0 - 25	
16 BLUE RING	16.2	5.0 - 20	
16 WHITE RING	15.5	20 - 32	
22 BLUE RING	22.2	4.5 - 15	
22 WHITE RING	22.2	32 - 20	
25 BLACK RING	25.0	12.5 - 15	
TWIST LOCK (BLUE NUT)			
16	15.5 / 16.2	5.0 - 25	
22	22.2	4.5 - 25	
25	25.0	12.5 - 25	



Pipe inside Ø	Wall thi	ckness	To fit Netafim™
(mm)	(mm)	(mil)	dripperlines
10.2	1.0	39	12010

DESCRIPTION	Coupling barb 1	12 x 12	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-002200 32500-002220 32500-002230	

DESCRIPTION	Elbow barb 12	x 12	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-003200 32500-003220 32500-003230	

DESCRIPTION	Straight barb 12 MTH ½"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-002300 32500-002306	

DESCRIPTION	Elbow barb 12 MTH ½"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-003300 32500-003320	

DESCRIPTION	"T" barb 12 x 2 MTH ½"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-002310 32500-002320 32500-002330	T

DESCRIPTION	Straight barb 12 MTH ¾"	2	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-002400 32500-002420	-

DESCRIPTION	Elbow barb 12 MTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-003400 32500-003420 32500-003430	-

DESCRIPTION	"T" barb 12 x 12	2 x 12	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-002500 32500-002520 32500-002530	

DESCRIPTION	"8" line end 12		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-003500 32500-003520 32500-003530	\$

DESCRIPTION	"Y" barb 12 x 2 MTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-002800 32500-002810	¥

DESCRIPTION	"W" barb 12 x 3 MTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-002820 32500-002840	¥

DESCRIPTION	Barb 12 x 3 FTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-002900 32500-002920	-

DESCRIPTION	Barb 12 x 4 FTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-003000 32500-003020	***

DESCRIPTION	Barb 12 x 6 FTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-003100 32500-003120 32500-003130	



Pipe inside Ø (mm)	Wall thi (mm)	ckness (mil)	To fit Netafim™ dripperlines
	0.9	35	16009
14.2	1.0	39	16010
	1.2	47	16012

DESCRIPTION	Coupling barb 16 x 16		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-010700 32500-010720 32500-010730	

DESCRIPTION	"T" barb 16 x 16 x 16		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-011300 32500-011320 32500-011330	

DESCRIPTION	Elbow barb 16	× 16	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-012500 32500-012520 32500-012530	

DESCRIPTION	"8" line end 16		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-013000 32500-013020 32500-013030	8

DESCRIPTION	Straight barb 16	5	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-010900 32500-010920	

DESCRIPTION	"Y" barb 16 x 2 MTH 34"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-011200 32500-011220 32500-011230	¥

DESCRIPTION	Elbow barb 16 MTH ½"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-012700 32500-012720 32500-012730	

DESCRIPTION	"W" barb16 x 3 MTH 34"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-012400 32500-012425 32500-012430	¥

DESCRIPTION	"T" barb 16 x 2 MTH 1/2"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-011600 32500-011620	T

DESCRIPTION	"T" barb 16 x 2 FTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-011700 32500-011720	•

DESCRIPTION	Straight barb 16 MTH ¾"	5	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-011000 32500-011020 32500-011030	

DESCRIPTION	Barb 16 x 3 FTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-011900 32500-011920	

DESCRIPTION	Elbow barb 16 MTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-012800 32500-012820 32500-012830	-

DESCRIPTION	Barb 16 x 4 FTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-012100 32500-012120	****

DESCRIPTION	"T" barb 16 x 2 MTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-011800 32500-011820	T

DESCRIPTION	Barb 16 x 6 FTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-012300 32500-012320	

DESCRIPTION	Barb 16 Threaded loose	e female ¾"	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-011100	



Pi	pe inside Ø	Wall thickness		To fit Netafim™
	(mm)	(mm)	(mil)	dripperlines
	14.6	1.2	47	17012

DESCRIPTION	Coupling barb 1	17 x 17	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-003800 32500-003810 32500-003820	

	100 amic, sag	32300-003020	
DESCRIPTION	Elbow barb 17	x 17	
CATALOG NUMBERS	1 unit 50 units/bag	32500-005900 32500-005920	#

32500-005940

100 units/bag

DESCRIPTION	"Cross" barb 17 x 17 x 17 x 17			
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-006300 32500-006320 32500-006330	+	

DESCRIPTION	Straight barb 17 MTH ½"	,	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004400 32500-004430 32500-004440	

DESCRIPTION	"T" barb 17 x 17 x 17			
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-050700 32500-050712 32500-050713		

DESCRIPTION	"8" line end 17		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-013000 32500-013020 32500-013030	8

DESCRIPTION	"T" barb 17 x 2 FTH 34"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004700 32500-004720 32500-004730	***************************************

DESCRIPTION	Elbow barb 17 MTH ½"			DESCRIPTION	Barb 17 x 3 FTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-006000 32500-006020 32500-006030	F	CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-005100 32500-005120 32500-005130	-
DESCRIPTION	"T" barb 17 x 2 MTH ½"			DESCRIPTION	Barb 17 x 4 FTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004450	T	CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-005300 32500-005320 32500-005330	The second
DESCRIPTION	Straight barb 17	7		DESCRIPTION	Barb 17 x 6 FTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004490 32500-004492 32500-004493	-	CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-005400 32500-005420 32500-005430	
DESCRIPTION	Elbow barb 17 MTH ¾"			DESCRIPTION	"T" barb 17 x 2 FTH 1"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-006100 32500-006120 32500-006130		CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-005500 32500-005520 32500-005530	
DESCRIPTION	"T" barb 17 x 2 MTH 34"			DESCRIPTION	Barb 17 x 3 FTH 1"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004800 32500-004820 32500-004830	Ŧ	CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-005600 32500-005610 32500-005620	
DESCRIPTION	"Y" barb 17 x 2 MTH ½"			DESCRIPTION	Barb 17 x 4 FTH 1"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004460 32500-004475	¥	CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-005700 32500-005710	<b>*8</b> *
DESCRIPTION	"Y" barb 17 x 2 MTH 34"			DESCRIPTION	Barb 17 x 6 FTH 1"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004600 32500-004620 32500-004630	¥	CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-005800 32500-005810	
DESCRIPTION	"W" barb17 x 3 MTH 34"			DESCRIPTION	"T" barb 17 x 2 FTH 1/2"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-005200 32500-005220 32500-005230	¥	CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-005050 32500-005520 32500-005530	



Pipe inside Ø	Wall thickness		To fit Netafim™
(mm)	(mm)	(mil)	dripperlines
17.5	1.0	39	20010
17.5	1.2	47	20012

DESCRIPTION	Coupling barb 20 x 20			
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-060000 32500-060025 32500-060030		

DESCRIPTION	"T" barb 20 x 20 x 20			
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-008400 32500-008420 32500-008430		

DESCRIPTION	Elbow barb 20 x 20			
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-010000 32500-010020 32500-010030		

DESCRIPTION	"8" line end 20		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-014400 32500-014420 32500-014430	\$

DESCRIPTION	Straight barb 20 MTH ½"	)	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-008000 32500-008020 32500-008030	-

DESCRIPTION	"Y" barb 20 x 2 MTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-008300 32500-008320 32500-008330	¥

DESCRIPTION	Elbow barb 20 MTH ½"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-014500 32500-014515	-

DESCRIPTION	"W" barb 20 x 3 MTH 34"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-009000 32500-009020 32500-009030	¥

DESCRIPTION	"T" barb 20 x 2 MTH ½"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-014550	T

DESCRIPTION	"T" barb 20 x 2 FTH 34"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-008900 32500-008920 32500-008930	

DESCRIPTION	Straight barb 20 MTH ¾"	)	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-008100 32500-008120 32500-008130	

DESCRIPTION	Barb 20 x 3 FTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-009100 32500-009120 32500-009130	

CATALOG NUMBERS 1 unit 32500-010100 50 units/bag 32500-010110 100 units/bag	DESCRIPTION	Elbow barb 20 MTH ¾"	
	J	50 units/bag	

DESCRIPTION	Barb 20 x 4 FTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-009200 32500-009220 32500-009230	***

DESCRIPTION	"T" barb 20 x 2 MTH 34"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-008800 32500-008820 32500-008830	T

DESCRIPTION	Barb 20 x 6 FTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-009300 32500-009320 32500-009330	

DESCRIPTION	"T" barb 20 x 2 FTH 1"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-009400 32500-009420 32500-009430	-11-
DESCRIPTION	Barb 20 x 3 FTH 1"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-009500 32500-009520 32500-009530	-

DESCRIPTION	Barb 20 Threaded loose	e female ¾"	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-008270	

DESCRIPTION	Barb 20 x 4 FTH 1"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-009600 32500-009620 32500-009630	

DESCRIPTION	Barb 20 x 6 FTH 1"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-009800 32500-009820 32500-009830	



Pipe inside Ø (mm)	Wall thickness (mm)	To fit Netafim™ PE pipe
22	1.5	25/4

22	1.5	25/4					
DESCRIPTION	Coupling barb 25 x 25						
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag						
DESCRIPTION	Elbow barb 25 x	¢ 25					
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-022600					
DESCRIPTION	Straight barb 25	j					
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-014801	-				
DESCRIPTION	Elbow barb 25 MTH ½"						
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-022650	-				

DESCRIPTION	"T" barb 25 x 2 MTH ½"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-023790	T

DESCRIPTION	"T" barb 25 x 25 x 25				
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-023700			
DESCRIPTION	Straight barb 25 MTH ¾"				
CATALOG NUMBERS	1 unit 50 units/bag	32500-014825	#		

CATALOG 1 unit 32500-022700  NUMBERS 50 units/bag  100 units/bag	MTH 3/4"
100 41113/1049	02000 022700

DESCRIPTION	"T" barb 25 x 2 MTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-023800	T



# 12, 16, 17, 20, 25 MM REDUCING CONNECTOR

		23 141141 112000	 			
DESCRIPTION	Reducing coupl Barb 12 Barb 16	ling	DESCRIPTION	Reducing "T" Barb 12 x 2 Barb 16		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-010800 32500-010820 32500-010830	CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-002600 32500-002620 32500-002630	T
DESCRIPTION	Reducing coup Barb 12 Barb 17	ling	DESCRIPTION	Reducing "T" Barb 16 x 2 Barb 12		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004100 32500-004120	CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-011400 32500-011420	T
DESCRIPTION	Reducing coup Barb 12 Barb 20	ling	DESCRIPTION	Reducing "T" Barb 16 x 2 Barb 20		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-007800 32500-007830	CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-011500 32500-011520	T
DESCRIPTION	Reducing coup Barb 16 Barb 17	ling	DESCRIPTION	Reducing "T" Barb 17 x 2 Barb 16		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004250 32500-004260 32500-004270	CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-005000 32500-005020	T
DESCRIPTION	Reducing coup Barb 16 Barb 20	ling	DESCRIPTION	Reducing "T" Barb 20 x 2 Barb 12		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-007900 32500-007920 32500-007930	CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-008500	T
DESCRIPTION	Reducing coupl Barb 17 Barb 20	ling	DESCRIPTION	Reducing "T" Barb 20 x 2 Barb 16		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004300 32500-004315 32500-004330	CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-008600 32500-008610 32500-008620	T
DESCRIPTION	Reducing coup Barb 17 Barb 25	ling	DESCRIPTION	Reducing "T" Barb 25 x 2 Barb 20		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004300 32500-004315 32500-004330	CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-014850	T
DESCRIPTION	Reducing coup Barb 20 Barb 25	ling	DESCRIPTION	"T" barb /ring co Flat ring 16 x 2 Barb 17	onnector (body & 2	2 flat rings)
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-014830	CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-018900	T



#### 12, 16, 17, 20 MM INSERT START CONNECTORS FOR PVC PIPES

Recommended hole for barb start connectors:

1) 16 mm in PVC pipe up to 4 mm wall thickness

2) 16.5 mm in PVC pipe with more than 4 mm wall thickness

The 'P' model is for flow rate of up to 800 l/h

Model P grommet - maximum WT 3mm, model t grommet - maximum WT 5.5mm

DESCRIPTION	Start connector Barb 12 w/seal,		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-003706	4

DESCRIPTION	Start connector Barb 16 w/seal,		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-013770 32500-013785	

DESCRIPTION	Start connector Barb 17 w/seal,		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-006620 32500-006630	طسنبه

DESCRIPTION	Start connector for PVC Barb 20 w/seal, model P		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-010470 32500-010485	طسب

DESCRIPTION	Seal for start barb connector Model P		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-010450 32500-010455 32500-010460	8

DESCRIPTION	Start connector for PVC Barb 25 w/seal, model T		
CATALOG	1 unit	32500-018400	
NUMBERS	50 units/bag	32500-018420	

DESCRIPTION	Start elbow cor PVC, barb 16 w		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-010615	

DESCRIPTION	Start elbow cor PVC, barb 17 w		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-006800 32500-006820	

DESCRIPTION	Start connecto	r for PVC	
	Barb 12 w/seal		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-024000	

DESCRIPTION	Start connector Barb 16 w/seal,		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-013700 32500-013720 32500-013730	

DESCRIPTION	Start connector Barb 17 w/seal,		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-006700 32500-006720 32500-006730	

DESCRIPTION	Start connector for PVC Barb 20 w/seal, model T		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-010300 32500-010330 32500-010340	

DESCRIPTION	Seal for start connector, model T		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32000-007000 32000-007015	4000

DESCRIPTION	16.0 mm & 16.5 mm Drill bit for PVC pipe
CATALOG	1 unit 16.0 mm 45000-002755
NUMBERS	1 unit 16.5 mm 45000-002756

Photos show assembly with seal. Connectors are delivered with seals not assembled.



#### 12, 16, 17, 20 MM START CONNECTORS FOR PE PIPES 40-75 MM

Recommended hole for barb start connectors: 8 mm Maximum wall thickness: 6 mm without grommet or 3 mm with grommet

DESCRIPTION	Start connector	for PE, barb 12	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-003705 32500-003702	

DESCRIPTION	Start connector	r for PE, barb 20	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-010350 32500-010370 32500-010380	

DESCRIPTION	Start connector	for PE, barb 16	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-013750 32500-013760 32500-013765	

DESCRIPTION	Start connector for PE, ring 16 (for TWD & MWD)		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-017770 32500-017785	

DESCRIPTION	Start connector	r for PE, barb 17	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-006600 32500-006605 32500-006610	



# 12, 16, 17, 20 MM BAND START CONNECTORS FOR PE PIPES 32-50 MM

DESCRIPTION	Barb 12 on sad bundled start c	dle to assemble a onnector	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-003600 32500-003620 32500-003630	1

DESCRIPTION	Barb 17 on sade	dle to assemble a	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-006550 32500-006570	

DESCRIPTION	Barb 16 on sad bundled start c	dle to assemble a onnector	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-013300 32500-013320 32500-013330	

DESCRIPTION	Barb 20 on sad bundled start of	dle to assemble a onnector	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-010200 32500-010220	

DESCRIPTION	Fast 16 on saddle to assemble a bundled start connector		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-017800 32500-017820 32500-017830	1

DESCRIPTION	Plug on saddle to assemble a bundled plug		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-013400 32500-013420	-W

DESCRIPTION	Band to assemble a bundled start connector – 12 & 16		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-014000 32500-014020 32500-014030	$\bigcirc$

DESCRIPTION	Seal to assemble a bundled start connector – 12, 16 & 17		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-013900 32500-013920 32500-013930	)

DESCRIPTION	Band to assemble a bundled start connector –17 & 20		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-010500 32500-010520	$\bigcirc$



#### START SCREW CONNECTORS FOR PE 50-75 MM

Recommended hole for screw nut start connectors: 12 mm

DESCRIPTION	Start screw nut connector for PE, barb 17		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-007100 32500-007120 32500-007130	

DESCRIPTION	Start screw nut Blue ring (for TV	connector for Pl	E, fast with
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-018550 32500-018560	

DESCRIPTION	Start screw nut for PE, fast bod		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-018500 32500-018510 32500-018520	4



### 8 MM BARB CONNECTORS FOR 6.4 MM ID DRIPPERLINES (BROWN)

Recommended hole: 3 mm

Pipe inside Ø	Wall thi	ckness	To fit Netafim™ Microdrip
(mm)	(mm)	(mil)	
6.3	0.8	32	Microdrip 8

DESCRIPTION	Coupling barb 8	3 x 8 (Brown)	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-002000 32500-002020 32500-002030	

DESCRIPTION	"T" barb 8 x 8 x 8 (Brown)		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-002100 32500-002115 32500-002120	+

DESCRIPTION	Elbow barb 8 x 8 (Brown)		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-001900 32500-001915 32500-001920	

DESCRIPTION	Press - fit 8 - ba	ırb/female (Browi	า)
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-040100	

DESCRIPTION	Press - fit 8 - ba	arb/male (Brown)	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-040000	



# 5 MM BARB CONNECTORS FOR 3.0 MM ID MICRO TUBES

Pipe inside Ø	Wall th	ickness	To fit Netafim™ micro tubes
(mm)	(mm)	(mil)	
3.2	0.8	32	3 x 5 blank micro-tube

DESCRIPTION	"T" barb 5 x 5 x	5	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag 1000 units/bag	32500-001500 32500-001520 32500-001530 32500-001540	1

DESCRIPTION	"T" 5 barb TH 5 X 2		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag 1000 units/bag	32500-001300 32500-001320 32500-001330 32500-001340	1

DESCRIPTION	"T" barb 5 x 5 x	5 (Brown)	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-001600 32500-001620	1

DESCRIPTION	"T" 5 barb TH 5 X 2 (Brow	n)	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-001400	1

DESCRIPTION	Barb/TH start co	onnector 5 mm	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-001100 32500-001110	
	1000 units/bag	32500-001140	

DESCRIPTION	"T" TH 5 x 5 x 5		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag 1000 units/bag	32500-001700 32500-001720 32500-001730 32500-001740	-

DESCRIPTION	Barb connector to a 3 x 5 micro-tube or a press-fit connection (Brown)	
CATALOG NUMBERS	To connect a PE pipe to a microtube 3 x 5 or to a manifold  1 unit 32000-001850 50 units/bag 32000-001860 100 units/bag 32000-001870	

DESCRIPTION	Barb connector to a 3 x 5 micro-tube or a press-fit connection	
CATALOG NUMBERS	To connect a PE pipe to a microtube 3 x 5 or to a manifold	
	1 unit 50 units/bag 100 units/bag	32000-001900 32000-001920 32000-001930



# BARB CONNECTORS 12, 16, 17, 18, 20 MM FOR MINING (PURPLE) Maximum working pressure 3 bar.

DESCRIPTION	Coupling barb 1	2 x 12	
CATALOG NUMBERS	1 unit 50 units/bag	32500-002250	
	100 units/bag	32500-002270	

DESCRIPTION	Coupling barb 1	6 x 16	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-010680 32500-010685 32500-010690	

DESCRIPTION	Coupling barb 1	7 x 17	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-003900 32500-003915 32500-003930	

DESCRIPTION	Coupling barb 1	8 x 18	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-014217	
	100 units/bag	32500-014227	

DESCRIPTION	Coupling barb 2	20 × 20	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-007700 32500-007721 32500-007730	

DESCRIPTION	Elbow barb 16	x 16	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-012480	

DESCRIPTION	Elbow barb 12	x 12	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-003250 32500-003260	

DESCRIPTION	Elbow barb 18 x	<b>&lt;</b> 18	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-014261	

DESCRIPTION	Elbow barb 17	x 17	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-005970	

DESCRIPTION	"T" barb 12 x 12	2 x 12	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-002533	

DESCRIPTION	"T" barb 16 x 16 x 16		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-011340	



# BARB CONNECTORS 12, 16, 17, 18, 20 MM FOR MINING (PURPLE) Maximum working pressure 3 bar.

DESCRIPTION	Straight barb 12 MTH ½"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-002360	

DESCRIPTION	Straight barb 16 MTH ½"	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-010935

DESCRIPTION	Straight barb 16	3	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-011050	

DESCRIPTION	Straight barb 17 MTH ¾"	,	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004520 32500-004530	

DESCRIPTION	Straight barb 18 MTH ¾"	3	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-014150 32500-014170	

DESCRIPTION	Straight barb 20 MTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-008250	

DESCRIPTION	"Y" barb 12 x 2 MTH 34"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-002750	

DESCRIPTION	"Y" barb 16 x 2 MTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-011240	

DESCRIPTION	"Y" barb 17 x 2 MTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004650	

DESCRIPTION	"Y" barb 18 x 2 MTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-014251	

DESCRIPTION	"Y" barb 20 x 2 MTH 34"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-008350	

Description	Start connector Barb 16 w/o se		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-014120	

DESCRIPTION	Reducing coupling barb 16 Barb 20		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-007790	



Pipe inside Ø (mm)	Wall thi	ckness	To fit Netafim™
	(mm)	(mil)	dripperlines
11.8	0.127	5.0	12050
	0.15	6.0	12060
	0.20	8.0	12080
	0.31	12.5	12125
	0.38	15.0	12150
	0.50	20.0	12200
	0.63	25.0	12250

DESCRIPTION	Fast coupling 1	2 w/blue rings	
CATALOG	1 unit	32500-002471	
NUMBERS	10 units/bag	32500-002473	

DESCRIPTION	Fast 12 w/blue MTH ½"	ring	
CATALOG	1 unit	32500-002390	
NUMBERS	10 units/bag	32500-002395	

DESCRIPTION	Fast 12 line en	d w/blue ring	
CATALOG	1 unit	32500-003560	
NUMBERS	10 units/bag	32500-003565	

DESCRIPTION	Fast 12 w/blue PE start conne	0	
CATALOG	1 unit	32500-003660	
NUMBERS	10 units/bag	32500-003662	

DESCRIPTION	Fast 12 elbow MTH ½"	w/blue ring	
CATALOG	1 unit	32500-003350	•
NUMBERS	10 units/bag	32500-003360	

DESCRIPTION	Fast 12 "T" w/blue ring MTH ½"		
CATALOG	1 unit	32500-002560	4
NUMBERS	10 units/bag	32500-002565	



Pipe inside Ø (mm)	Wall thic	kness (mil)	To fit Netafim™ dripperlines
16.2	0.127	5.0	16050
	0.135	5.5	16055
	0.15	6.0	16060
	0.20	8.0	16080
	0.25	10.0	16100
	0.31	12.5	16125
	0.38	15.0	16150

DESCRIPTION	Fast coupling 1	6 w/blue rings	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-016740 32500-016760 32500-016770	

DESCRIPTION	Fast 16 x 2 w/FTH 3/4"	blue rings	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-016520 32500-016525 32500-016530	

DESCRIPTION	Fast 16 w/blue Barb 16	ring	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-017040 32500-017060 32500-017070	

DESCRIPTION	Fast 16 w/blue MTH 1/2"	ring	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-015100 32500-015130	

DESCRIPTION	Fast 16 line end	d w/blue ring	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-016460 32500-016480 32500-016490	

DESCRIPTION	Fast "T" 16 w/b MTH 1/2"	lue rings	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-015341	

DESCRIPTION	Blue ring 16		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-017400 32500-017420 32500-017430	

DESCRIPTION	Fast 16 x 3 w/blue rings FTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-015500 32500-015530	

DESCRIPTION	Fast 16 x 4 w/blue rings FTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-015700 32500-015730	

DESCRIPTION	Fast 16 x 6 w/blue rings FTH 3/4"		
CATALOG NUMBERS	1 unit 50 units/bag	32500-016550	
	100 units/bag	32500-016570	

DESCRIPTION	Fast 16 w/blue ring MTH ¾"			
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-015250 32500-015270 32500-015280		

DESCRIPTION		saddle, complete seal + blue ring)	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-018000 32500-018003 32500-018005	

DESCRIPTION	Fast elbow 16 w/blue ring MTH 1/2"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-015381	

DESCRIPTION	Fast 16 x 2 w/blue rings FTH ¾"		NEW
CATALOG NUMBERS	1 unit 50 units/bag	32500-017850	
	100 units/bag	32500-017855	



Pipe inside Ø	Wall thic	ckness	To fit Netafim™
(mm)	(mm)	(mil)	dripperlines
	0.50	20.0	16200
15.5	0.63	25.0	16250
10.0	0.7	27.0	16007
	0.8	32.0	16008

DESCRIPTION	Fast coupling 16 w/o rings		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-016720 32500-016730	

DESCRIPTION	Fast 16 line end w/o ring		
CATALOG NUMBERS	1 unit 50 units/bag	32500-016450	
	100 units/bag	32500-016455	

DESCRIPTION	Fast 16 x 2 w/o rings FTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-015300 32500-015320 32500-015330	

DESCRIPTION	Fast 16 w/o ring MTH ½"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-015000	

DESCRIPTION	Fast 16 x 3 w/o rings FTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-015400 32500-015420 32500-015430	· ()

DESCRIPTION	Fast 16 w/o ring MTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-015200	

DESCRIPTION	Fast 16 x 4 w/blue rings FTH 3/4"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-015600	

DESCRIPTION	White ring 16 For MWD			
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-017600 32500-017620 32500-017630		

DESCRIPTION	Fast 16 x 6 w/c	o rings	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-015800 32500-015830	-

DESCRIPTION	Fast 16 w/o rings Barb 16		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-017020 32500-017030	

DESCRIPTION	Fast "T" 16 w/o MTH 1/2"	rings	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-015340	

DESCRIPTION	Fast elbow 16 w/o ring MTH 1/2"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-015380	7

DESCRIPTION	Black flat ring for HWD		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32000-006950 32000-006975 32000-006980	

DESCRIPTION	Fast 16 x 2 w/c FTH 34"	rings	NEW
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-017860	

Note: suitable for dripperlines with WT of 0.9, 1,0 & 1.2 mm



Pipe inside Ø (mm)	Wall thi	ckness	To fit Netafim™
	(mm)	(mil)	dripperlines
22.2	0.15	6.0	22060
	0.18	7.0	22070
	0.20	8.0	22080
	0.25	10.0	22100
	0.31	12.5	22125
	0.34	13.5	22135
	0.38	15.0	22150
	0.50	20.0	22200
	0.63	25.0	22250

DESCRIPTION	Fast coupling 2	2 w/blue rings	
CATALOG NUMBERS	1 unit 50 units/bag	32500-021300	-
	100 units/bag	32500-021320	

DESCRIPTION	Fast coupling 2	2 w/o rings	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-020800	

DESCRIPTION	Fast 22 w/blue Barb 20	ring	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-021200 32500-021220 32500-021230	

DESCRIPTION	Fast 22 w/o ring Barb 20		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-021100	

DESCRIPTION	Fast 22 w/blue MTH ¾"	ring	
CATALOG NUMBERS	1 unit 50 units/bag	32500-021000	
	100 units/bag	32500-021020	7

DESCRIPTION	Fast 22 w/o rir MTH ¾"	ng	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-020900	

DESCRIPTION	Fast "T" 22 w/b MTH 1/2"	lue rings	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-034120	T

DESCRIPTION	Fast "T" 22	w/o rings MTH 1/2"	
CATALOG NUMBERS	1 unit	32500-034100	

DESCRIPTION	Fast 22 line end	d w/blue ring	NEW
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-060900 32500-060911 32500-060912	<b>%</b>

DESCRIPTION	Fast elbow	22 w/o ring MTH 1/2"	
CATALOG NUMBERS	1 unit	32500-034000	7

DESCRIPTION	Blue ring 22		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-022200	

DESCRIPTION	Fast elbow 22 v MTH 1/2"	w/blue ring	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-034020	

DESCRIPTION	White ring 22		NEW
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-017740 32500-017741 32500-017742	

21



Pipe inside Ø	Wall thickness		To fit Netafim™
(mm)	(mm)	(mil)	dripperlines
25.0	0.32 0.34 0.38 0.50	12.5 13.5 15.0 20.0	25125 25135 25150 25200

DESCRIPTION	Fast coupling 25 w/black rings		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-019600 32500-019630 32500-019650	

CATALOG 1 unit	32500-019500	
NUMBERS 50 units/bag 100 units/bag		

DESCRIPTION	Fast 25 w/black ring Barb 20		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-020000 32500-020050	

DESCRIPTION	Fast 25 w/o ring Barb 20	)	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-019900	

DESCRIPTION	Fast 25 w/black ring MTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-019800 32500-019840 32500-019850	

DESCRIPTION	Fast 25 w/o ring MTH ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-019700	

DESCRIPTION	Fast "T" 25 w/black rings MTH 1/2"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-034320	4

DESCRIPTION	Fast elbow 25 v MTH 1/2"	w/black ring	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-034220	Ļ

DESCRIPTION	Black ring 25		
CATALOG NUMBERS	1 unit 50 units/bag	32500-020100	THE
	100 units/bag	32500-020130	



# ■■■ 16 TWIST LOCK (TL) CONNECTORS

Pipe inside Ø	Wall thi	ckness	To fit Netafim™
(mm)	(mm)	(mil)	dripperlines
	0.127	5.0	16050
	0.135	5.5	16055
	0.15	6.0	16060
16.2	0.20	8.0	16080
	0.25	10.0	16100
	0.31	12.5	16125
	0.38	15.0	16150
45.5	0.50	20.0	16200
15.5	0.63	25.0	16250

dille	-
and 100	

#### 22 TWIST LOCK (TL) CONNECTORS

Pipe inside Ø	Wall thi	ckness	To fit Netafim™
(mm)	(mm)	(mil)	dripperlines
22.2	0.114	4.5	22045
	0.127	5.0	22050
	0.135	5.5	22055
	0.15	6.0	22060
	0.18	7.0	22070
	0.20	8.0	22080
	0.25	10.0	22010
	0.34	13.5	22135
	0.38	15.0	22150
	0.50	20.0	22200
	0.63	25.0	22250

DESCRIPTION	TL coupling 16		
CATALOG NUMBERS	1 units	32500-016010	

DESCRIPTION	TL 16 MTH ½"		
CATALOG NUMBERS	1 units	32500-016020	

DESCRIPTION	TL elbow 16 MTH ½"		
CATALOG NUMBERS	1 units	32500-011380	

DESCRIPTION	TL 16 MTH ¾"		
CATALOG NUMBERS	1 units	32500-016030	

DESCRIPTION	TL 16 Barb 16/17		
CATALOG NUMBERS	1 units	32500-016090	

DESCRIPTION	TL "T" 16 x 2 MTH ½"		
CATALOG NUMBERS	1 units	32500-011370	

DESCRIPTION	TL coupling 22		
CATALOG NUMBERS	1 units	32500-018180	

DESCRIPTION	TL elbow 22 MTH ½"		
CATALOG NUMBERS	1 units	32500-014770	

DESCRIPTION	TL 22 MTH ¾"		
CATALOG NUMBERS	1 units	32500-018185	

DESCRIPTION	TL 22 Barb 20	
CATALOG NUMBERS	1 units	32500-018210

DESCRIPTION	TL "T" 22 x 2 MTH ½"		
CATALOG NUMBERS	1 units	32500-014750	



# 25 TWIST LOCK (TL) CONNECTORS

Pipe inside Ø	Wall thi	ickness	To fit Netafim™
(mm)	(mm)	(mil)	dripperlines
	0.32	12.5	25125
25.0	0.34 0.38	13.5 15.0	25135 25150
	0.63	25.0	25250

DESCRIPTION	TL coupling 25		
CATALOG NUMBERS	1 units	32500-019480	

DESCRIPTION	TL 25 MTH ¾"		
CATALOG NUMBERS	1 units	32500-019485	



# START CONNECTORS FOR LAY FLAT (LYF) PIPES & SPARE PARTS

DESCRIPTION	LYF fast start of	onnector 16 w/ring	g
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-018045	

DESCRIPTION	LYF nut 3/8" ID		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-018075	0

DESCRIPTION	LYF fast start c	onnector 22 w/ring	g
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-018260 32500-018263	

DESCRIPTION	LYF nut ½" ID		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-018255	0

DESCRIPTION	LYF barb 16 sta	rt connector	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-013340	anj))

Description	LYF repair device 3/8" ID – ½" MTH		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-018030	(b)

DESCRIPTION	LYF barb 17 sta	rt connector	
CATALOG NUMBERS	1 unit 50 units/bag	32500-007555	
	100 units/bag	32500-007557	

DESCRIPTION	LYF repair device ½" ID – ½" MTH	
CATALOG NUMBERS	1 unit 3 50 units/bag 100 units/bag	32500-018035

DESCRIPTION	LYF barb 20 sta	rt connector	
CATALOG NUMBERS	1 unit 50 units/bag	32500-010255	
	100 units/bag	32500-010260	=,

DESCRIPTION	LYF ¾" MTH start connector		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-018085	



# START CONNECTORS FOR LAY FLAT (LYF) & FLEXNET™

DESCRIPTION	PLN & LYF fast	16 w/o ring adapter	FTH ½"
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-018065	

DESCRIPTION	PLN & LYF barb	17 adapter FTH ½"	
CATALOG NUMBERS	1 unit 50 units/bag	32500-007560	
	100 units/bag	32500-007562	

DESCRIPTION	PLN & LYF fas	t 22 w/o ring adapter	FTH 1/2"
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-018245	- C

DESCRIPTION	PLN & LYF barb	20 adapter FTH ½"	
CATALOG NUMBERS	1 unit 50 units/bag	32500-010275	
	100 units/bag	32500-010280	

DESCRIPTION	PLN & LYF barb	16 adapter FTH ½"	
CATALOG NUMBERS	1 unit 50 units/bag	32500-013380	
	100 units/bag	32500-013390	

DESCRIPTION	PLN & LYF ¾" N	MTH adapter FTH 1	/2"
CATALOG NUMBERS	1 unit 50 units/bag	32500-018095	14 (1111)
	100 units/bag	32500-018098	, may by many

DESCRIPTION	PLN & LYF fast 22 with assembly ring adapter FTH ½"
CATALOG NUMBERS	100 units/bag 32500-018268

DESCRIPTION	PLN & LYF fast 16 with assembly ring adapter FTH ½"		
CATALOG NUMBERS	100 units/bag	32500-018049	



# START CONNECTORS FOR FLEXNET™ & SPARE PARTS

DESCRIPTION	PLN fast start connector 16 w/ring		
CATALOG NUMBERS	100 units/bag	32500-024450	

DESCRIPTION	PLN ¾" MTH start connector		
CATALOG NUMBERS	100 units/bag	32500-024400	

DESCRIPTION	PLN fast start connector 22 w/ring				
CATALOG NUMBERS	100 units/bag 32500-024200				

DESCRIPTION	PLN Nut start connector			
CATALOG NUMBERS	100 units/bag	32500-024640	1	

DESCRIPTION	PLN barb 16 start connector				
CATALOG NUMBERS	100 units/bag	32500-024250			

DESCRIPTION	PLN start connector threaded body				
CATALOG NUMBERS	100 units/bag	32500-024610			

DESCRIPTION	PLN barb 17 start connector				
CATALOG NUMBERS	100 units/bag	32500-024300			

DESCRIPTION	PLN barb 20 start connector				
CATALOG NUMBERS	100 units/bag	32500-024350			

DESCRIPTION	PLN repair start	t connector	
CATALOG NUMBERS	50 units/bag	32500-024750	0

DESCRIPTION	PLN plug connector			
CATALOG NUMBERS	50 units/bag 3250	00-024150		

DESCRIPTION	FTN & PLN ½" FTH start connector			
CATALOG NUMBERS	50 units/bag	32500-042300	4	



### **Q-FLEX**<sup>TM</sup>

UNIQUE KINK RESISTANCE FLEXIBLE RISER



#### **Applications**

#### INNOVATIVE & FLEXIBLE SOLUTION TO CONNECT DRIPPERLINES TO SUB MAINS

- Q-Flex™ is Netafim's innovative and unique solution for dripperline riser take-offs.
- Suits both Surface and Sub-Surface applications.

#### **BENEFITS AND FEATURES**

- Saves labor, simplifies and shortens the installation process.
- Prevent local pressure losses or flow restriction, kink-resistant.
- Verstaile pre assembled options for Thin wall, Medium wall and Heavy wall dripperlines.
- Configurable for diverse connectors options, customizable for connecting dripperlines to grommet take-offs or threaded connections in sub mains.

#### **Specifications**

- Kink-resistant corrugated profile.
- Made from UV resistance corrugated Polypropylene.
- Maximum pressure: 4 bar (0-40°C).
- Elongation <3% at 4 bar.
- Minimum kink radius (with buckling): 45 mm.

#### PACKAGING DATA

Pipe length (m)	QUANTITY P/BOX UNITS	Box dimensions (CM X CM X CM)	Box Weight* (KG) approximate	Boxes p/pallet UNITS	PALLETS P/20' CONTAINER
0.30	400	190.0 X 28.5 X 28.0	29	12	12
0.60	200	145.0 X 28.5 X 28.0	17	12	16
0.75	200	190.0 X 28.5 X 28.0	19	12	12
1.00	100	130.0 X 28.5 X 28.0	12	12	16
1.20	100	130.0 X 28.5 X 28.0	14	12	16
1.50	100	190.0 X 28.5 X 28.0	17	12	12
1.80	100	190.0 X 28.5 X 28.0	19	12	12


<sup>\*</sup>According to connectors combinations

<sup>\*\*</sup> Configuration IC0.75MTH OCTL22 contains different quantity and weight

### **Q-flex™** Complementary products

PRODUCT DESCRIPTION	CATALOG NUMBER	ILLUSTRATION
ELBOW 1/2" FTH - 1/2" MTH W SELF SEAL	76200-012500	
COUPLUNG 20*20 (to repair corrugated pipe)	75000-001010	

### Q-Flex<sup>™</sup> HEAD LOSS, 1.0 METER LENGH



#### Q-Flex<sup>TM</sup>

Flowchart to determine the desired product definition

How to use: To determine the desired product definition select one of every set of options displayed on the chart.

Product	Corrugated pipe length (m) + assembled sleeves		Inlet connectors			Outlet connector	
Q-Flex™ QFLEX	0.30 meter + assembled sleeves	0.30M	1/2" MTH	IC0.5MTh	1	FAST RING 22 W/RING	OCFR
	0.60 meter + assembled sleeves	0.60M	3/4" MTH	IC0.75MT	Н	TWIST LOCK 22 W/NUT	OCTL2
	0.75 meter + assembled sleeves	0.75M	PVC W/SEAL - MT	ICPVC		WIRETIE*	OCWI
	1.00 meter + assembled sleeves	1.00M				BARB 16	OCBA1
	1.20 meter + assembled sleeves	1.20M				BARB 17	OCBA1
	1.50 meter + assembled sleeves	1.50M				BARB 20	OCBA2
	1.80 meter + assembled sleeves	1.80M				FAST RING 16 W/RING	OCFR1
						MTH 3/4"	OC0.75M
						FTH 3/4"	OC0.75F
						*(wires must be ordered separ	ratelly)
QFLEX							

### Q-Flex<sup>TM</sup> products

NETAFIM DESCRIPTION	NETAFIM SAP CATALOG NUMBER	INLET CONNECTOR	CORRUGATED PIPE + 2 ASSEMBLED SLEEVES	OUTLET CONNECTOR
QFLEX 0.60M IC0.5MTH OCFR22 200/C	32010-002500			
QFLEX 0.75M IC0.5MTH OCFR22 200/C	32010-003020			
QFLEX 1.00M IC0.5MTH OCFR22 100/C	32010-002501		000000000 , 90000000	MARKS
QFLEX 1.20M IC0.5MTH OCFR22 100/C	32010-002502		•	
QFLEX 1.50M IC0.5MTH OCFR22 100/C	32010-002503			
QFLEX 1.80M IC0.5MTH OCFR22 100/C	32010-002504	Male threaded connector 1/2"	Corrugated pipe + 2 assembled sleeves	Fast ring 22 w/ring
QFLEX 0.60M IC0.5MTH OCTL22 200/C	32010-002520			
QFLEX 0.75M IC0.5MTH OCTL22 200/C	32010-003021			
QFLEX 1.00M IC0.5MTH OCTL22 100/C	32010-002521		00000000(, 70000000	
QFLEX 1.20M IC0.5MTH OCTL22 100/C	32010-002522			
QFLEX 1.50M IC0.5MTH OCTL22 100/C	32010-002523			
QFLEX 1.80M IC0.5MTH OCTL22 100/C	32010-002524	Male threaded connector 1/2"	Corrugated pipe + 2 assembled sleeves	Twist lock 22
OFLEX 0.60M IC0.5MTH OCWITI 200/C	32010-002540			
QFLEX 0.75M IC0.5MTH OCWITI 200/C	32010-003022	_		
QFLEX 1.00M IC0.5MTH OCWITI 100/C	32010-002541		100000000K 300000000	0 F %
QFLEX 1.20M IC0.5MTH OCWITI 100/C	32010-002542	•		
QFLEX 1.50M IC0.5MTH OCWITI 100/C	32010-002543			
OFLEX 1.80M IC0.5MTH OCWITI 100/C	32010-002544	Male threaded connector 1/2"	Corrugated pipe + 1 assembled sleeve	Wire tie
QFLEX 0.60M IC0.75MTH OCFR22 200/C	32010-002560			
QFLEX 0.75M IC0.75MTH OCFR22 200/C	32010-003023			
QFLEX 1.00M IC0.75MTH OCFR22 100/C	32010-002561	(max)	00000000 (0000000	
QFLEX 1.20M IC0.75MTH OCFR22 100/C	32010-002562		-,	
QFLEX 1.50M IC0.75MTH OCFR22 100/C	32010-002563			
QFLEX 1.80M IC0.75MTH OCFR22 100/C	32010-002564	Male threaded connector 3/4"	Corrugated pipe + 2 assembled sleeves	Fast ring 22 w/ring

<sup>\*</sup>The illustrations are illustrative only. Not shown on a scale or in real colors.

NETAFIM DESCRIPTION	NETAFIM SAP CATALOG NUMBER	INLET CONNECTOR	CORRUGATED PIPE + 2 ASSEMBLED SLEEVES	OUTLET CONNECTOR
QFLEX 0.60M IC0.75MTH OCTL22 160/C	32010-002580			
QFLEX 0.75M IC0.75MTH OCTL22 160/C	32010-003024	_		
QFLEX 1.00M IC0.75MTH OCTL22 80/C	32010-002581	Marian I	00000000(, 9000000)	
QFLEX 1.20M IC0.75MTH OCTL22 80/C	32010-002582		, ,	
QFLEX 1.50M IC0.75MTH OCTL22 80/C	32010-002583			
QFLEX 1.80M IC0.75MTH OCTL22 80/C	32010-002584	Male threaded connector 3/4"	Corrugated pipe + 2 assembled sleeves	Twist lock 22
QFLEX 0.60M IC0.75MTH OCWITI 200/C	32010-002600			
QFLEX 0.75M IC0.75MTH OCWITI 200/C	32010-003025			
QFLEX 1.00M IC0.75MTH OCWITI 100/C	32010-002601	[ Canada	,00000000K ,000000000	M SEX
QFLEX 1.20M IC0.75MTH OCWITI 100/C	32010-002602		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
QFLEX 1.50M IC0.75MTH OCWITI 100/C	32010-002603			
QFLEX 1.80M IC0.75MTH OCWITI 100/C	32010-002604	Male threaded connector 3/4"	Corrugated pipe + 1 assembled sleeve	Wire tie
QFLEX 0.60M ICPVC OCFR22 200/C	32010-002610			
QFLEX 0.75M ICPVC OCFR22 200/C	32010-003026			
QFLEX 1.00M ICPVC OCFR22 100/C	32010-002635	- Commercial	1000000000 100000000	
QFLEX 1.20M ICPVC OCFR22 100/C	32010-002612			
QFLEX 1.50M ICPVC OCFR22 100/C	32010-002613			
QFLEX 1.80M ICPVC OCFR22 100/C	32010-002614	PVC start connector w/seal MT	Corrugated pipe + 2 assembled sleeves	Fast ring 22 w/ring
QFLEX 0.60M ICPVC OCTL22 200/C	32010-002620			
QFLEX 0.75M ICPVC OCTL22 200/C	32010-003027			
QFLEX 1.00M ICPVC OCTL22 100/C	32010-002621	(max)	100000000 (10000000)	MEIN
QFLEX 1.20M ICPVC OCTL22 100/C	32010-002622	. ——		
QFLEX 1.50M ICPVC OCTL22 100/C	32010-002623			
QFLEX 1.80M ICPVC OCTL22 100/C	32010-002624	PVC start connector w/seal MT	Corrugated pipe + 2 assembled sleeves	Twist lock 22

<sup>\*</sup>The illustrations are illustrative only. Not shown on a scale or in real colors.

# $\Omega ext{-Flex}^{TM}$ products

NETAFIM DESCRIPTION	NETAFIM SAP CATALOG NUMBER	INLET CONNECTOR	CORRUGATED PIPE + 2 ASSEMBLED SLEEVES	OUTLET CONNECTOR
QFLEX 0.60M ICPVC OCWITI 200/C	32010-002630			
QFLEX 0.75M ICPVC OCWITI 200/C	32010-003028			
QFLEX 1.00M ICPVC OCWITI 100/C	32010-002631		000000006 3000000000	<b>2 €</b> € € € €
QFLEX 1.20M ICPVC OCWITI 100/C	32010-002632		•	
QFLEX 1.50M ICPVC OCWITI 100/C	32010-002633			
QFLEX 1.80M ICPVC OCWITI 100/C	32010-002634	PVC start connector w/seal MT	Corrugated pipe + 1 assembled sleeve	Wire tie
QFLEX 0.60M IC0.5MTH OCBA16 200/C	32010-002640			
QFLEX 0.75M IC0.5MTH OCBA16 200/C	32010-003029			
QFLEX 1.00M IC0.5MTH OCBA16 100/C	32010-002641		000000000, 90000000000	(METRI)
QFLEX 1.20M IC0.5MTH OCBA16 100/C	32010-002642		•	
QFLEX 1.50M IC0.5MTH OCBA16 100/C	32010-002643			
QFLEX 1.80M IC0.5MTH OCBA16 100/C	32010-002644	Male threaded connector 1/2"	Corrugated pipe + 2 assembled sleeves	Barb 16 mm
QFLEX 0.60M IC0.5MTH OCBA17 200/C	32010-002650			
QFLEX 0.75M IC0.5MTH OCBA17 200/C	32010-003030	_		
QFLEX 1.00M IC0.5MTH OCBA17 100/C	32010-002651		00000000, 9000000000	(CATALO)
QFLEX 1.20M IC0.5MTH OCBA17 100/C	32010-002652	_		
QFLEX 1.50M IC0.5MTH OCBA17 100/C	32010-002653			
QFLEX 1.80M IC0.5MTH OCBA17 100/C	32010-002654	Male threaded connector 1/2"	Corrugated pipe + 2 assembled sleeves	Barb 17 mm
QFLEX 0.60M IC0.5MTH OCBA20 200/C	32010-002660			
QFLEX 0.75M IC0.5MTH OCBA20 200/C	32010-003031			
QFLEX 1.00M IC0.5MTH OCBA20 100/C	32010-002661		00000000 (00000000000000000000000000000	(MIN)
QFLEX 1.20M IC0.5MTH OCBA20 100/C	32010-002662		, ,	
QFLEX 1.50M IC0.5MTH OCBA20 100/C	32010-002663			
QFLEX 1.80M IC0.5MTH OCBA20 100/C	32010-002664	Male threaded connector 1/2"	Corrugated pipe + 2 assembled sleeves	Barb 20 mm

<sup>\*</sup>The illustrations are illustrative only. Not shown on a scale or in real colors.

NETAFIM DESCRIPTION	NETAFIM SAP CATALOG NUMBER	INLET CONNECTOR	CORRUGATED PIPE + 2 ASSEMBLED SLEEVES	OUTLET CONNECTOR
QFLEX 0.60M IC0.75MTH OCBA16 200/C	32010-002670			
QFLEX 0.75M IC0.75MTH OCBA16 200/C	32010-003032			
QFLEX 1.00M IC0.75MTH OCBA16 100/C	32010-002671		000000000 /000000000	(MEETING )
QFLEX 1.20M IC0.75MTH OCBA16 100/C	32010-002672		•	
QFLEX 1.50M IC0.75MTH OCBA16 100/C	32010-002673			
QFLEX 1.80M IC0.75MTH OCBA16 100/C	32010-002674	Male threaded connector 3/4"	Corrugated pipe + 2 assembled sleeves	Barb 16 mm
QFLEX 0.60M IC0.75MTH OCBA17 200/C	32010-002680			
QFLEX 0.75M IC0.75MTH OCBA17 200/C	32010-003033			
QFLEX 1.00M IC0.75MTH OCBA17 100/C	32010-002681		000000000 (000000000)	win
QFLEX 1.20M IC0.75MTH OCBA17 100/C	32010-002682		•	
QFLEX 1.50M IC0.75MTH OCBA17 100/C	32010-002683			
QFLEX 1.80M IC0.75MTH OCBA17 100/C	32010-002684	Male threaded connector 3/4"	Corrugated pipe + 2 assembled sleeves	Barb 17 mm
OFLEX 0.60M IC0.75MTH OCBA20 200/C	32010-002690			
QFLEX 0.75M IC0.75MTH OCBA20 200/C	32010-003034			
QFLEX 1.00M IC0.75MTH OCBA20 100/C	32010-002691		000000000, 1000000000	WIN .
QFLEX 1.20M IC0.75MTH OCBA20 100/C	32010-002692	•		-
QFLEX 1.50M IC0.75MTH OCBA20 100/C	32010-002693			
QFLEX 1.80M IC0.75MTH OCBA20 100/C	32010-002694	Male threaded connector 3/4"	Corrugated pipe + 2 assembled sleeves	Barb 20 mm
QFLEX 0.60M ICPVC OCBA16 200/C	32010-002700			
QFLEX 0.75M ICPVC OCBA16 200/C	32010-003035			
QFLEX 1.00M ICPVC OCBA16 100/C	32010-002701	Comm	1000000007, 1000000001	(MIN)
QFLEX 1.20M ICPVC OCBA16 100/C	32010-002702		, , , , , , , , , , , , , , , , , , , ,	
QFLEX 1.50M ICPVC OCBA16 100/C	32010-002703			
QFLEX 1.80M ICPVC OCBA16 100/C	32010-002704	PVC start connector w/seal MT	Corrugated pipe + 2 assembled sleeves	Barb 16 mm

<sup>\*</sup>The illustrations are illustrative only. Not shown on a scale or in real colors.

NETAFIM DESCRIPTION	NETAFIM SAP CATALOG NUMBER	INLET CONNECTOR	CORRUGATED PIPE + 2 ASSEMBLED SLEEVES	OUTLET CONNECTOR
QFLEX 0.60M ICPVC OCBA16 200/C	32010-002700			
QFLEX 0.75M ICPVC OCBA16 200/C	32010-003035			
QFLEX 1.00M ICPVC OCBA16 100/C	32010-002701		00000000 100000000	(MEIN)
QFLEX 1.20M ICPVC OCBA16 100/C	32010-002702		, ,	
QFLEX 1.50M ICPVC OCBA16 100/C	32010-002703			
QFLEX 1.80M ICPVC OCBA16 100/C	32010-002704	PVC start connector w/seal MT	Corrugated pipe + 2 assembled sleeves	Barb 16 mm
QFLEX 0.60M ICPVC OCBA17 200/C	32010-002710			
QFLEX 0.75M ICPVC OCBA17 200/C	32010-003036			
QFLEX 1.00M ICPVC OCBA17 100/C	32010-002711		00000000 (000000000	(MIN)
QFLEX 1.20M ICPVC OCBA17 100/C	32010-002712		, ,	
QFLEX 1.50M ICPVC OCBA17 100/C	32010-002713			
QFLEX 1.80M ICPVC OCBA17 100/C	32010-002714	PVC start connector w/seal MT	Corrugated pipe + 2 assembled sleeves	Barb 17 mm
QFLEX 0.60M ICPVC OCBA20 200/C	32010-002720			
QFLEX 0.75M ICPVC OCBA20 200/C	32010-003037			
QFLEX 1.00M ICPVC OCBA20 100/C	32010-002721		00000000 (000000000	(MIN)
QFLEX 1.20M ICPVC OCBA20 100/C	32010-002722			
QFLEX 1.50M ICPVC OCBA20 100/C	32010-002723			
QFLEX 1.80M ICPVC OCBA20 100/C	32010-002724	PVC start connector w/seal MT	Corrugated pipe + 2 assembled sleeves	Barb 20 mm
QFLEX 0.60M IC0.5MTH OCFR16BL 200/C	32010-002730			
QFLEX 0.75M IC0.5MTH OCFR16BL 200/C	32010-003038			
QFLEX 1.00M IC0.5MTH OCFR16BL 100/C	32010-002731		000000000, 50000000	MARKS .
QFLEX 1.20M IC0.5MTH OCFR16BL 100/C	32010-002732			
QFLEX 1.50M IC0.5MTH OCFR16BL 100/C	32010-002733			
QFLEX 1.80M IC0.5MTH OCFR16BL 100/C	32010-002734	Male threaded connector "1/2	Corrugated pipe + 2 assembled sleeves	Fast ring 16 mm

<sup>\*</sup>The illustrations are illustrative only. Not shown on a scale or in real colors.

NETAFIM DESCRIPTION	NETAFIM SAP CATALOG NUMBER	INLET CONNECTOR	CORRUGATED PIPE + 2 ASSEMBLED SLEEVES	OUTLET CONNECTOR
QFLEX 0.30M IC0.75MTH OC0.75MTH 400/C	32010-002851			
QFLEX 0.60M IC0.75MTH OC0.75MTH 200/C	32010-002490			
QFLEX 0.75M IC0.75MTH OC0.75MTH 200/C	32010-003047			
QFLEX 1.00M IC0.75MTH OC0.75MTH 100/C	32010-002559			
QFLEX 1.20M IC0.75MTH OC0.75MTH 100/C	32010-002495			
QFLEX 1.50M IC0.75MTH OC0.75MTH 100/C	32010-002605			
QFLEX 1.80M IC0.75MTH OC0.75MTH 100/C	32010-002505	Male threaded connector "3/4	Corrugated pipe + 2 assembled sleeves	Male threaded connector "3/4
QFLEX 0.30M IC0.75MTH OC0.75FTH				
400/C	32010-002852			
QFLEX 0.60M IC0.75MTH OC0.75FTH 200/C	32010-002491			
QFLEX 0.75M IC0.75MTH OC0.75FTH 200/C	32010-003048		nnnnn (mnnni	
QFLEX 1.00M IC0.75MTH OC0.75FTH 100/C	32010-002565	The same of the sa		
QFLEX 1.20M IC0.75MTH OC0.75FTH 100/C	32010-002496			
QFLEX 1.50M IC0.75MTH OC0.75FTH 100/C	32010-002606			
QFLEX 1.80M IC0.75MTH OC0.75FTH 100/C	32010-002695	Male threaded connector "3/4	Corrugated pipe + 2 assembled sleeves	Female threaded connector "3/4

<sup>\*</sup>The illustrations are illustrative only. Not shown on a scale or in real colors.