

**IMPLEMENTASI HASIL NORMALISASI DATABASE MENGGUNAKAN TOOLS
PHPMYADMIN**



Oleh :

Rifdah Sakhi Ramadhani

25091397023

UNIVERSITAS NEGERI SURABAYA

FAKULTAS VOKASI

PROGRAM STUDI D-4 MANAJEMEN INFORMATIKA

TAHUN 2026

phpMyAdmin interface showing the 'Databases' tab. The left sidebar lists databases: daintydream_db, dainty_dream, information_schema, mysql, performance_schema, strukdb, and uasdb. The main panel displays a list of databases with columns: Database, Collation, Primary replication, and Action. The 'uasdb' database is selected, and the 'Table' tab is active, showing the 'mahasiswa' table structure. The table has columns: NIM (VARCHAR, 255), Name (VARCHAR, 255), and two INT columns. The storage engine is InnoDB.

Databases

Database	Collation	Primary replication	Action
☐ daintydream_db	utf8mb4_0900_ai_ci	✓ Replicated	Check privileges
☐ dainty_dream	utf8mb4_0900_ai_ci	✓ Replicated	Check privileges
☐ information_schema	utf8mb3_general_ci	✓ Replicated	Check privileges
☐ mysql	utf8mb4_0900_ai_ci	✓ Replicated	Check privileges
☐ performance_schema	utf8mb4_0900_ai_ci	✓ Replicated	Check privileges
☐ strukdb	utf8mb4_0900_ai_ci	✓ Replicated	Check privileges
☐ studentportal_db	utf8mb4_unicode_ci	✓ Replicated	Check privileges
☐ sys	utf8mb4_0900_ai_ci	✓ Replicated	Check privileges
☐ taskranker_db	utf8mb4_0900_ai_ci	✓ Replicated	Check privileges
☐ uasdb	utf8mb4_0900_ai_ci	✓ Replicated	Check privileges
☐ zaaramedia	utf8mb4_0900_ai_ci	✓ Replicated	Check privileges

Table: mahasiswa

Name	Type	Length/Values	Default	Collation	Attributes	Null	Index
NIM	VARCHAR	255	None			☐	---
Name	VARCHAR	255	None			☐	---
	INT		None			☐	---
	INT		None			☐	---

Table comments: Collation: Storage Engine: InnoDB

PARTITION definition:

Partition by: (Expression or column list)

Partitions:

Preview SQL Save

The column width of integer types is ignored in your MySQL version unless defining a TINYINT(1) column

phpMyAdmin interface showing the structure of a table named 'nilai' in the 'uasdb' database. The table has five columns: IDNilai (INT), Nilai (INT), NIM (VARCHAR, 255), Ujian (INT), and an unnamed column (INT). The storage engine is InnoDB.

Table name: nilai Add 1 column(s) Go

Name	Type	Length/Values	Default	Collation	Attributes	Null	Index
IDNilai	INT		None			☐	---
Nilai	INT		None			☐	---
NIM	VARCHAR	255	None			☐	---
Ujian	INT		None			☐	---
	INT		None			☐	---

Table comments: Collation: Storage Engine: InnoDB

PARTITION definition:

Partition by: (Expression or column list)

Partitions:

Preview SQL Save

The column width of integer types is ignored in your MySQL version unless defining a TINYINT(1) column

Foreign Key Constraint Error

http://localhost/phpmyadmin/index.php?route=/table/relation&db=uasdb&table=nilai

Server: localhost:3306 Database: uasdb Table: nilai

Table structure Relation view

Foreign key constraints

Actions	Constraint properties	Column	Foreign key constraint (InnoDB)		
			Database	Table	Column
Drop	ON DELETE RESTRICT	nilai_ibfk_1	uasdb	mahasiswa	NIM
	ON UPDATE RESTRICT				
	Constraint name				
	ON DELETE RESTRICT		uasdb		
	ON UPDATE RESTRICT				

+ Add constraint

Preview SQL Save

Foreign Key Constraint Error

http://localhost/phpmyadmin/index.php?route=/table/change&db=uasdb&table=nilai&where_clause=%60nilai%60%60IDNilai%60+%3D+18&where_clause_signatu...

Server: localhost:3306 Database: uasdb Table: nilai

Column	Type	Function	Null	Value
IDNilai	int			1
NIM	varchar(255)			01001 - Ali
Ujian	int			1
Nilai	int			50

Go

Save and then Go back to previous page

Preview SQL Reset Go

phpMyAdmin interface showing the structure of the 'nilai' table in the 'uasdb' database. The table has four columns: IDNilai (int, AUTO_INCREMENT), NIM (varchar(255)), Ujian (int), and Nilai (int). The 'Relation view' tab is active, showing the table structure and indexes.

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	IDNilai	int			No	None		AUTO_INCREMENT	Change Drop More
2	NIM	varchar(255)	utf8mb4_0900_ai_ci		No	None			Change Drop More
3	Ujian	int			No	None			Change Drop More
4	Nilai	int			No	None			Change Drop More

Indexes:

Action	Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
Edit Rename Drop	PRIMARY	BTREE	Yes	No	IDNilai	0	A	No	
Edit Rename Drop	NIM	BTREE	No	No	NIM	0	A	No	

phpMyAdmin interface showing the data of the 'nilai' table in the 'uasdb' database. The 'SQL' tab is active, displaying a list of rows with columns IDNilai, NIM, Ujian, and Nilai. The table contains 14 rows of data.

IDNilai	NIM	Ujian	Nilai
1	01001	1	50
2	01001	2	60
4	01001	2	60
5	01002	1	80
6	01003	1	50
7	01003	2	50
8	01003	3	70
9	01004	1	40
10	01004	2	50
11	01005	1	59
12	01005	2	41
13	01005	3	42
14	01005	4	43

phpMyAdmin interface showing the 'Table: mahasiswa' structure. The interface includes a sidebar with a database tree and a main area with tabs for Browse, Structure, SQL, Search, Insert, Export, Import, Privileges, Operations, and Triggers. The 'Structure' tab is active, displaying the table structure with columns NIM and Name, both of type varchar(255). The NIM column has a value of 01001, and the Name column has a value of Ali. The interface also shows a 'Save' button and a 'Go' button.

Column	Type	Function	Null	Value
NIM	varchar(255)			01001
Name	varchar(255)			Ali

phpMyAdmin interface showing the 'Table: mahasiswa' structure. The interface includes a sidebar with a database tree and a main area with tabs for Browse, Structure, SQL, Search, Insert, Export, Import, Privileges, Operations, and Triggers. The 'Structure' tab is active, displaying the table structure with columns NIM and Name, both of type varchar(255). The interface also shows a 'Save' button and a 'Go' button.

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	NIM	varchar(255)	utf8mb4_0900_ai_ci		No	None			Change Drop More
2	Name	varchar(255)	utf8mb4_0900_ai_ci		No	None			Change Drop More

Indexes

Action	Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
Edit Rename Drop	PRIMARY	BTREE	Yes	No	NIM	1	A	No	

Create an index on 1 columns Go

Partitions

No partitioning defined!

phpMyAdmin interface showing the 'mahasiswa' table in the 'uasdb' database. The table contains 5 rows of student data.

NIM	Name
01001	Ali
01002	Budi
01003	Budi
01004	Carli
01005	Dandi

Query results operations: Print, Copy to clipboard, Export, Display chart, Create view.

phpMyAdmin interface showing the 'customer' table structure in the 'strukdb' database. The table has 4 columns: IDCust, CustName, Address, and an unnamed INT column.

Name	Type	Length/Values	Default	Collation	Attributes	Null	Index
IDCust	INT		None				
CustName	VARCHAR	255	None				
Address	VARCHAR	255	None				
	INT		None				

Table comments: Collation: Storage Engine: InnoDB

PARTITION definition: Partition by: (Expression or column list)

Partitions:

Preview SQL Save

The column width of integer types is ignored in your MySQL version unless defining a TINYINT(1) column

phpMyAdmin interface showing the structure of the 'Invoice' table in the 'strukdb' database. The table has columns: Invoice (VARCHAR, 255), Tanggal (DATE), and two empty rows for INT columns. The storage engine is InnoDB.

Name	Type	Length/Values	Default	Collation	Attributes	Null	Index
Invoice	VARCHAR	255	None			☐	---
Tanggal	DATE		None			☐	---
	INT		None			☐	---
	INT		None			☐	---

Table comments: Collation: Storage Engine: InnoDB

PARTITION definition: Partition by: (Expression or column list) Partitions:

Preview SQL Save

The column width of integer types is ignored in your MySQL version unless defining a TINYINT(1) column

phpMyAdmin interface showing the structure of the 'Item' table in the 'strukdb' database. The table has columns: ItemID (VARCHAR, 255), ItemDesc (VARCHAR, 255), Amount (INT), and one empty row for INT column. The storage engine is InnoDB.

Name	Type	Length/Values	Default	Collation	Attributes	Null	Index
ItemID	VARCHAR	255	None			☐	---
ItemDesc	VARCHAR	255	None			☐	---
Amount	INT		None			☐	---
	INT		None			☐	---

Table comments: Collation: Storage Engine: InnoDB

PARTITION definition: Partition by: (Expression or column list) Partitions:

Preview SQL Save

The column width of integer types is ignored in your MySQL version unless defining a TINYINT(1) column

phpMyAdmin interface showing the structure of the 'invdetail' table in the 'strukdb' database. The table has columns: Invoice (VARCHAR, 255), ItemID (VARCHAR, 255), QTY (INT), and an unnamed INT column. The interface includes a sidebar with a database tree, a top navigation bar, and a bottom console.

Table name: invdetail Add 1 column(s) Go

Name	Type	Length/Values	Default	Collation	Attributes	Null	Index
Invoice	VARCHAR	255	None			☐	---
ItemID	VARCHAR	255	None			☐	---
QTY	INT		None			☐	---
	INT		None			☐	---

Table comments: Collation: Storage Engine: InnoDB

PARTITION definition: Partition by: (Expression or column list) Partitions:

Preview SQL Save

The column width of integer types is ignored in your MySQL version unless defining a TINYINT(1) column

phpMyAdmin interface showing the database structure of 'strukdb'. The interface includes a sidebar with a database tree, a top navigation bar, and a bottom console.

Filters

Containing the word:

Table	Action	Rows	Type	Collation	Size	Overhead
customer	Browse Structure Search Insert Empty Drop	5	InnoDB	utf8mb4_0900_ai_ci	16.0 KiB	-
invdetail	Browse Structure Search Insert Empty Drop	5	InnoDB	utf8mb4_0900_ai_ci	32.0 KiB	-
invoice	Browse Structure Search Insert Empty Drop	5	InnoDB	utf8mb4_0900_ai_ci	16.0 KiB	-
item	Browse Structure Search Insert Empty Drop	5	InnoDB	utf8mb4_0900_ai_ci	16.0 KiB	-
4 tables	Sum	20	InnoDB	utf8mb4_0900_ai_ci	80.0 KiB	0 B

Check all With selected:

Print Data dictionary

Create new table

Table name: Number of columns: 4 Create

Foreign Key Constraint Error

http://localhost/phpmyadmin/index.php?route=/table/change&db=strukdb&table=customer&where_clause=%60customer%60.%60IDCust%60+%3D+1&where_cla...

Server: localhost:3306 Database: strukdb Table: customer

Columns: IDCust (int), CustName (varchar(255)), Address (varchar(255))

Values: SAMPLE INDONESIA, PT.
JL. IMAM BONJOL NO.60 JAKARTA PUSAT 10221 INDONESIA

Go

Foreign Key Constraint Error

http://localhost/phpmyadmin/index.php?route=/sql&pos=0&db=strukdb&table=customer

Server: localhost:3306 Database: strukdb Table: customer

Showing rows 0 - 4 (5 total, Query took 0.0017 seconds)

SELECT * FROM `customer`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

IDCust	CustName	Address
1	SAMPLE INDONESIA, PT.	JL. IMAM BONJOL NO.60 JAKARTA PUSAT 10221 INDONESIA...
2	SAMPLE INDONESIA, PT.	JL. IMAM BONJOL NO.60 JAKARTA PUSAT 10221 INDONESIA...
3	SAMPLE INDONESIA, PT.	JL. IMAM BONJOL NO.60 JAKARTA PUSAT 10221 INDONESIA...
4	SAMPLE INDONESIA, PT.	JL. IMAM BONJOL NO.60 JAKARTA PUSAT 10221 INDONESIA...
5	SAMPLE INDONESIA, PT.	JL. IMAM BONJOL NO.60 JAKARTA PUSAT 10221 INDONESIA...

Query results operations

Print | Copy to clipboard | Export | Display chart | Create view

phpMyAdmin interface showing the 'invoice' table structure in the 'strukdb' database. The table has two columns: 'Invoice' (varchar(255)) and 'Tanggal' (date). The 'Invoice' column contains the value '00000145' and the 'Tanggal' column contains '2013-02-08'. The interface includes a sidebar with a database tree, a top navigation bar, and a bottom console area.

Column	Type	Function	Null	Value
Invoice	varchar(255)			00000145
Tanggal	date			2013-02-08

phpMyAdmin interface showing the 'invoice' table data in the 'strukdb' database. The table contains 5 rows of data. The interface includes a sidebar with a database tree, a top navigation bar, and a bottom console area.

	Invoice	Tanggal
☐	00000145	2013-02-08
☐	00000146	2013-02-08
☐	00000147	2013-02-08
☐	00000148	2013-02-08
☐	00000149	2013-02-08

phpMyAdmin interface showing the 'Table: item' structure. The table has three columns: ItemID (varchar(255)), ItemDesc (varchar(255)), and Amount (decimal(10,2)). The values for the first row are 1235-5677, RING, and 114.24. The interface includes a sidebar with database navigation and a top menu with options like Browse, Structure, SQL, Search, Insert, Export, Import, Privileges, Operations, and Triggers.

Column	Type	Function	Null	Value
ItemID	varchar(255)			1235-5677
ItemDesc	varchar(255)			RING
Amount	decimal(10,2)			114.24

phpMyAdmin interface showing the 'Table: item' data. The table contains 5 rows of data. The interface includes a sidebar with database navigation and a top menu with options like Browse, Structure, SQL, Search, Insert, Export, Import, Privileges, Operations, and Triggers.

ItemID	ItemDesc	Amount
1235-5677	RING	114.24
2567-9777	BALL	452.64
345-9876	VALVE	672.08
7655-8766	PTFE	1955.16
8899-1122	GASKET	823.45

Foreign Key Constraint Error

http://localhost/phpmyadmin/index.php?route=/table/change&db=strukdb&table=invdetail&where_clause=%60invdetail%60.%60Invoice%60+%3D+%2700000145...

Server: localhost:3306 Database: strukdb Table: invdetail

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Column	Type	Function	Null	Value
Invoice	varchar(255)			00000145
ItemID	varchar(255)			1235-5677 - RING
QTY	int			6

Go

Save and then Go back to previous page

Preview SQL Reset Go

Console

Foreign Key Constraint Error

http://localhost/phpmyadmin/index.php?route=/sql&pos=0&db=strukdb&table=invdetail

Server: localhost:3306 Database: strukdb Table: invdetail

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Showing rows 0 - 4 (5 total. Query took 0.0016 seconds.)

SELECT * FROM `invdetail`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

Extra options

	Invoice	ItemID	QTY
☐	00000145	1235-5677	6
☐	00000146	7655-8766	6
☐	00000147	345-9876	1
☐	00000148	2567-9777	12
☐	00000149	8899-1122	4

Check all With selected: Edit Copy Delete Export

Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

Query results operations

Print Copy to clipboard Export Display chart Create view

Console