

**IMPLEMENTATION FOR RESULT NORMALIZATION DATABASES USING phpmyadmin
TOOLS**

ASSIGNMENT FOR THE DATABASE



Lecturer :

Asmunin, S.Kom., M.Kom.

Presented by :

Aisyah Currents

25091397108 / 2025I

INFORMATIC MANAGEMENT MAJOR

FACULTY OF VOCATION

UNIVERSITAS NEGERI SURABAYA


YEAR 2026

For the container platform here we used Docker, Docker is an open-source platform used to develop, package, and run applications inside lightweight environments called containers. Docker allows applications and all their dependencies to be bundled together so they can run consistently on different systems without configuration conflicts.

Docker simplifies the deployment process because developers do not need to manually install software dependencies on every machine. Everything required by the application is already included inside the container. Using this command to start the phpmyadmin tools.

```
rentsaissy@localhost:~/docker-web$ docker compose up -d
[+] Running 4/4
 ✓ Network docker-web_default Created
 ✓ Container php_app Started
 ✓ Container mysql_db Started
 ✓ Container phpmyadmin Started
rentsaissy@localhost:~/docker-web$
```


Type <http://localhost:8081> in browser and then it will show like this:




CASE 1



No	Nomor Mahasiswa	Nama	Hasil Ujian			
			Ke 1	Ke 2	Ke 3	Ke 4
1	01001	Ali	50	60		
2	01002	Budi	80			
3	01003	Budi	50	50	70	
4	01004	Carli	40	50		
5	01005	Dandi	59	41	42	43


First, Make the Database using the icon +New in sidebar and then click Create




Create Table mahasiswa and then insert the data







Create Table mahasiswa and then insert the data



Add Foreign Key to table mahasiswa

localhost:8081/index.php?route=/table/relation&db=kampus&table=nilai

Server: mysql > Database: kampus > Table: nilai

Your SQL query has been executed successfully.

```
ALTER TABLE `nilai` ADD FOREIGN KEY (`nim`) REFERENCES `mahasiswa` (`nim`) ON DELETE RESTRICT ON UPDATE CASCADE;
```

[Edit inline] [Edit] [Create PHP code]

Table structure Relation view

Foreign key constraints

Actions	Constraint properties	Column	Foreign key constraint (InnoDB)		
			Database	Table	Column
☐ Drop ON DELETE RESTRICT ON UPDATE CASCADE	nilai_ibfk_1 Constraint name	nim + Add column	kampus	mahasiswa	nim
ON DELETE RESTRICT ON UPDATE RESTRICT		+ Add column	kampus		

+ Add constraint

Preview SQL Save

Console

localhost:8081/index.php?route=/sql&db=kampus&table=nilai&pos=0

Server: mysql > Database: kampus > Table: nilai

Showing rows 0 - 11 (12 total, Query took 0.0005 seconds.)

```
SELECT * FROM `nilai`
```


☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

	id_nilai	nim	ujian_ke	nilai
☐ Edit Copy Delete	1	01001	1	50
☐ Edit Copy Delete	2	01001	2	60
☐ Edit Copy Delete	3	01002	1	80
☐ Edit Copy Delete	4	01003	1	50
☐ Edit Copy Delete	5	01003	2	50
☐ Edit Copy Delete	6	01003	3	70
☐ Edit Copy Delete	7	01004	1	40
☐ Edit Copy Delete	8	01004	2	50
☐ Edit Copy Delete	9	01005	1	59
☐ Edit Copy Delete	10	01005	2	41
☐ Edit Copy Delete	11	01005	3	42
☐ Edit Copy Delete	12	01005	4	43

localhost:8081/index.php Console Check all With selected: Edit Copy Delete Export



CASE 2

PT. SAMPLE SPECIAL

Jl. HR Rasuna Said No. 343
Kuningan, Setia Budi 12350, Indonesia.
Telp. : 021 5678 7768 Email : sample@special.com
Fax : 021 4564 7569 www.samplespecial.com

INVOICE
CUSTOMER - ACCOUNT

SOLD TO :
SAMPLE INDONESIA, PT.

DELIVERED TO :
SAMPLE INDONESIA, PT.
JL. IMAM BONJOL NO.60 JAKARTA PUSAT 10221
INDONESIA

Up. Mr. Dimas Prasetyo

INVOICE NO : 00000145
DATE : 11 February 2013
P/O NO : 00000234
TERMS : Cash/Tunai
PAGE NUMBER : 1

Item	Description	Qty	Unit Price	Amount
1. 1235-5677	RING	6 Pcs	19.04	114.24
2. 7655-8766	PTFE	6 Pcs	325.86	1,955.16
3. 345-9876	VALVE	1 Pcs	672.08	672.08
4. 2567-9777	BALL	12 Pcs	37.72	452.64


E & O.E.

IMPORTANT NOTES :
· IN CASE OF ANY DISCREPANCIES, PLEASE NOTIFY US WITHIN SEVEN (7) DAYS UPON RECEIVING OF THIS INVOICE
· INTEREST WILL BE CHARGED AT 1.5% PER MONTH ON ALL OVERDUE ACCOUNT
· NO CLAIMS WILL BE ENTERTAINED AFTER 3 WORKING DAYS FROM THE DATE OF DELIVERY
· N.E.G. - NEAREST EQUIVALENT GRADE WITHOUT PREJUDICE FOR REFERENCE ONLY
· ALL CHEQUES SHOULD BE CROSSED AND MADE PAYABLE TO
· PERMATA BANK CABANG : POLIM, JAKARTA
· IDR 7 1111 7156
· USD 7 0134 6789


Sub Total	3,194.12
Less : Discount	0.00
P.P.N 10%	319.41
TOTAL	0.00


for PT. SAMPLE SPECIAL

RIHANA
Authorised Signature




Create Table customer and then insert the data





Create Table invoice and then insert the data



The screenshot shows the phpMyAdmin interface with the 'invoice' table selected in the 'penjualan' database. The table structure is as follows:

Column	Type	Function	Null	Value
no_invoice	varchar(20)			00000149
tanggal	date			2013-02-15
id_customer	int			5 - GLOBAL TEKNIK PT
terms	varchar(50)			Transfer
subtotal	decimal(10,2)			1000.00
ppn	decimal(10,2)			100.00
total	decimal(10,2)			1100.00

At the bottom, there is a 'Save' button and a 'Go back to previous page' dropdown menu.

Create Table barang and then insert the data

The screenshot shows the phpMyAdmin interface with the 'barang' table selected in the 'penjualan' database. The table structure is as follows:

Name	Type	Length/Values	Default	Collation	Attributes	Null	A.I	Comment
id_barang	VARCHAR	20	None	utf8mb4_0900_ai_0				
nama_barang	VARCHAR	100	NULL	utf8mb4_0900_ai_0				
harga	DECIMAL	10,2	NULL					

At the bottom, there is a 'Save' button and a 'Preview SQL' button.

The screenshot shows the phpMyAdmin interface for the 'penjualan' database, specifically the 'barang' table. The left sidebar shows the database structure. The main area displays the table structure with columns: 'harga' (decimal(10,2)), 'id_barang' (varchar(20)), and 'nama_barang' (varchar(100)). Below the structure, there is an insert form with input fields for each column. The 'harga' field contains '325.86', the 'id_barang' field contains '7788-1122', and the 'nama_barang' field contains 'PACKING'. There are 'Go' buttons for each row and a 'Save' button at the bottom.

Column	Type	Function	Null	Value
harga	decimal(10,2)			325.86
id_barang	varchar(20)			7788-1122
nama_barang	varchar(100)			PACKING
harga	decimal(10,2)			55.00

Create Table detail_invoice and then insert the data

The screenshot shows the phpMyAdmin interface for the 'penjualan' database, specifically the 'detail_invoice' table structure. The left sidebar shows the database structure. The main area displays the table structure with columns: 'id_detail' (INT), 'no_invoice' (VARCHAR), 'id_barang' (VARCHAR), and 'qty' (INT). The 'id_detail' column is marked as the primary key. Below the structure, there are buttons for 'Online transaction', 'Preview SQL', and 'Save'. A warning message at the bottom states: 'The column width of integer types is ignored in your MySQL version unless defining a TINYINT(1) column'.

Name	Type	Length/Values	Default	Collation	Attributes	Null	A.I	Comment
id_detail	INT		None				☒	
no_invoice	VARCHAR	20	NULL	utf8mb4_0900_ai_ci		☒	☐	
id_barang	VARCHAR	20	NULL	utf8mb4_0900_ai_ci		☒	☐	
qty	INT		NULL			☒	☐	

localhost:8081/index.php?route=/sql&db=penjualan&table=detail_invoice&pos=0

Server: mysql > Database: penjualan > Table: detail_invoice

Columns: id_barang (varchar(20)), qty (int), amount (decimal(10,2))

Values: 2567-9777 - 2567-9777, 12, 452.64

Go

Column	Type	Function	Null	Value
id_detail	int			5
no_invoice	varchar(20)			00000146 - 00000146
id_barang	varchar(20)			7788-1122 - 7788-1122
qty	int			10
amount	decimal(10,2)			550.00

Go

Save and then Go back to previous page

Preview SQL Reset Go

