

Angular

Current Code(Banking Frontend)

- 1) Uses StandAlone Components instead of NgModule
- 2) Uses Angular Signals for State Management
- 3) DataBinding :-
--Interpolation
Ex :- {{customer.name}}
- 4) Property Binding :-
Example:-


```
<input type = "text" [value]="customer.name"/>
```

Bus Booking System AI generated code for FE

Merits

1) Proper Component-Based Architecture


It has maintained separate folder for all the components and all the components are placed inside that folder.



2) Good Service Layer Separation

API calls are moved to services (AuthService, BusService).

Components mainly handle UI logic.



3) JWT Authentication Implementation

Login functionality implemented.

Token stored after login.

Role-based access supported.

4) HTTP Interceptor Usage

Automatically attaches JWT token to requests.

Centralized authentication handling.

Reduces duplicate code.

5) Practical RxJS Usage

Observable, subscribe(), tap(), catchError(), throwError()

Demerits

1) Excessive Usage of any

No compile-time type safety.

Harder debugging.

Increased runtime errors.

2) Hardcoded API URLs

Exampe: `private apiUrl = 'http://localhost:5003/api/auth';`

Better if base url used

3) Direct LocalStorage Access Everywhere

Problem:

Repeated code.

Hard to maintain.

4) Business Logic Inside Components

Problem:

Components become very large.

Difficult testing.

5) No Centralized Error Handling

Duplicate code.

6) No State Management Solution

Missing: `RxJS Subject` , `BehaviorSubject` , `Signals` , `NgRx`