

Name: J. Renuka Devi

Reg. No: 192573007

Course Code: CSA0925

Course Name: Java Programming

STRING HANDLING

COMPILER PROGRAMS

QUESTIONS 20 / 20 completed

Palindrome

PALINDROME

Write a Java program to check if a given string is a palindrome or not.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 class main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         String str=sc.next();
6         String rev="";
7         for(int i=str.length()-1;i>=0;i--){
8             rev=rev+str.charAt(i);
9         }
10        if(str.equals(rev))
11            System.out.println("Palindrome");
12        else
13            System.out.println("Not a palindrome");
14    }
15 }
```

OUTPUT

Palindrome

INPUT

madam

QUESTIONS 20 / 20 completed

Occurrence

OCCURRENCE

Write a Java program to count the number of occurrences of a given character in a string.

PROGRAM EDITOR

Java

Run

Save

```

1 import java.util.Scanner;
2 class main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         String s=sc.nextLine();
6         char ch=sc.next().charAt(0);
7         int count=0;
8         for(int i=0;i<s.length();i++){
9             if(s.charAt(i)==ch){
10                 count++;
11             }
12         }
13         System.out.println("Number of occurrences of:"+ch+"="+count);
14     }
15 }
16
17

```

INPUT

 programming
m

OUTPUT

Number of occurrences of:m=2

QUESTIONS 20 / 20 completed

Check

CHECK

Write a Java program to check if a given string contains only digits.

PROGRAM EDITOR

Java

Run

Save

```

1 import java.util.Scanner;
2 public class main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         String str=sc.nextLine();
6         boolean isDigits=true;
7         for(int i=0;i<str.length();i++){
8             if(!Character.isDigit(str.charAt(i))){
9                 isDigits=false;
10                break;
11            }
12        }
13        if(isDigits){
14            System.out.println("String contains only digits");
15        }
16        else{
17            System.out.println("String does not contains only digits");
18        }
19    }
20 }

```

INPUT

123456asdf

OUTPUT

String does not contains only digits

QUESTIONS 20 / 20 completed

Length

LENGTH

Write a Java program to find the length of the longest substring without repeating characters in a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 class main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         String str=sc.next();
6         int maxlen=0;
7         for(int i=0;i<str.length();i++){
8             boolean[]visited=new boolean[256];
9             int length=0;
10            for(int j=i;j<str.length();j++){
11                char ch=str.charAt(j);
12                if(visited[ch]){
13                    break;
14                }
15                visited[ch]=true;
16                length++;
17            }
18            if(length>maxlen){
19                maxlen=length;
20            }
21        }
```

INPUT

abcabcbb

OUTPUT

Length of the longest substring=3

QUESTIONS 20 / 20 completed

Lower

LOWER

Write a Java program to convert a given string to lowercase.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 class main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         String str=sc.nextLine();
6         String lower=str.toLowerCase();
7         System.out.println("Original string:"+str);
8         System.out.println("Lowercase String:"+lower);
9     }
10 }
```

INPUT

HELLO WORLD

OUTPUT

```
Original string:HELLO WORLD
Lowercase String:hello world
```

QUESTIONS 20 / 20 completed

Remove

REMOVE

Write a Java program to remove all white spaces from a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 class main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         String str=sc.nextLine();
6         str=str.replaceAll("\\s","");
7         System.out.println("String after removing spaces:"+str);
8     }
9 }
```

INPUT

welcome to java
world

OUTPUT

String after removing spaces:welcometojavaworld

QUESTIONS 20 / 20 completed

Reverse

REVERSE

Write a Java program to reverse a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 class main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         String str=sc.nextLine();
6         String reverse="";
7         for(int i=str.length()-1;i>=0;i--){
8             reverse=reverse+str.charAt(i);
9         }
10        System.out.println("Reversed string:"+reverse);
11    }
12 }
```

INPUT

hello

OUTPUT

Reversed string:olleh

QUESTIONS 20 / 20 completed

Concatenate

CONCATINATE

Write a Java program to concatenate two given strings.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 class main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         String s1=sc.next();
6         String s2=sc.next();
7         String res=s1+s2;
8         System.out.println("Concatenated string:"+res);
9     }
10 }
```

INPUT

hello
renu

OUTPUT

Concatenated string:hellorenu

Repeat

REPEAT

Write a Java program to find the first non-repeated character in a given string.

```
1 import java.util.Scanner;
2 public class main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         String str=sc.next();
6         boolean found=false;
7         for(int i=0;i<str.length();i++){
8             int count=0;
9             for(int j=0;j<str.length();j++){
10                 if(str.charAt(i)==str.charAt(j)){
11                     count++;
12                 }
13             }
14             if(count==1){
15                 System.out.println("Non repeating character is:"+str.charAt(i));
16                 found=true;
17             }
18         }
19         if(!found){
20             System.out.println("No non repeating character found in the string");
21         }
22     }
23 }
```

umbrella

OUTPUT

```
Non repeating character is:u
Non repeating character is:m
Non repeating character is:b
Non repeating character is:r
Non repeating character is:e
Non repeating character is:a
```

QUESTIONS 20 / 20 completed

Frequent

FREQUENT

Write a Java program to find the most frequent word in a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 public class main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         String str=sc.next();
6         char maxchar= ' ';
7         int maxcount=0;
8         for(int i=0;i<str.length();i++){
9             int count=0;
10            for(int j=0;j<str.length();j++){
11                if(str.charAt(i)==str.charAt(j)){
12                    count++;
13                }
14            }
15            if(count>maxcount){
16                maxcount=count;
17                maxchar=str.charAt(i);
18            }
19        }
20        System.out.println("Most frequent character is:"+maxchar);
21        System.out.println("No. of times it occurs is: "+maxcount);
```

INPUT

programming

OUTPUT

```
Most frequent character is:r
No. of times it occurs is: 2
```

QUESTIONS 20 / 20 completed

Substring

SUBSTRING

Write a Java program to create a substring from a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 class main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         String str=sc.next();
6         int start=sc.nextInt();
7         int end=sc.nextInt();
8         String sub=str.substring(start,end);
9         System.out.println("Substring:"+sub);
10    }
11 }
```

INPUT

```
programming
4
8
```

OUTPUT

```
Substring:ramm
```

QUESTIONS 20 / 20 completed

Compare

COMPARE

Write a Java program to compare two strings lexicographically.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 class main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         String str1=sc.next();
6         String str2=sc.next();
7         int result=str1.compareTo(str2);
8         if(result==0){
9             System.out.println("Both strings are equal");
10        }
11        else if(result<0){
12            System.out.println(str1+"is smaller than" + str2);
13        }
14        else{
15            System.out.println(str2+"is smaller than" + str1);
16        }
17    }
18 }
```

OUTPUT

appleis smaller thanbanana

INPUT

apple
banana

QUESTIONS 20 / 20 completed

Suffix

SUFFIX

Write a Java program to check if a given string ends with a specific suffix.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 class main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         String str=sc.next();
6         String suffix=sc.next();
7         if(str.endsWith(suffix)){
8             System.out.println(str + "ends with" + suffix);
9         }
10        else{
11            System.out.println(str + "doesnt ends with" + suffix);
12        }
13    }
14 }
```

OUTPUT

ammaends witha

INPUT

amma
a

QUESTIONS 20 / 20 completed

Upper

UPPER

Write a Java program to convert a given string to uppercase.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 class main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         String str=sc.nextLine();
6         System.out.println(str.toUpperCase());
7     }
8 }
```

INPUT

diya is learning to
achieve

OUTPUT

DIYA IS LEARNING TO ACHIEVE

QUESTIONS 20 / 20 completed

Find

FIND

Write a Java program to find the index of a given character or substring in a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 class main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         String str=sc.nextLine();
6         String search=sc.nextLine();
7         int index=str.indexOf(search);
8         if(index!=-1){
9             System.out.println("Index of " + search + "is=" + index);
10        }
11        else{
12            System.out.println("Substring not found");
13        }
14    }
15 }
```

INPUT

computer
puter

OUTPUT

Index of puteris=3

QUESTIONS 20 / 20 completed

RM-Char

RM-CHAR

Write a Java program to remove a specified character from a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 class main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         String str=sc.nextLine();
6         String ch=sc.next();
7         String res=str.replace(String.valueOf(ch),"");
8         System.out.println(res);
9     }
10 }
```

OUTPUT

comput

INPUT

computer

QUESTIONS 20 / 20 completed

Replace

REPLACE

Write a Java program to replace a specified character with another character in a given string.

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 class main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         String str=sc.nextLine();
6         String ch=sc.next();
7         String ch1=sc.next();
8         String res=str.replace(ch,ch1);
9         System.out.println(res);
10    }
11 }
```

OUTPUT

dairy

INPUT

daily
l
r

PROGRAM EDITOR

```
1 import java.util.Scanner;
2 class main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         String str=sc.next();
6         String delimiter=sc.next();
7         String[] res=str.split(delimiter);
8         System.out.println(res);
9         for(String s: res){
10             System.out.println(s);
11         }
12     }
13 }
```

```
java/python/cplusplus
/c/javascript
/
```

Split

SPLIT

Write a Java program to split a given string into an array of substrings based on a specified delimiter.

OUTPUT

```
[Ljava.lang.String;@7cca494b
java
python
cplusplus
c
javascript
```

QUESTIONS 20 / 20 completed

PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;
2 class main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         String str=sc.nextLine();
6         String trimmedstr=str.trim();
7         System.out.println("String="+str);
8         System.out.println("Trimmed string="+trimmedstr);
9     }
10 }
```

INPUT

```
hello
everyone this is
renuka
```

Trim

TRIM

Write a Java program to trim a given string and remove leading and trailing spaces.

OUTPUT

```
String=             hello everyone this is renuka
Trimmed string=hello everyone this is renuka
```

Convert ▾

CONVERT

Write a Java program to convert a given string to a char array.

PROGRAM EDITOR

Java ▾

Run

Save

```
1 import java.util.Scanner;
2 class main{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         String str=sc.nextLine();
6         char[]arr=str.toCharArray();
7         for(char ch: arr){
8             System.out.println(ch);
9         }
10    }
11 }
```

OUTPUT

```
j
a
v
a
```

java