Koneru Lakshmaiah Education Foundation
(Deemed to be University estd. u/s. 3 of the UGC Act, 1956)
Off-Campus: Bachupally-Gandimaisamma Road, Bowrampet, Hyderabad, Telangana - 500 043.
Phone No: 7815926816, www.klh.edu.in

Department of CSE

B.Tech. CSE Trimester -5

2520030176
P. Renuka Chowdary

Cloud Infrastructure and Services

25CS2206E

LAB RECORD

2026

Experiment -1

2A

AIM: To enable Multi-Factor Authentication (MFA) to secure your AWS account access.


Description:


Multi-Factor Authentication (MFA) is a security feature that provides an additional layer of protection to an AWS account. It requires users to verify their identity using a password and a second authentication method, such as an authenticator app or security key.


Steps:


1. Sign in to the AWS Management Console.
2. Open the account menu and select Security Credentials.
3. Navigate to the Multi-Factor Authentication (MFA) section.
4. Click Assign MFA device and enter a device name.
5. Select an authentication method, such as an authenticator app, and scan the QR code.
6. Enter the two consecutive MFA codes generated by the app and click Add MFA.


PRACTICAL 2A:


Telegram
Free Cloud Computing Services
Amazon Web Services Sign-In
Ask Gemini
us-east-2.signin.aws.amazon.com/signin?client_id=arn%3Aaws%3Asignin%3A%3A%3Aconsole%2Fcanvas&redirect_uri=https%3A%2F%2Fconsole.aws.amazon.com%2Fconsole%2Fh...
Provide feedback
Multi-session disabled
English
aws
Sign In
Access your AWS account by user type.
User type (not sure?)
Root user
Account owner that performs tasks requiring unrestricted access.
IAM user
User within an account that performs daily tasks.
Email address
renukapara54@gmail.com
Next
OR
New to AWS? Sign up
Go deeper at the AWS re:Invent Livestream
Join curated sessions matched to your role and industry, with virtual trainers and live Q&A.
Register free →
23°C
Sunny
Search
ENG
IN
10:10
12-11-2026



Telegram
Free Cloud Computing Services
Amazon Web Services Sign-In
Ask Gemini
us-east-2.signin.aws.amazon.com/signin?client_id=arn%3Aaws%3Asignin%3A%3A%3Aconsole%2Fcanvas&redirect_uri=https%3A%2F%2Fconsole.aws.amazon.com%2Fconsole%2Fh...
Provide feedback
English
aws
Root user sign in
Enter the password for
renukapara54@gmail.com (not you?)
Password
Show password
Forgot password?
Sign in
Sign in to a different account
Create a new AWS account
Go deeper at the AWS re:Invent Livestream
Join curated sessions matched to your role and industry, with virtual trainers and live Q&A.
Register free →
https://aws.amazon.com/events/reinvent/livestream/?sc_icampaign=event_reinvent-virtual-signin_2026&sc_ichannel=ha&sc_iplace=signin&trk=6fee08af-130d-4f16-8fa6-318affb82a19
23°C
Sunny
Search
ENG
IN
10:10
12-11-2026


Telegram
Free Cloud Computing Services
signin.aws.amazon.com/mfa-m
Ask Gemini
signin.aws.amazon.com/mfa-management/mfa-registration?workflowId=4e9c600b-0c88-4393-9635-ee3bfb76d48e
Registering your MFA for root credentials will be required in 12 days.
Improve the security of your account by registering multi-factor authentication (MFA) using one of the options below. This provides a second means of verifying your identity in addition to your password. Learn more
MFA device name
Device Name
Maximum 128 characters. Use alphanumeric and '+ = , . @ - _' characters.
Passkey or Security key
Authenticate using your fingerprint, face, or screen lock. Create a passkey on this device or use another device, like a FIDO2 security key.
AWS recommends using a passkey or security key as an MFA device as they provide the most protection against attacks such as phishing.
Authenticator app
Authenticate using a code generated by an app installed on your mobile device or computer.
Hardware TOTP Token
Authenticate using a code generated by hardware TOTP token or other hardware devices.
23°C
Sunny
Search
ENG
IN
10:10
12-11-2026


Telegram
Free Cloud Computing Services
signin.aws.amazon.com/mfa-m
Ask Gemini
signin.aws.amazon.com/mfa-management/mfa-registration?workflowId=4e9c600b-0c88-4393-9635-ee3bfb76d48e
aws
Set up passkey or security key
Passkeys enable you to securely sign in to your AWS account using your fingerprint, face, device pin, or FIDO2 security key. Learn more
Not Allowed Error
It looks like you canceled the passkey registration process. Please try again and follow the browser prompts to complete the registration.
1 Create a passkey on this device or if you're using another device, connect it now.
2 Follow instructions from your browser.
Loading
Cancel
Register MFA
© 2026 Amazon Web Services, Inc. or its affiliates. All rights reserved.
23°C
Sunny
Search
ENG
IN
10:11
12-11-2026



Output:



Multi-Factor Authentication was successfully enabled for the AWS account. An additional layer of security was added, helping protect the account from unauthorized access.

2B


AIM: Creating First Linux Instance


Description:


Amazon EC2 (Elastic Compute Cloud) is an AWS service that provides virtual servers called instances. A Linux instance allows users to run Linux-based applications and perform various computing tasks in the cloud.


Steps:


1. Sign in to the AWS Management Console and open the EC2 service.
2. Click on Launch Instance to create a new virtual machine.
3. Enter an instance name and select an Amazon Linux AMI.
4. Choose an instance type, such as t2.micro or an eligible free-tier instance type.
5. Create or select a key pair to securely connect to the instance.
6. Configure network settings and allow SSH traffic (port 22).
7. Click Launch Instance and wait until the instance state changes to Running.






eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#Home:
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Resources
You are using the following Amazon EC2 resources in the Europe (Stockholm) Region:
Instances (running) 0
Auto Scaling Groups 0
Capacity Reservations 0
Dedicated Hosts 0
Elastic IPs 0
Instances 0
Key pairs 0
Load balancers 0
Placement groups 0
Security groups 1
Snapshots 0
Volumes 0
Launch instance
To get started, launch an Amazon EC2 instance, which is a virtual server in the cloud.
Launch instance
Migrate a server
Note: Your instances will launch in the Europe (Stockholm) Region
Instance alarms
View in CloudWatch
Service health
AWS Health Dashboard
Region
Europe (Stockholm)
Status
This service is operating normally.
Zones
Zone name
Zone ID
eu-north-1a
eun1-az1
EC2 cost
Date range: Past 6 months
Region: Global
Costs in your free plan account are covered by credits.
Credits remaining
$120 USD
Days remaining
179 (May 10, 2027)
Data unavailable
Analyze your costs in Cost Explorer
Account attributes
Default VPC
vpc-0b4351db9e0f03576
Settings
Data protection and security
Allowed AMIs
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#LaunchInstances:
EC2 / Instances / Launch an instance
It seems like you may be new to launching instances in EC2. Take a walkthrough to learn about EC2, how to launch instances and about best practices
Take a walkthrough
Do not show me this message again.
Launch an instance Info
Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.
Name and tags Info
Name
e.g. My Web Server
Add additional tags
Application and OS Images (Amazon Machine Image) Info
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.
Search our full catalog including 1000s of application and OS images
Quick Start
Amazon Linux
macOS
Ubuntu
Windows
Red Hat
SUSE Linux
Debian
Browse more AMIs
Including AMIs from AWS, Marketplace and the
Summary
Number of instances Info
1
Software Image (AMI)
Virtual server type (instance type)
Firewall (security group)
Storage (volumes)
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Launch an instance
Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.
Name and tags
Name
chinni_968
Add additional tags
Application and OS Images (Amazon Machine Image)
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.
Search our full catalog including 1000s of application and OS images
Quick Start
Amazon Linux
macOS
Ubuntu
Windows
Red Hat
SUSE Linux
Debian
Browse more AMIs
Including AMIs from AWS, Marketplace and the Community
Summary
Number of instances
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code



amazon
Quick Start
Amazon Linux
macOS
Ubuntu
Windows
Red Hat
SUSE Linux
Debian
Browse more AMIs
Including AMIs from AWS, Marketplace and the Community
Amazon Machine Image (AMI)
Amazon Linux 2023 kernel-6.18 AMI
Free tier eligible
Description
Amazon Linux 2023 (kernel-6.18) is a modern, general purpose Linux-based OS that will be supported until June 2029. It is optimized for AWS and designed to provide a secure, stable and high-performance execution environment to develop and run your cloud applications.
Amazon Linux 2023 AMI 2023.12.20261109.0 x86_64 HVM kernel-6.18
Architecture
64-bit (x86)
Boot mode
uefi-preferred
AMI ID
ami-04005916a1c241ff5
Creation Date
2026-11-04
Username
ec2-user
Verified provider
Summary
Number of instances
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code



Create key pair
Key pair name
Key pairs allow you to connect to your instance securely.
viki_123
The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.
Key pair type
RSA
RSA encrypted private and public key pair
ED25519
ED25519 encrypted private and public key pair
Private key file format
.pem
For use with OpenSSH
.ppk
For use with PuTTY
When prompted, store the private key in a secure and accessible location on your computer. You will need it later to connect to your instance. Learn more
Cancel
Create key pair



Select an app to open this .pem file
IntelliJ IDEA 2025.2.5
Logisim 2.7.1
Notepad
VMware Player
VMware Workstation
Visual Studio Code
Windows Media Player Legacy
Word
Browse apps in the Microsoft Store
Always
Just once



-----BEGIN RSA PRIVATE KEY-----
MIIEpAIBAAKCAQEAwdOKXaH6WEKlgKyHpnCyOfZlMWmWrsUOEVEeQnELrZTIbwha
Hp2QUlZoB7ArGlxazPE0NusVdlJ9Qrq426M0XX85ZaYtgEMvEWDLG5ntRhGm9JCn
GxAMZn7aixS17H+PA5mBsOceMXqnsJ7vwd0B0lr9CYI/74FQ+cj58O0xDluXeZqf
AwKluQOiD7yeCC/zafVurYpEB6kIF1XV6uX5HXVY/9zv3pT+GS/tgTaBT1dhXfQr
KUJFsGvGd08//Az+AdxxjQvV5pAtiBQf5nEbwCtI1umpUYfh1qN5VOfgVW9+561v
jUoWSaiRsA4aThKaBajEho8mmhM2lMOoKAxb1wIDAQABAoIBAFmUfCFOKDC8dKM4
meUJtSVlJDWnGDYj6rGELRkGCCCsX8o5MPVvZvVw69mJyRIA1xJa9AfhtGSgETZS
9/bCwgPoNc3N9L+PzWQZuSVDic7Vf7UOWb0FsTN5s2WOJ9pqxd0jCDaLSoARsQjH
HAYcL6hZ1xKa+ROnT5ZyFVoNNZvtWDGKLr71uiVPdTa4oqMYCwwia/ITX0nfQzMq
SJ3I4Egf1MDDLraqk8Z5yG2j4T4fEdcF0qK+J4ExfqlqW7GTQeWbbQUlYLrEiT+Z
hIa9p7on4bbSQT6fDa28ZXuYi4P16I20Rlv0L1ZNcu+nP5Rajy/48VzBOHjoaRIs
4joUjjkCgYEA8vlp+rzm8xKUQfcKenh4epPHYMcNiDlucyhHiH9ytcnOl8cJg+N/
wAQGwZXiRjlw+QqyzA6zlQ2nAfXXmGkRehg6lznWc2Rawgk7H9Jmr411IeDImZz+
zXLRbmpsgt7SJ89w539WBmZ+iz8638+T2gtyHCxv2RgAuAia4JlIpt0CgYEAzDee
YyrlwcDeF0xyvPLx4cp+0fJcB7Oia97s76UqCPmJQAveST3eFw0gdVzgvISkjxoQ
aZZ5ABKJZw/So1/F0yIwkQid9hySea9jk6nVGqFZsqPowQ+lAHMM2WvWwqf27VOrX
uZbYKxTc++RRpnZUUz9bhaRx7OcImOmaocCocEMCgYEA3nUS3hnEDbrt+LNZaaYR
EJFq0yWMMzP59v9i9wtRGDWrq/T0tkc9eK13DhjPseH3mFx+NSwkqYx1YusWOJnC
AZpbUogG22F/YvYWptz5XTPTkW//2f0OoUXFkCVqMiWWF5Lq2VkRhwyiQZVjrvSb
duBR2o+o3AgI6HYgbxCInxUCgYAmlHdSqr7/DI2ofyPJ+GejzVqKFSw3tEMB9/px
B5XaXjIrHlue3KijjNMmMBIPRLNihIBsJCpZ9cXZlDX1ncL/RCJxcP5w8oUPQMl
2VbOEh9c9UQ6fNciL5oE0/ol0y55y2f3wryR3v4khCy8suwZUgXbSIbRR5BDOxag
akIn+wKBgQDfEPrKhUY/1lEVEVuOLqHiDmRg4kLwlZAgRD3x+3fibUBo2WA3HZ7c
/gpEe7TUCg2JBC/tXOYXRa9kpoKoX9PF58Bv1xL9GgLocTfpsYCO0nCqls0jevxU
YvXAP4h5hMle/igfGm0v1mdm4K8E68Is7LGnZDyjMA5hhdt2zRGJaQ==
-----END RSA PRIVATE KEY-----
Ln 1, Col 1
1,678 characters
Plain text
100%
Unix (LF)
UTF-8
23°C
Sunny
Search
ENG
IN
10:33
12-11-2026



eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#LaunchInstances:
Search
[Alt+S]
Europe (Stockholm)
renuka_176 (552834326823)
renuka_176
EC2 / Instances / Launch an instance
vikki_123
Create new key pair
Network settings Info
Edit
Network Info
vpc-0b4351db9e0f03576
Subnet Info
No preference (Default subnet in any availability zone)
Auto-assign public IP Info
Enable
Firewall (security groups) Info
A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.
Create security group
Select existing security group
We'll create a new security group called 'launch-wizard-1' with the following rules:
Allow SSH traffic from
Helps you connect to your instance
Anywhere
0.0.0.0/0
Allow HTTPS traffic from the internet
To set up an endpoint, for example when creating a web server
Allow HTTP traffic from the internet
To set up an endpoint, for example when creating a web server
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
23°C
Sunny
Search
ENG
IN
10:35
12-11-2026



Telegram
Free Cloud Computing
AWS Management Co
Launch an instance |
Download file | iLoveP
New tab
Ask Gemini
eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#LaunchInstances:
aws
Search
[Alt+S]
Europe (Stockholm)
renuka_176 (552834326823)
renuka_176
EC2 / Instances / Launch an instance
Advanced details Info
Domain join directory Info
Select
Create new directory
IAM instance profile Info
Select
Create new IAM profile
Hostname type Info
IP name
DNS Hostname Info
Enable IP name IPv4 (A record) DNS requests
Enable resource-based IPv4 (A record) DNS requests
Enable resource-based IPv6 (AAAA record) DNS requests
Instance auto-recovery Info
Select
Shutdown behavior Info
Stop
Stop - Hibernate behavior Info
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
23°C
Sunny
Search
ENG
IN
10:37
12-11-2026


Telegram
Free Cloud Computing
AWS Management Co
Launch an instance |
Download file | iLoveP
New tab
Ask Gemini
eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#LaunchInstances:
aws
Search
[Alt+S]
Europe (Stockholm)
renuka_176 (552834326823)
renuka_176
EC2 / Instances / Launch an instance
Success
Successfully initiated launch of instance (i-065f5152eefa84433)
Launch log
Next Steps
What would you like to do next with this instance, for example "create alarm" or "create backup"
1 2 3 4 5 6
Create billing usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.
Create billing alerts
Connect to your instance
Once your instance is running, log into it from your local computer.
Connect to instance
Learn more
Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
Connect an RDS database
Create a new RDS database
Learn more
Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots
Create EBS snapshot policy
Manage detailed monitoring
Create Load Balancer
Create AWS budget
Manage CloudWatch alarms
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
23°C
Sunny
Search
ENG
IN
10:40
12-11-2026



eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#InstanceDetails:instanceId=i-065f5152eefa84433
EC2 / Instances / i-065f5152eefa84433
Instance summary for i-065f5152eefa84433 (chinni_968)
Updated less than a minute ago
Connect
Instance state
Actions
Instance ID
i-065f5152eefa84433
Public IPv4 address
51.20.191.178 | open address
Private IPv4 addresses
172.31.37.191
IPv6 address
Instance state
Running
Public DNS
ec2-51-20-191-178.eu-north-1.compute.amazonaws.com | open address
Hostname type
IP name: ip-172-31-37-191.eu-north-1.compute.internal
Private IP DNS name (IPv4 only)
ip-172-31-37-191.eu-north-1.compute.internal
Answer private resource DNS name
IPv4 (A)
Instance type
t3.micro
Elastic IP addresses
Auto-assigned IP address
51.20.191.178 [Public IP]
VPC ID
vpc-0b4351db9e0f03576
AWS Compute Optimizer finding
Opt-in to AWS Compute Optimizer for recommendations. | Learn more
IAM role
Subnet ID
subnet-05fa84ed8aa099a6c
Auto Scaling group name
IMDSv2
Required
Instance ARN
arn:aws:ec2:eu-north-1:552834326823:instance/i-065f5152eefa84433
Managed
false
Operator


eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#ConnectToInstance:instanceId=i-065f5152eefa84433
EC2 / Instances / i-065f5152eefa84433 / Connect to instance
Connect to Linux instance
Connect to an instance to test, troubleshoot, deploy code, update software etc. You can use browser based methods or an SSH client.
Instance info
Instance
i-065f5152eefa84433 (chinni_968)
State: Running
Loading
VPC
vpc-0b4351db9e0f03576
Subnet
subnet-05fa84ed8aa099a6c
Security groups
sg-0c7d54b03ed33d003 (launch-wizard-1)
In web browser
In SSH client
Choose how to connect
Public subnet access
Managed SSH keys
EC2 Instance Connect
Use for instances with public IPs or accessible via standard routing. Requires network connectivity to your instance. Connect using temporary SSH keys managed by AWS.
Private subnet access
Managed SSH keys
EC2 Instance Connect Endpoint
Use for instances in private subnets. Traffic is routed through a VPC endpoint. Connect using temporary SSH keys managed by AWS.
Maximum security
IAM authentication
SSM Session Manager
Uses IAM-based authentication. Connect without SSH keys, bastion hosts, or opening any inbound ports.
Direct
Troubleshoot
EC2 Serial Console
Access your instance's serial port for troubleshooting boot, network, and OS issues. Works without network connectivity. Requires account-level enablement.
Settings
Loading EC2 Instance Connect details


Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
[ec2-user@ip-172-31-37-191 ~]$
i-065f5152eefa84433 (chinni_968)
PublicIPs: 51.20.191.178 PrivateIPs: 172.31.37.191


Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
[ec2-user@ip-172-31-37-191 ~]$ ls
[ec2-user@ip-172-31-37-191 ~]$ mkdir test
[ec2-user@ip-172-31-37-191 ~]$ ls
test
[ec2-user@ip-172-31-37-191 ~]$ vi file.txt
[ec2-user@ip-172-31-37-191 ~]$ cat file.txt
HIIIIII
HOW ARE YOU
[ec2-user@ip-172-31-37-191 ~]$
i-065f5152eefa84433 (chinni_968)
PublicIPs: 51.20.191.178 PrivateIPs: 172.31.37.191

OUTPUT:



The Linux EC2 instance was successfully created and launched in AWS. The instance became ready to use, allowing users to connect and execute Linux commands remotely.

2C


AIM: To create an Amazon S3 bucket for file storage and upload five objects with different file extensions.


Description:


Amazon Simple Storage Service (S3) is a cloud storage service provided by AWS. It allows users to store, manage, and retrieve files called objects inside storage containers known as buckets.


Steps:


1. Sign in to the AWS Management Console and open the Amazon S3 service.
2. Click Create Bucket and enter a unique bucket name.
3. Select the AWS Region and keep the default settings as required.
4. Click Create Bucket to create the storage bucket.
5. Open the created bucket and click Upload.
6. Click Add Files and select five files with different extensions, such as .pdf, .jpg, .txt, .docx, and .png.
7. Click Upload and wait until all five objects are successfully uploaded.






eu-north-1.console.aws.amazon.com/s3/buckets?region=eu-north-1
Amazon S3
Buckets
General purpose buckets
Directory buckets
Table buckets
Vector buckets
File systems
Access Points
Access Points for FSx
Access Grants
IAM Access Analyzer
Storage Lens
Batch Operations
General purpose buckets (0) Info
Buckets are containers for data stored in S3.
Copy ARN
Empty
Delete
Create bucket
Find buckets by name
Name
AWS Region
Creation date
Loading
Account snapshot Info
View dashboard
Updated daily
Storage Lens provides visibility into storage usage and activity trends.
External access summary Info
External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



eu-north-1.console.aws.amazon.com/s3/bucket/create?region=eu-north-1
Amazon S3 / Buckets / Create bucket
Buckets are containers for data stored in S3.
General configuration
AWS Region
Europe (Stockholm) eu-north-1
Bucket type Info
General purpose
Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.
Directory
Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.
Bucket namespace
Choose the namespace where you want to create your bucket. Learn more
Global namespace
By default, S3 creates general purpose buckets in the global namespace.
Account Regional namespace (recommended)
General purpose buckets created in your account Regional namespace are unique to your account. These buckets can never be created by another AWS account.
Bucket name Info
amzn-s3-demo-bucket
Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). Learn more
Copy settings from existing bucket - optional
Only the bucket settings in the following configuration are copied.
Choose bucket
Format: s3://bucket/prefix
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


CDIS-S3-CSE-Y25 KLH
Free Cloud Computing Servic
AWS Management Console
Create S3 bucket | S3 | eu-nor
Enable AWS MFA
Ask Gemini
eu-north-1.console.aws.amazon.com/s3/bucket/create?region=eu-north-1
Search
[Alt+S]
Europe (Stockholm)
renuka_176 (552834326823)
renuka_176
Amazon S3 / Buckets / Create bucket
Object Ownership
ACLs disabled (recommended)
All objects in this bucket are owned by this account. Access to this bucket and its objects is specified using only policies.
ACLs enabled
Objects in this bucket can be owned by other AWS accounts. Access to this bucket and its objects can be specified using ACLs.
Object Ownership
Bucket owner enforced
Block Public Access settings for this bucket
Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to this bucket and its objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to this bucket or objects within, you can customize the individual settings below to suit your specific storage use cases. Learn more
Block all public access
Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.
Block public access to buckets and objects granted through new access control lists (ACLs)
S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.
Block public access to buckets and objects granted through any access control lists (ACLs)
S3 will ignore all ACLs that grant public access to buckets and objects.
Block public access to buckets and objects granted through new public bucket or access point policies
S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to S3 resources.
Block public and cross-account access to buckets and objects through any public bucket or access point policies
S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
27°C
Sunny
Search
ENG
IN
11:14
12-11-2026



CDIS-S3-CSE-Y25 KLH
Free Cloud Computing Servic
AWS Management Console
Create S3 bucket | S3 | eu-nor
Enable AWS MFA
Ask Gemini
eu-north-1.console.aws.amazon.com/s3/bucket/create?region=eu-north-1
Search
[Alt+S]
Europe (Stockholm)
renuka_176 (552834326823)
renuka_176
Amazon S3 / Buckets / Create bucket
You can add up to 50 tags.
Default encryption Info
Server-side encryption is automatically applied to new objects stored in this bucket.
Encryption type Info
Secure your objects with two separate layers of encryption. For details on pricing, see DSSE-KMS pricing on the Storage tab of the Amazon S3 pricing page.
Server-side encryption with Amazon S3 managed keys (SSE-S3)
Server-side encryption with AWS Key Management Service keys (SSE-KMS)
Dual-layer server-side encryption with AWS Key Management Service keys (DSSE-KMS)
Bucket Key
Using an S3 Bucket Key for SSE-KMS reduces encryption costs by lowering calls to AWS KMS. S3 Bucket Keys aren't supported for DSSE-KMS. Learn more
Disable
Enable
Advanced settings
After creating the bucket, you can upload files and folders to the bucket, and configure additional bucket settings.
Cancel
Create bucket
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
27°C
Sunny
Search
ENG
IN
11:15
12-11-2026


Successfully created bucket "chinnibucket2-552834326823-eu-north-1-an"
chinnibucket2-552834326823-eu-north-1-an
Objects (0)
No objects
You don't have any objects in this bucket.
Upload


Upload
Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API.
Drag and drop files and folders you want to upload here, or choose Add files or Add folder.
Files and folders (0)
All files and folders in this table will be uploaded.
No files or folders
You have not chosen any files or folders to upload.
Destination
s3://chinnibucket2-552834326823-eu-north-1-an
Destination details



OUTPUT:



The Amazon S3 bucket was successfully created for cloud file storage. Five objects with different file extensions were uploaded successfully and stored in the bucket.