```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Attendify | Student Attendance Tracker</title>

<style>
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  font-family: Arial, sans-serif;
}

body {
  background: #f6f5fc;
  color: #292943;
}

header {
  background: linear-gradient(120deg, #7555d9, #a58be9);
  color: white;
  padding: 25px 6%;
}
```

```
header h1 {
    margin-bottom: 8px;
}

header p {
    font-size: 14px;
}

.container {
    max-width: 1150px;
    margin: 30px auto;
    padding: 0 20px;
}

.welcome {
    background: white;
    padding: 25px;
    border-radius: 15px;
    margin-bottom: 25px;
    box-shadow: 0 3px 15px #ddd9ee;
}

.welcome h2 {
    color: #7555d9;
    margin-bottom: 10px;
}
```

```
.controls {
    display: flex;
    flex-wrap: wrap;
    gap: 12px;
    margin: 20px 0;
}

input, button {
    padding: 12px;
    border-radius: 8px;
    font-size: 14px;
}

input {
    border: 1px solid #ddd8ec;
    outline: none;
    min-width: 0;
}

input:focus {
    border-color: #7555d9;
}

button {
    border: none;
```

```
    cursor: pointer;
    background: #7555d9;
    color: white;
}

button:hover {
    opacity: 0.85;
}

.stats {
    display: grid;
    grid-template-columns: repeat(4, 1fr);
    gap: 15px;
    margin-bottom: 25px;
}

.card {
    background: white;
    padding: 22px;
    border-radius: 13px;
    box-shadow: 0 3px 12px #e7e3f3;
}

.card p {
    color: #77778c;
    font-size: 13px;
```

```
    margin-bottom: 12px;
}

.card h2 {
    color: #7555d9;
    font-size: 28px;
}

.panel {
    background: white;
    border-radius: 15px;
    padding: 25px;
    box-shadow: 0 3px 12px #e7e3f3;
}

.panel h2 {
    margin-bottom: 15px;
}

.table-wrap {
    overflow-x: auto;
}

table {
    width: 100%;
    border-collapse: collapse;
```

```
    min-width: 570px;
}

th, td {
    padding: 15px 12px;
    border-bottom: 1px solid #eeeaf5;
    text-align: left;
    font-size: 13px;
}

th {
    background: #f6f3ff;
    color: #6653a7;
}

.present {
    background: #219b65;
    margin-right: 5px;
}

.absent {
    background: #e45464;
}

.status {
    padding: 6px 9px;
```

```
    border-radius: 15px;
    font-size: 11px;
    font-weight: bold;
}

.status-present {
    background: #e1f7eb;
    color: #16804d;
}

.status-absent {
    background: #ffeaed;
    color: #d74354;
}

.status-none {
    background: #efedf5;
    color: #777;
}

.delete {
    background: #666;
    margin-left: 5px;
}

footer {
```

```
    text-align: center;
    padding: 25px;
    color: #77778c;
    font-size: 12px;
}

@media (max-width: 750px) {
    .stats {
        grid-template-columns: repeat(2, 1fr);
    }

    .controls {
        flex-direction: column;
    }

    .controls input,
    .controls button {
        width: 100%;
    }

    .container {
        padding: 0 12px;
    }

    .panel {
        padding: 15px;
```

```
  }
}
</style>
</head>

<body>

<header>
  <h1>🎓 Attendify</h1>
  <p>Student Attendance Tracker</p>
</header>

<div class="container">

  <section class="welcome">
    <h2>Welcome Back 👋</h2>
    <p>Track student attendance quickly and easily.</p>
    <br>
    <label for="date">Select Attendance Date: </label>
    <input type="date" id="date">
  </section>

  <section class="stats">
    <div class="card">
      <p>Total Students</p>
      <h2 id="total">0</h2>
```

```
  </div>

  <div class="card">
    <p>Present Today</p>
    <h2 id="presentCount">0</h2>
  </div>

  <div class="card">
    <p>Absent Today</p>
    <h2 id="absentCount">0</h2>
  </div>

  <div class="card">
    <p>Attendance Rate</p>
    <h2 id="rate">0%</h2>
  </div>
</section>

<section class="panel">
  <h2>Student Attendance</h2>

  <div class="controls">
    <input type="text" id="roll" placeholder="Enter Roll Number">
    <input type="text" id="name" placeholder="Enter Student Name">
    <button onclick="addStudent()">+ Add Student</button>
  </div>
```

```
    <div class="controls">
      <input type="search" id="search"
          placeholder="Search student by name or roll number">
      <button onclick="saveAttendance()">Save Attendance</button>
    </div>

    <div class="table-wrap">
      <table>
        <thead>
          <tr>
            <th>Roll No.</th>
            <th>Student Name</th>
            <th>Status</th>
            <th>Actions</th>
          </tr>
        </thead>
        <tbody id="studentList"></tbody>
      </table>
    </div>

    <p id="message" style="margin-top:15px;color:#219b65;font-size:13px"
      role="status"></p>
  </section>

</div>
```

```
<footer>
  © 2026 Attendify | Student Attendance Tracker
</footer>

<script>
const defaultStudents = [
  { roll: "101", name: "Arun Kumar" },
  { roll: "102", name: "Priya Sharma" },
  { roll: "103", name: "Karthik Raj" },
  { roll: "104", name: "Divya Lakshmi" },
  { roll: "105", name: "Rahul Kumar" }
];

function loadData(key, fallback) {
  try {
    const value = localStorage.getItem(key);
    return value ? JSON.parse(value) : fallback;
  } catch (error) {
    return fallback;
  }
}

let students = loadData("attendifyStudents", defaultStudents);
let attendance = loadData("attendifyRecords", {});
```

```
const dateInput = document.getElementById("date");
const searchInput = document.getElementById("search");

function today() {
  const d = new Date();
  return d.getFullYear() + "-" +
    String(d.getMonth() + 1).padStart(2, "0") + "-" +
    String(d.getDate()).padStart(2, "0");
}

dateInput.value = today();

function records() {
  const date = dateInput.value;
  if (!attendance[date]) attendance[date] = {};
  return attendance[date];
}

function persist() {
  try {
    localStorage.setItem("attendifyStudents",
      JSON.stringify(students));
    localStorage.setItem("attendifyRecords",
      JSON.stringify(attendance));
    return true;
  } catch (error) {
```

```
      document.getElementById("message").textContent =
        "Unable to save data in this browser.";
      return false;
    }
}

function showMessage(text) {
    document.getElementById("message").textContent = text;
}

function addStudent() {
    const roll = document.getElementById("roll").value.trim();
    const name = document.getElementById("name").value.trim();

    if (!roll || !name) {
      showMessage("Please enter both roll number and student name.");
      return;
    }

    if (students.some(s => s.roll.toLowerCase() === roll.toLowerCase())) {
      showMessage("This roll number already exists.");
      return;
    }

    students.push({ roll, name });
    persist();
```

```
    document.getElementById("roll").value = "";
    document.getElementById("name").value = "";

    render();
    showMessage("Student added successfully!");
}

function mark(roll, status) {
    records()[roll] = status;
    persist();
    render();
    showMessage("Attendance updated successfully!");
}

function removeStudent(roll) {
    if (!confirm("Are you sure you want to delete this student?")) {
        return;
    }

    students = students.filter(s => s.roll !== roll);

    Object.values(attendance).forEach(day => {
        delete day[roll];
    });
```

```
  persist();
  render();
  showMessage("Student deleted successfully.");
}

function render() {
  const list = document.getElementById("studentList");
  const query = searchInput.value.trim().toLowerCase();

  list.innerHTML = "";

  const filtered = students.filter(s =>
    s.name.toLowerCase().includes(query) ||
    s.roll.toLowerCase().includes(query)
  );

  filtered.forEach(student => {
    const status = records()[student.roll] || "unmarked";

    const row = document.createElement("tr");

    const rollCell = document.createElement("td");
    rollCell.textContent = student.roll;

    const nameCell = document.createElement("td");
    nameCell.textContent = student.name;
```

```
const statusCell = document.createElement("td");
const badge = document.createElement("span");

badge.className = "status " +
   (status === "present" ? "status-present" :
    status === "absent" ? "status-absent" : "status-none");

badge.textContent =
   status === "present" ? "Present" :
   status === "absent" ? "Absent" : "Not Marked";

statusCell.appendChild(badge);

const actionCell = document.createElement("td");

const presentBtn = document.createElement("button");
presentBtn.className = "present";
presentBtn.textContent = "Present";
presentBtn.onclick = () => mark(student.roll, "present");

const absentBtn = document.createElement("button");
absentBtn.className = "absent";
absentBtn.textContent = "Absent";
absentBtn.onclick = () => mark(student.roll, "absent");
```

```
    const deleteBtn = document.createElement("button");
    deleteBtn.className = "delete";
    deleteBtn.textContent = "Delete";
    deleteBtn.onclick = () => removeStudent(student.roll);

    actionCell.append(presentBtn, absentBtn, deleteBtn);
    row.append(rollCell, nameCell, statusCell, actionCell);
    list.appendChild(row);
  });

  const day = records();
  const present = students.filter(s =>
    day[s.roll] === "present").length;
  const absent = students.filter(s =>
    day[s.roll] === "absent").length;

  document.getElementById("total").textContent = students.length;
  document.getElementById("presentCount").textContent = present;
  document.getElementById("absentCount").textContent = absent;

  const rate = students.length
    ? Math.round((present / students.length) * 100)
    : 0;

  document.getElementById("rate").textContent = rate + "%";
}
```

```
function saveAttendance() {
  if (persist()) {
    showMessage("Attendance saved for " + dateInput.value + "!");
  }
}

searchInput.addEventListener("input", render);

dateInput.addEventListener("change", () => {
  showMessage("");
  render();
});

render();
</script>

</body>
</html>
```