

---

# Quantum Generative Adversarial Network with Noise

---

**Project Name:** Quantum Generative Adversarial Network with Noise

**Project member:**

*YmHuang*

*WhRen*

*ZlChen*

**Dodument Type:** Report

**Project Start Time:** 3/01/2020

**Sourcecode Version:** 0.0.1

**Keywords:** Variational Quantum Circuit, Machine Learning

**Modify** April 26, 2020

*Submitted by:*

WH REN


## Contents

<b>1</b>	<b>Experiment</b>	<b>2</b>
<b>2</b>	<b>Results</b>	<b>2</b>
<b>3</b>	<b>Next Plan</b>	<b>2</b>
<b>4</b>	<b>Reference</b>	<b>3</b>
<b>5</b>	<b>Appendix</b>	<b>4</b>
A	Source Code . . . . .	4

## 1 Experiment

In this week,I add depolarizing channel to pure state approximation.And the result include quantum noise is same like before.

## 2 Results



The density matrix add a depolarizing channel quantum noise before measure.

## 3 Next Plan

- P: 1 finished quantum circuit code(finished)
- 2 checking gate gradient descent
- 3 find the reason why some parameter haven't changed.

## 4 Reference

### References

- [1] BENEDETTI, M., GRANT, E., WOSSNIG, L., AND SEVERINI, S. Adversarial quantum circuit learning for pure state approximation. *New Journal of Physics* *21*, 4 (2019), 043023.
- [2] SHENDE, V. V., MARKOV, I. L., AND BULLOCK, S. S. Minimal universal two-qubit controlled-not-based circuits. *Physical Review A* *69*, 6 (2004), 062321.

## 5 Appendix

### A Source Code

just add core codes