Assignment 1

1.

(i)	med = 3.2	В1	Accept 3.2 ± 0.05
	$UQ = 3.65 \le uq \le 3.7 LQ = 2.55 \le lq \le 2.6$	M1	UQ – LQ, UQ greater than their 'median', LQ less than their 'median'
	$IQR = 1.05 \leqslant iqr \leqslant 1.15$	A1	Correct answer from both LQ and UQ in given ranges
	Total:	3	
(ii)	134 – 24 = 110	B1	Accept $108 \le n \le 112$, n an integer
	Total:	1	

LES 2017 Page 4 of 11

9/62

Cambridge International AS/A Level – Mark Scheme PUBLISHED

May/June 2017

stion	Answer	Marks	Guidance
(iii)	200 - 12 = 188 less than length /	M1	188 seen, can be implied by answer in range, mark on graph.
	l = 4.5 cm	A1	Correct answer accept $4.4 \le l \le 4.5$
	Total:	2	

2.

	+				
'(i)		ı	I	B1	Correct stem, up or down
	Anvils		Brecons		
	8	15			
	9 5	16	6		
	5 3 2 0	17	0 1 2 2 8		
	4 1 0	18	1 2 3 3		
	6	19	2		
	Key: 5 16 6 means 165 cm for Anvils and 166 cm for Brecons				
			B1	Correct Anvils labelled on left, leaves in order from right to left and lined up vertically, no commas	
			B1	Correct Brecons labelled on same diagram on right hand side in order from left to right and lined up vertically, no commas	
				B1	Correct key, not split, both teams, at least one with cm
				4	
(ii)	Median = 173		B1	Correct median (or Q2)	
	LQ = 169; UQ = 181 IQR = 181 – 169			M1	Either UQ = 181 ± 4 , or LQ = 169 ± 4 and evaluating UQ – LQ
	= 12			A1	Correct answer from 181 and 169 only
				3	
	-				

(iii)	$\Sigma x = 1923 + 166 + 172 + 182 (= 2443)$ $\Sigma x^2 = 337221 + 166^2 + 172^2 + 182^2 (= 427485)$		Correct unsimplified expression for $\sum x$ and $\sum x^2$, may be implied
	$Mean = \frac{\sum x}{14} = \frac{2443}{14} = 174.5$	M1	Correct unsimplified mean
	Variance = $\frac{\sum x^2}{14} - \left(\frac{\sum x}{14}\right)^2 = \frac{427485}{14} - \left(\frac{2443}{14}\right)^2$	M1	Correct unsimplified variance using 14, their Σx and their Σx^2 , not using 1923 and/or 337221
	S d = 9.19	A1	Correct answer
		4	

3.

estion	Answer	Marks	Guidance
3(i)	0.5 2.4 3 1.4 0.4	M1	At least 3 frequency densities calculated (frequency \div class width) e.g. $\left(\frac{10}{20}, \frac{10}{19} \text{ or } \frac{10}{19.5}\right)$ may be read from graph using <i>their</i> scale,
			3SF or exact
	All heights correct on graph.	A1	
	Bar ends of 9.5, 29.5, 39.5, 59.5, 89.5	B1	
	Axes labelled: Frequency density (fd) and speed/km h ⁻¹ (or appropriate title). Linear scales $9.5 \leqslant$ horizontal axis \leqslant 89.5, 0 \leqslant vertical axis \leqslant 3, 5 bars with no gaps	B1	
		4	
(ii)	$\frac{19.5 \times 10 + 34.5 \times 24 + 44.5 \times 30 + 54.5 \times 14 + 74.5 \times 12}{their \cdot 90}$ $= \frac{195 + 828 + 1335 + 763 + 894}{90}$ $= \frac{4015}{90} \text{ or } \frac{803}{18}$	M1	Uses at least 4 midpoint attempts (e.g. 19.5 ± 0.5). Allow unsimplified expression.
	$44\frac{11}{18}$ or $44.6 \text{ (km h}^{-1}\text{)}$	A1	Final answer not an improper fraction NFWW
		2	

4.

·(i)	Mean = $(30 \times 1500 + 21 \times 2400)/51$	M1	Multiply by 30 and 21, summing and dividing total by 51 $\left(\frac{45000+50400}{51}\right)$
	= 1870 (1870.59)	A1	correct answer (to 3sf)
	Total:	2	
(ii)	$230^2 = \frac{\Sigma v_F^2}{30} - 1500^2 \text{ so } \Sigma v_F^2 = 69087000$	M1	One correct substitution into a correct variance formula
		A1	Correct Σv_F^2 (rounding to 69 000 000 2sf)
	$160^2 = \frac{\Sigma v_L^2}{21} - 2400^2 \text{ so } \Sigma v_L^2 = 121497600$	A1	Correct Σx_L^2 (rounding to 121 000 000 3sf)
	New var = $\frac{69087000 + 121497600}{51000} - 1870.588^2 = 237853$	M1	using ' Σx_F^2 '+ '' Σx_L^2 dividing by 51 and subtracting 'i' squared.
	51		(Correct ' Σx_F^2 ' + '' $\Sigma x_L^2 = 190584600$)
	New sd = 488	A1	Correct answer accept anything between 486 and 490
	Total:	5	

5.

L		
Median Maths = 40	M1	Indication of finding medians, such as mark on graph or reference marks to 700 pupils, condone poor terminology such as 'mean'
Median English = 55	A1	Both values correct, condone 54 <english<56 54,="" 56="" a0<="" but="" get="" td=""></english<56>
Median of English is larger than median of Maths	B1	Correct statement, median must be referenced within answer. No credit if statement references 'means'
Range Maths is 100 or IQ range Maths = 80 – 12 = 68	M1	Evidence of finding either both ranges or both IQ ranges i.e. see a minus
Range English is 60 or IQ range English = 62 - 42 = 20	A1	Both ranges or IQR correct
Maths marks have more spread then English marks	B1	Correct conclusion. Accept standard deviation but must see some figures
	6	

6.

2(i)	median = 0.225; LQ = 0.215: UQ = 0.236							Correct median (Q ₂)
	IQR = 0.236 - 0.215							0.232 < UQ (Q ₃) < 0.238 - 0.204 < LQ (Q ₁) < 0.219
		= 0.021					A1	www Omission of all decimal points MR-1 If M0 awarded SCB1 for both LQ = 0.215: UQ = 0.236 seen
							3	
!(ii)	A	0.21 0.22	0.23 0.2	4 0.25	0.26 Time seconds	s	В1	Linear scale between 0.20 to 0.26 (condone omission of 0.26) axis labelled (time and seconds), at least one box plot attempted, no lines through boxes, whiskers not at corner of boxes
							B1 ft	Labelled correct graph for A, (ft their median/quartiles), condone lines through boxes, whiskers at corner of boxes
	A	0.200	0.215	0.225	0.236	0.250	B1	Labelled correct graph for B, condone lines through boxes, whiskers at comer of boxes
	В	0.205	0.217	0.235	0.245	0.258		SC If B0B0 scored because graphs not labelled/labels reversed SCB1 if both 'correct'
								Penalty MR-1 if graphs plotted on separate axes unless both scales align exactly.
							3	