










DashboardController
-Label welcomeField
-Label dateField
-Label username_top
-Label username_bottom
-Label username_top_initial
-Label username_bottom_initial
-VBox sellFirstList
-Button inventoryButton
-Button insightButton
-Button stockactivityButton
-Button settingButton
-Button viewAllerts
-Label total_items
-Label expiring_soon
-Label low_stock
-Label total_expireUnits
-Label top_first_item
-Label top_second_item
-Label top_third_item
-Label top_first_item_counter
-Label top_second_item_counter
-Label top_third_item_counter
-ProgressBar top_first_item_progress
-ProgressBar top_second_item_progress
-ProgressBar top_third_item_progress
-Label least_first_item
-Label least_second_item
-Label least_third_item
-Label least_first_item_type
-Label least_second_item_type
-Label least_third_item_type
-Label least_first_item_counter
-Label least_second_item_counter
-Label least_third_item_counter
-Label wasted_first_item_type
-Label wasted_second_item_type
-Label wasted_third_item_type
-Label wasted_first_item
-Label wasted_second_item
-Label wasted_third_item
-Label wasted_first_item_counter

-TextField fullName
-TextField username
-TextField emailAdd
-Label username_to
-Label username_br
-Label username_to
-Label username_br
-Label username_m
-Label username_m
-User user
+initialize() : void
-displayUserData() :
+onNotificationIcon
-goToDashboard(Ac
-setSettingsLogout(
-goToProfileSettings
-goToStoreInfo(Acti
-goToNotifications(A
-goToNotificationsSi
-goToStockActivity(/
-goToInventoryActiv
+goToInsight(Action











Sales
-int id -int productId -String name -int quantity -String saleDate
+Sales(int, int, String, int, String) +getId() : int +getProductId() : int +getName() : String +getQuantity() : int +getSaleDate() : String +toString() : String

NotificationController
-VBox notificationList -Label unreadCountLabel -Button markAllReadButton -ToggleButton filterAll -ToggleButton filterUnread -ToggleButton filterCritical -ToggleButton filterWarning -ToggleButton filterInfo -Label username_top -Label username_bottom -Label username_top_initial -Label username_bottom_initial -List<NotificationItem> allItems -String currentFilter -User user
+initialize() : void +setupUsername() : void -setupFilterButtons() : void -applyFilter(String filter) : void -getCurrentFilteredList() : List<NotificationItem> -handleMarkAllRead() : void



-Label wasted_second_item_counter
-Label wasted_third_item_counter
-Label expired_label
-Label out_of_stock_label
-Label items_wasted_label
-User user
-SlowMovingItemsController slowMovingController
-FastMovingItemsController fastMovingController

+initialize() : void
+setExpiredLabel() : void
+set_expired_label(int data) : void
+set_out_of_stock_label(int data) : void
+set_item_wasted_label(int data) : void
-populateSellFirst(int ownerId) : void
-buildRow(NotificationItem item, ObservableList<Product> products) : HBox
-extractName(String message) : String
-badgeTopText(NotificationItem item) : String
-badgeSubText(NotificationItem item, ObservableList<Product> products) : String
-iconBgColor(NotificationItem.Type type) : String
-badgeBgColor(NotificationItem item) : String
-textColor(NotificationItem.Type type) : String
+onNotificationIconClick(MouseEvent mouseEvent) : void
+goToInventory(ActionEvent event) : void
+goToInsightButton(ActionEvent event) : void
+goToStockactivityButton(ActionEvent event) : void
+goToSettingButton(ActionEvent event) : void
+goToVewInsights(ActionEvent event) : void
+goToDashboard(ActionEvent event) : void
+goToNotifications(ActionEvent event) : void
+viewAllGotoInventory(ActionEvent event) : void
+setLogout(ActionEvent event) : void



-TextField phoneField
-TextField storeNameField
-TextField usernameField
-TextField passwordField
-TextField confirmPasswordField
-Button createAccountButton
-CheckBox agreeCheckBox
-Label signInLabel
-showAlert(String message) : void
+handleSignInButton(ActionEvent event) : void
+onsigninClick(MouseEvent mouseEvent) : void

+
+
+
+
+
+
+

LoginController
-TextField usernameField
-TextField passwordField
-CheckBox rememberMe
-Label forgotPasswordField
-Button signInButton
-Label createAccountField
-goToDashboard() : void
+initialize() : void
-showAlert(String message) : void
+handleSignInButton(ActionEvent event) : void
+onCreateAccountClick(MouseEvent event) : void
+OnForgotPasswordClick(MouseEvent mouseEvent) : void

User
-int id
-String username
-String fullname
-String password
-String email
-String phoneNumber
-String storeName

-ToggleButton TBut
-ToggleButton TBut
-ToggleButton TBut
-ToggleButton TBut
-ToggleButton TBut
-Label username_tc
-Label username_b
-Label username_tc
-Label username_b
-User user
-NotificationPrefere
+initialize() : void
-applyPrefsToToggl
+handleToggleB1(A
+handleToggleB2(A
+handleToggleB3(A
+handleToggleB4(A
+handleToggleB5(A
+handleSaveSetting
+onNotificationIcon
+goToInventory(Act
+goToInsights(Actic
+goToStockActivity
+goToSettingButton
+goToDashboard(A
+goToNotifications(
+setSettingsLogout
+goToProfileSetting
+goToNotificationsS
+goToStoreInfo(Act

+goToStockactivityButton(ActionEvent) : void

+goToSettingButton(ActionEvent) : void

+goToDashboard(ActionEvent) : void

+goToNotifications(ActionEvent) : void

+setSettingsLogout(ActionEvent) : void

+goToProfileSettings(ActionEvent) : void

+goToNotificationsSettings(ActionEvent) : void

-int insertionOrder

+ProductTotal(String name, int totalSold)

+getSalesRate() : double

SettingsNotificationsController

ton1

ton2

ton3

ton4

ton5

op

ottom

op_initial

ottom_initial

nces prefs

es() : void

\actionEvent event) : void

\actionEvent event) : void

\actionEvent event) : void

\actionEvent event) : void

\actionEvent event) : void

gs(ActionEvent event) : void

Click(MouseEvent mouseEvent) : void

tionEvent event) : void

onEvent event) : void

(ActionEvent event) : void

1(ActionEvent event) : void

\actionEvent event) : void

\ActionEvent event) : void

!(ActionEvent event) : void

js(ActionEvent event) : void

Settings(ActionEvent event) : void

tionEvent event) : void

StockDetails

-int id

-String productName

-int oldQty

-int newQty

-String reason

-LocalDate date

-StockDetailManager manager

+getReason() : String

+getProductName() : String

+getOldQty() : int

+getNewQty() : int


+getDate() : String


+getChange() : Pane





+getReasoning() : Pane

+setId(int) : void






+setDate(String) : void















NotificationPreferences










<<static>> fetchDataFromTable
-String BASE_QUERY
-mapRow(ResultSet rs) : Product +getInventoryOrderedByStatus(int ownerId) : ObservableList<Product> +getAllProducts(int ownerId) : ObservableList<Product> -runQuery(String query, int ownerId) : ObservableList<Product> +countTotalSales(Product item, int owner_id) : int


<<static>> ProductManagement
+addProduct(String name, int quantity, String expiry, int ownerId, String category, int originalQty) : int +removeProduct(String productName) : boolean +modifyProduct(Product product) : boolean +viewInventory() : void +createNotificationsTable() : void


<<static>> productTableManagement
+createProductTable() : void +main(String[] args) : void

<<static>> SalesTableManagement
+createSalesTable() : void

<<static>> StockActivityManagement







InventorySellController

```
controller modifyProductController
```

```
m) : void
```

oller controller

```
    act item) : void
```

```
) : ObservableList<Product>
```

```
category(String name, ObservableList<Product> products)
```

```
() : TableCell<Product, Product>
```

```
ter(TextField searchTextField, ComboBox<Stri
```

```
void ProductForm::addProductPane(Pane productPane) {
```

```
productPopout(Pane addProductPane) : void
```

```
it(Pane addProductPane) : void
```

```
ase() : void
```

```
<<static>>
NotificationPreferencesDAO
```

```
+createTable() : void
```

```
+load(int userId) : NotificationPreferences
```

```
+save(NotificationPreferences prefs) : boolean
```

-Pane M

-Button €

-Combol

-Button c

-Button 5

-TextFiel

-TextFiel

-DatePic

-Button r

-Product

-ModifyF

```
-int old_
```

+getMoc

+getExit|

+getCan

+getSav

```
+initialize(
```

```
+resetFi
```



```
+clearInj
```



+loadProc

```
+showAl
```

```
+saveMc
```

```
+getOld_
```



ModifyProductModel

oldQty, int newQty) : void

etails) : boolean

+addActivity(String name, int oldQty, int newQty, String reason, String date, int owner_id) : int

<<static>> StockFetchFromTable
+getActivitiesFromDB(int ownerID) : ObservableList<StockDetails>

<<static>> StockTableManagement
+createStockTable() : void

<<static>> AuthenticateUser
+authenticateUser(String username, String password) : boolean

PasswordHandler
-String userForChange
+verifyUser(String fullname, String phoneNumber, String storeName) : String
+changePass(String username, String newPassword) : boolean

<<static>> UsersTableManagement

Label totalLabel

-Label totalLabel

-TableView<StockDetails> detailsTableView

-TableColumn<StockDetails, String> productNameColumn

-TableColumn<StockDetails, String> oldQtyColumn

-TableColumn<StockDetails, String> newQtyColumn

-TableColumn<StockDetails, Pane> changeColumn

-TableColumn<StockDetails, Pane> reasonColumn

-TableColumn<StockDetails, String> dateColumn

-TextField searchTextField

-Label username_top

-Label username_bottom

-Label username_top_initial

-Label username_bottom_initial

-StockActivityPresenter presenter

-User user

+initialize() : void

+updateActivityCount(int totalRestocked, int totalSold, int totalActivities) : void

+onNotificationIconClick(MouseEvent mouseEvent) : void

+goToInventory(ActionEvent event) : void

+goToInsight(ActionEvent event) : void

+goToStockActivity(ActionEvent event) : void

+goToSettings(ActionEvent event) : void

+goToDashboard(ActionEvent event) : void

+goToNotification(ActionEvent event) : void

+setLogout(ActionEvent event) : void

-StockDet:

+StockAct

-syncWith

+getList()

+getTotalS

+getTotalF

+getTotalA

-TextField fullName

-TextField phoneFie

-TextField storeNan

-Button verifyButton

-Label signUpLabel

-Label backToSignI

-showAlert(String m

+handleVerifyAndC

+OnBackToSignInC

+OnSignInClick(Mo

-TextField newF

-TextField confil

-Button savePa

-Label backLab

-StackPane req

-StackPane req

-StackPane req

-StackPane req

-String usernan

-boolean passw

+initialize() : voi

+setUsername(

+handleSaveNe

+OnBackClick(I

-showAlert(Strir

-updateIcon(Sta

ailsList list
tivityModel()
Database() : void
: ObservableList<StockDetails>
Sold() : int
Restocked() : int
Activities() : int

ForgotPasswordController
Field
eld
neField
1
l
nLink
essage) : void
:ontinue(ActionEvent event) : void
:lick(MouseEvent mouseEvent) : void
useEvent mouseEvent) : void

ForgotPasswordVerificationTwoController
PasswordField
rmPasswordField
asswordButton
iel
i1Icon
i2Icon
i3Icon
i4Icon
ne
word_approved
id
(String username) : void
ewPassword(ActionEvent event) : void
MouseEvent mouseEvent) : void
ng message) : void
ackPane icon, boolean valid) : void


SlowMovingItemsController
-Label[] nameLabels
-Label[] categoryLabels
-Label[] countLabels
+SlowMovingItemsController(Label[] nameLabels, Label[] categoryLabels,
+load() : void


uses


ProductTotal
~String name
~String category
~int totalSold
~LocalDate dateAdded
~int insertionOrder
~ProductTotal(String name, int totalSold)
~getSalesRate() : double




`+syncWithDatabase() : void`









StockDetailsList
ails> detailsList
ockDetails int, int) : StockDetails st<StockDetails>

+createUserTable() : void

+main(String[] args) : void

**<<static>>
UserUIHelper**

+setupUserUI(Label, Label, Label, Label, User) : void

**<<static>>
ConnectionBridge**

-String URL

+connect() : Connection

TindaTrackApplication

+start(Stage stage) : void

-initDatabase() : void


**<<static>>
CreateUser**

+createUser(String, String, String, String, String, String) : boolean

ord(String password) : String


ReasonStockActivityController
-Pane reasonPane -Label reasonLabel
+getReasonPane() : Pane +getReasonLabel() : Label

ChangeStockActivityController
-Pane changePane -FontIcon decreaseIcon -FontIcon increaseIcon -Label detailLabel
+getChangePane() : Pane +getDecreaseIcon() : FontIcon +getIncreaseIcon() : FontIcon +getDetailLabel() : Label





-String productName
-String category
-String suggestion
~RecommendationInfo(String productNa
+getProductName() : String
+getCategory() : String
+getSuggestion() : String



RecommendationInfo

--

ime, String category, String suggestion)

--

