

Benefits - Philhealth

Inpatient Benefits

- These benefits are paid to the accredited Health Facilities (HF) through All Case Rates
 - The case rate amount shall be deducted by the Health Facility from the member's total bill, which shall include professional fees of attending physicians, prior to discharge
 - The case rate amount is inclusive of hospital charges and professional fees of attending physician
 - Documents needed: copy of Member Data Record or PhilHealth Benefit Eligibility Form (PBEF) and duly accomplished PhilHealth Claim Form 1
 - Where available: all accredited Health Facilities*
- *Different case rate amounts for selected medical conditions are being implemented when done in Primary Care facilities (PhilHealth Circular 0037, s-2024)
- Only admissible cases shall be reimbursed

Outpatient Benefits

1. Day surgeries (ambulatory or outpatient surgeries) are services that include elective (non-emergency) surgical procedures ranging from minor to major operations, where patients are safely sent home within the same day for post-operative care
 - Payments for these procedures are made to the accredited facility through All Case Rates
 - The case rate amount shall be deducted by the Health Facility from the member's total bill, which shall include professional fees of attending physicians, prior to discharge
 - The case rate amount is inclusive of hospital charges and professional fees of attending physician
 - Documents needed: copy of Member Data Record and duly accomplished PhilHealth Claim Form 1
 - Where available: Accredited Ambulatory Surgical Clinics (ASCs)

2. Radiotherapy

- The case rate for radiotherapy using cobalt is P3,900 per session and P5,850 per session for linear accelerator
- Includes radiation treatment delivery using cobalt and linear accelerator
- Claims for multiple sessions may be filed using one (1) claim form for both inpatient and outpatient radiation therapy
- May be availed of even as second case rate (full case rate amount)
- 45 days benefit limit: One session is equivalent to one day deduction from the 45 allowable days per year
- If procedure is done during confinement, only the total number of confinement days shall be deducted
- Exempted from Single Period of Confinement (SPC) rule (admissions and re-admissions due to same illness or procedure within 90-calendar day period)
- Where available: Accredited Health Facilities including Primary Care Facilities that are accredited for the said service

3. Hemodialysis

- The Case Rate for hemodialysis is P6,350 per session
- Covers both inpatient and outpatient procedures including emergency dialysis procedures for acute renal failure
- Claims for multiple sessions may be filed using one (1) claim form for both inpatient and outpatient hemodialysis
- May be availed of even as second case rate (full case rate amount)
- 90 days benefit limit: One session is equivalent to one day deduction from the 90 allowable days per year
- If procedure is done during confinement, only the total number of confinement days shall be deducted
- The procedure is exempted from Single Period of Confinement rule (admissions and re-admissions due to same illness or procedure within 90-calendar day period)
- Where available: All Accredited Facilities – this benefit is no longer restricted to hospitals and free standing dialysis centers provided that the service is within their capability as provided for in the DOH license

4. Outpatient Blood Transfusion

- The case rate for outpatient blood transfusion is P7,098 (one or more units)
- Includes Drugs & Medicine, X-ray, Lab & Others, Operating Room
- Covers outpatient blood transfusion only
- One day of transfusion of any blood or blood product, regardless of the number of bags, is equivalent to one session
- May be availed of as second case rate (full case rate amount)
- 45 days benefit limit: One session for each procedure is equivalent to one day deduction from the 45 allowable days per year Exempted from the SPC rule
- Where to avail: All Accredited Facilities

Z Benefits

Benefit Package and Amount of Benefit	Selections criteria
Acute Lymphocytic / Lymphoblastic Leukemia (standard risk) P500,000	a. Signed <u>Member Empowerment (ME) Form</u>; b. Age 1 to less than 10 years old and 364 days; c. White blood cell count <50,000/μL; d. No CNS leukemia at diagnosis; e. There should be no testicular involvement of male patient at diagnosis; and f. WHO Classification: B or T lymphoblastic leukemia immunophenotype (mature B-cell ALL or Burkitt leukemia are excluded).

Breast Cancer (cStage 0 to IV) P1.4 million	a. Signed ME Form b. Laterality and Clinical Staging: -cStage 0 -cStage IA -cStage IB -cStage IIA -cStage IIB -cStage IIIA -cStage IIIB -cStage IIIC -cStage IV
Prostate Cancer (low to intermediate risk) P100,000	a. Signed ME Form; b. Male patients age up to 70 years old; c. Clinical stage (T1a-T2c), PSA level 10 to 20 ng/ml, Tumor Grade (Gleason's score of 2-7) - Low risk: T1-T2a and Gleason score 2-6, and PSA <10 ng/ml - Intermediate risk: T2b to T2c, Gleason score of 7, and PSA 10-20 ng/ml d. Localized prostate cancer; and e. No uncontrolled co-morbid conditions

Procedure		Selection Criteria
Kidney Transplantation		
Living Organ Donor Transplantation using Basiliximab		1. Patient status: On chronic dialysis because of end stage renal disease For preemptive kidney transplantation: • Diabetic: 24-hour urine creatinine clearance or calculated glomerular filtration rate (GFR) (CKD-EPI formula) or nuclear GFR should be less than 20 mL/min /1.73m2 • Non-diabetic: 24-hour urine creatinine clearance or calculated glomerular filtration rate (GFR) (CKD-EPI formula) or nuclear GFR should be less than 15 mL/min /1.73m2 2. Kidney Transplantation status: No history of kidney transplantation a. Historical Panel Reactive Antibody (PRA) Class 1 & 2 negative Negative T and B Cell Crossmatch c. If Historical Panel Reactive Antibody (PRA) Class 1 and/or 2 is positive, must fulfill the following: i. Historical PRA less than or equal to 20% ii. No donor specific antibody (DSA) in the potential recipient If with history of kidney transplantation a. PRA Screening <20% in both Class I and Class II b. Absence of Donor Specific Antibodies (DSAs) by PRA Single Antigen Bead Assay c. Negative T and B Cell Crossmatch 3. Hepatitis C status: Hepatitis C Negative Recipient
Laparoscopic surgery for donor and open surgery for recipients	₱993,000	
Open surgery for both donor and recipients	₱865,000	
Living Organ Donor Transplantation using rATG		
Laparoscopic surgery for donor and open surgery for recipients	₱1,045,000	
Open surgery for both donor and recipients	₱918,000	

Deceased Organ Donor Transplantation using Basiliximab		If Hepatitis C Positive Recipient a. With clearance from an affiliated Gastroenterologist b. No liver cirrhosis c. Completed the treatment for 12 weeks with Direct Acting Antivirals (DAA) before the kidney transplantation OR at least four (4) weeks of treatment with Direct Acting Antivirals (DAA) before the kidney transplant when allocated with a deceased donor kidney and to be continued for eight (8) weeks post-KT 4. Absence of current severe illness (congestive heart failure class 3-4), liver cirrhosis (findings of small liver with coarse granular/heterogeneous echo pattern with signs of portal hypertension), chronic lung disease requiring oxygen, etc. 5. Absence of all of the following: a. Hemi-paralysis; b. Mental incapacity; and c. Substance abuse for at least 6 months prior to the start of transplant work-up. 6. Cancer history: No previous history of cancer If with Indolent and low-grade cancers after curative surgical/ablative treatment: a. With clearance from an Oncologist affiliated with the Transplant Center b. Cancer history of any of the following: • Non-metastatic basal cell and squamous cell carcinoma of the skin removal • Small renal cell carcinoma (< 3 cm) removal under radical nephrectomy • Prostate cancer (Gleason score ≤ 6) removal under radical prostatectomy • Thyroid cancer (Follicular/Papillary <2 cm, of low-grade histology) removal under total/subtotal thyroidectomy • Breast ductal carcinoma in situ removal under total mastectomy 7. HIV status: HIV-Negative
With organ retrieval using machine perfusion	₱2,093,000	
With organ retrieval using cold storage	₱1,583,000	
Deceased Organ Donor Transplantation using rATG		
With organ retrieval using machine perfusion	₱2,146,000	
With organ retrieval using cold storage	₱1,636,000	

		HIV-Positive: HIV-1 RNA viral load below detectable levels while on antiretroviral therapy (<50 copies/mL) and CD4+ count should be >200 cells/mm³ 8. If the patient is HbsAg positive, all the following conditions must be met: a. Absence of liver cirrhosis b. HBV- DNA <2,000 IU/ml c. Cleared by a gastroenterologist, who is a member of the medical staff of the transplant facility
--	--	--

Benefit Package and Amount of Benefit	Selections criteria
Coronary Artery Bypass Graft Surgery (standard risk) P550,000	a. Signed ME Form b. Age 19-70 years c. Stable Coronary Artery Disease requiring ELECTIVE ISOLATED Coronary Artery Bypass Graft Surgery (CABG) with indication based on coronary anatomy, symptom severity, LV function, and/or viability tests; non-invasive testing completed and discussed with patient d. Current Medical Status i. Not in severe decompensated heart failure (NYFC IV) ii. Not with severe angina (CCS Class III) iii. No other cardiac/vascular procedures /interventions planned to be done with CABG during the admission

	e. Past History: i. No previous cardiac surgery such as CABG, valve surgery, etc. ii. No previous transcatheter cardiac intervention such as coronary angioplasty or stenting f. ONLINE EUROSCORE II and/or STS scoring predictive of low mortality risk (<5%)
Surgery for Tetralogy of Fallot in Children P320,000	a. Signed <u>ME Form</u> b. Age: 1 to 10 years and 364 days c. 2D-echocardiogram: i. Pulmonary artery size - McGoon's index (Aorta/Pa ratio) ≥ 1.5 - Z score Pulmonary Valve Annulus : Acceptable if z score / BSA : ≥ 3 or better - Z score peripheral PA's : Acceptable if ≥ 2 or better ii. Absence of major aortopulmonary collateral arteries (MAPCAs) d. If cardiac catheterization / hemodynamic study available: PA size: adequate by Z score standards / BSA e. No previous cardiac surgery (Blalock Taussig Shunt) f. Functional Class I-II g. No co-morbid factors, such as any of the ff: i. Preoperative seizures ii. Brain abscess iii. Stroke events iv. Bleeding disorders v. Infective endocarditis vi. Other congenital anomalies

Surgery for Ventricular Septal Defect in Children P250,000	a. Signed <u>ME Form</u> b. Age: 1 to 10 years and 364 days c. 2D-echocardiography i. Isolated VSD perimembranous, subaortic or subpulmonic ii. No combined shunts such as atrial septal defect or patent ductus arteriosus or atrioventricular septal defect iii. No other associated CHD's : such as coarctation of the aorta, or moderate to severe aortic insufficiency, or moderate to severe pulmonic stenosis iv. Pulmonary artery pressure: <50 mmHg or at least 2/3 systolic blood pressure v. QP QS: > 1.5:1 d. No previous cardiac surgery (PA Banding) e. Functional Class I-II f. No co-morbid factors, such as any of the ff: i. Preoperative seizures ii. Brain abscess iii. Stroke events iv. Bleeding disorders v. Infective endocarditis g. No chromosomal abnormalities and other associated congenital defects
Cervical Cancer: Chemoradiation with Cobalt and Brachytherapy (low dose) or Primary surgery for Stage IA1, IA2 – IIA1 P120,000	a. Signed <u>ME Form</u>; b. No previous chemotherapy c. No previous radiotherapy d. No uncontrolled co-morbid conditions

Chemoradiation with Linear Accelerator and Brachytherapy (high dose) P175,000	e. Treatment plan from gynecologic oncologist
ZMORPH (Mobility, Orthosis, Rehabilitation, Prosthesis Help) - first right or left below the knee P15,000 - both limbs P30,000	a. Signed <u>ME Form</u> ; b. No associated disabilities or co-morbidities, such as contractures, deformities, mental or behavioral incapacity, quadriparesis, cardiopulmonary disease; c. Community ambulation with or without cane, crutches or walker; d. At least three (3) months post-amputation, if acquired; and e. At least 15 years and 364 days of age, if congenital.

Expanded ZMORPH Prostheses/ Orthoses I. Prostheses A. Above knee/ knee disarticulation (AKKD) P75,000 B. Hip disarticulation (HD) P135,000 C. Below elbow (BE) P50,000 D. Above elbow (AE) P70,000 E. Van Ness Rotationplasty P85,000 II. Ortho / prostheses Ankle Foot P17,500 III. Orthoses A. Knee Ankle Foot P35,000 B. Hip Knee Ankle Foot P80,000	1. Signed ME Form; 2. Upper and Lower Limb Prostheses a. Age $\geq$ 18 years old b. At least three (3) months post-amputation, if acquired c. Wheelchair-independent, community-ambulator with or without crutches, cane or walker d. On physical examination: no fresh or non-healing wound, neuroma or painful residual limb, no motor strength of < 3 +/- sensory loss, +/- instability, with hip /knee flexion contracture 3. Lower limb orthosis The following are the general criteria: a. At least three (3) months post-onset b. Upper limbs ≥ 4 with fair trunk control and full range of motion, if bilateral c. Unaffected limbs ≥ 3 with fair trunk control and a full range of motion, if unilateral d. Ambulatory with an assistive device e. No fresh or non-healing wound The following are the additional criteria for the specified subpackages: 3.1. Ankle foot orthoses 3.1.1. Weakness or absence of dorsiflexors and/or plantarflexors, +/- grade 1-2 spasticity with full range of motion achieved passively 3.1.2. Equinovarus +/- foot rotation and +/- grade 1-2 spasticity with full range of motion achieved passively 3.1.3. Pain & Instability secondary to a sensory or structural deficit in a Charcot Arthropathy 3.2. Knee ankle foot orthoses Quadriceps MMT of < 3 +/- sensory loss, +/- instability (genu recurvatum) with hip /knee flexion contracture
---	--

	3.3 Hip knee ankle foot orthoses Hip, knee, ankle & foot muscles MMT < 3 +/- sensory loss, +/- instability, with hip /knee flexion contracture <20 degrees
IV. Spinal Orthoses A. Thoracolumbo-sacral P40,000 B. Lumbosacral P30,000 C. Cervicothoracic P45,00	1. Signed <u>ME Form</u>; 2. Spinal orthosis The following are the general criteria: a. Age $\geq$ 18 years old b. Upon diagnosis and/or post-operative clearance c. No sensory deficit over body segment of application d. Upper and lower limb manual muscle strength of $\geq$ 3 The following are the additional criteria for the specified sub-package: 2.1. Thoracolumbosacral custom molded spinal orthosis 2.1.1. Thoracolumbar (T12-L2) spinal fractures involving posterior elements 2.1.2. Primary or metastatic lesions to the thoracolumbosacral spine 2.2 Lumbosacral custom molded spinal orthosis The following are the additional criteria for the specified sub-package: 2.2.1. Lumbosacral fractures (L1-L3) 2.2.2. Primary or metastatic lesions to the lumbosacral spine 2.3 Cervicothoracic custom molded spinal orthosis The following are the additional criteria for the specified sub-package: 2.3.1. Cervical spine fractures (C3-C7) without neurologic deficit 2.3.2. Torticollis 2.3.3. Metastatic lesions without neurologic deficit

Selected Orthopedic Implants

1. Implants for Hip Arthroplasty

- Implants Hip Prosthesis, cemented*
P103,400

- Total Hip Prosthesis, cementless**
P169,400

- Partial Hip Prosthesis, bipolar
P73,180

*cemented: 66 years old and above

** cementless: 65 years and 364 days old and below

a. Signed ME Form

b. Clinical Features

i. hip fracture

1. with avascular necrosis of the femoral head; OR
2. neglected fracture of the hip; OR
3. hip fracture with pre-existing cox-arthritis; OR
4. displaced hip fracture

- ii. with avascular necrosis of the femoral head (FICAT Stage III and IV); OR
- iii. hip dysplasia (CROWE I-IV); OR
- iv. severe osteoarthritis; OR
- v. severe inflammatory joint disease (rheumatoid, gout, psoriatic, ankylosing spondylitis)

c. Pre-injury status: ambulatory patients

d. With no more than two co-morbid illnesses based on: Physical status classification based on ASA (low to moderate risk)

ASA I – normal healthy patient

ASA II – Patient with mild systematic disease; no functional limitation

2. Implants for Hip Fixation - Multiple screw fixation (MSF)*** 6.5mm cannulated cancellous screws with washer P61,500 ***59 years and 364 days old and below (both displaced and undisplaced fracture); 60 years old and above (undisplaced fracture)	a. Signed ME Form b. Any hip fracture not covered under the total hip package for femoral neck fracture i. with no avascular necrosis of the femoral head; OR ii. acute fracture of the hip; OR iii. hip fracture with no pre-existing cox-arthritis; OR iv. displaced hip fracture c. Pre-injury status: ambulatory patients d. With no more than two co-morbid illnesses based on: Physical status classification based on ASA (low to moderate risk) ASA I – normal healthy patient ASA II – Patient with mild systematic disease; no functional limitation
3. Implants for Pertrochanteric Fracture - Compression Hip Screw Set (CHS) P69,000 - Proximal Femoral Locked Plate (PFLP) P71,000 - Proximal Femoral Nail amounting to P55,640	a. Signed ME Form b. CHS: stable fracture of the intertrochanteric area (AO Classification Type A1 fracture) c. PFLP: unstable/comminuted pertrochanteric fracture (AO Classification Type A2 and A3 fracture) d. Pre-injury status: ambulatory patients e. With no more than two co-morbid illnesses based on: Physical status classification based on ASA (low to moderate risk) ASA I- normal healthy patient ASA II – Patient with mild systemic disease; no functional limitation

4. Implants for Femoral Shaft Fracture/tibial fracture - Intramedullary Nail with Interlocking Screws P48,740 - Locked Compression Plate (LCP) – Broad / Metaphyseal / Distal Femoral LC P50,740	a. Signed <u>ME Form</u> b. Femoral shaft fracture <table border="1" data-bbox="638 342 1362 560"> <tr> <td data-bbox="638 342 695 560"></td><td data-bbox="695 342 1362 560"> i. without malignant/metastatic pathologic fracture: AND ii. with any complete fracture of the femur Pre-injury status: ambulatory patients </td></tr> </table> c. Physical status classification based on ASA (low to moderate risk) ASA I – normal healthy patient ASA II – Patient with mild systemic disease: no functional limitation		i. without malignant/metastatic pathologic fracture: AND ii. with any complete fracture of the femur Pre-injury status: ambulatory patients
	i. without malignant/metastatic pathologic fracture: AND ii. with any complete fracture of the femur Pre-injury status: ambulatory patients		

Procedure		Selection Criteria
Peritoneal Dialysis		
Peritoneal Dialysis for Adults		For adults: Continuous Ambulatory Peritoneal Dialysis (CAPD) 1. Diagnosed with Chronic Kidney Disease (CKD) Stage 5 requiring renal replacement therapy [does not include those requiring only temporary dialysis for acute kidney injury (e.g. dialysis for leptospirosis)] 2. Has a permanent peritoneal dialysis catheter properly placed in the abdominal cavity 3. Has completed PD initiation in an accredited health facility or accredited PD Z benefits provider
PD requiring three (3) 2L bags per day	P389,640 (P29,972.31 per 28 days PD exchanges)	
PD requiring four (4) 2L bags per day	P510,140 (P39,241.54 per 28 days PD exchanges)	
b. Exit Site Infection and Peritonitis Prevention Care for Adults		

Exit site infection and peritonitis prevention care	P29,200 (Maximum of 4 episodes per year at P7,300 per episode)	4. No longer uremic, with stable vital signs 5. Patients and/or a caregiver have adequate training to perform PD at home using MANUAL exchanges. 6. Absence of any disease of the abdominal wall, such as injury or surgery, burns, hernia, extensive dermatitis involving the abdomen 7. Absence of any inflammatory bowel diseases (Crohns' disease, ulcerative colitis or diverticulitis) 8. Absence of any intra-abdominal tumors or intestinal obstruction 9. Absence of active serositis 10. Absence of known or suspected allergy to PD solutions For pediatric patients: General criteria 1. The patient must be aged 0 to 18 years old and 364 days 2. Written informed consent from the parents or legal guardian is secured Continuous Ambulatory Peritoneal Dialysis (CAPD) / Automated Peritoneal Dialysis (APD) 3. Has completed PD initiation in an accredited health facility or accredited PD Z benefits provider 4. Patients and/or a parents or caregiver have adequate training to perform PD at home 5. Absence of known or suspected allergy to PD solutions
Peritoneal Dialysis for Pediatric Patients		
a. CAPD Requiring PD Bags for Pediatric Patients		
PD requiring four (4) 2L bags per day	P510,140 (P39,241.54 per 28 days PD exchanges)	
PD requiring five (5) 2L bags per day	P637,676 (P49,052 per 28 days PD exchanges)	
PD requiring six (6) 2L bags per day	P765,210 (P58,862.31 per 28 days PD exchanges)	
b. APD Requiring PD Bags for Pediatric Patients		
PD requiring one (1) 5L bag per day	P763,000 (P58,692.31 per 28 days PD exchanges)	
PD requiring two (2) 5L bags per day	P1,016,000	

	(P78,153.85 per 28 days PD exchanges)	
PD requiring three (3) 5L bags per day	P1,269,000	
	(P97,615.38 per 28 days PD exchanges)	
c. Exit Site Infection and Peritonitis Prevention Care for Pediatric Patients		
Exit site infection and peritonitis prevention care	P16,800 (P1,400 per month)	
Benefits Package for PD-Related Ancillary Services		
a. PD Catheter Insertion and Initiation for Adults and Pediatric Patients		
PD Catheter Insertion and Initiation	P71,500	
b. Outpatient Treatment of PD-related Peritonitis for Adults and Pediatric Patients		
Outpatient treatment of PD-related peritonitis	P25,000 (once per year)	

c. Laboratory/Diagnostics and Drugs/Medicines for PD Adults and Pediatric Patients		
Laboratory/Diagnostic tests and Drugs/Medicines	P75,360 (P6,280 per month)	

Z BENEFITS (CHRONIC CASES)	Selections criteria
CORONARY ARTERY BYPASS GRAFT SURGERY • Standard Risk Php 660,000 • Expanded Risk Php 960,000 CLOSURE OF VENTRICULAR SEPTAL DEFECT • Up to Php 614,000 TOTAL CORRECTION OF TETRALOGY OF FALLOT • Up to Php 614,000	1. Stable coronary artery disease requiring ELECTIVE ISOLATED CABG with indication based on coronary anatomy, symptom severity, left ventricular function, and/or viability tests; noninvasive testing completed and discussed with patient 2. Check current medical status: a. NOT in severe decompensated heart failure by New York Functional Classification (NYFC IV) b. NOT with severe angina by Canadian Cardiovascular Society (CCS Class IV) c. NO other cardiac/vascular procedures/interventions planned to be done with coronary artery bypass graft surgery during this admission. d. NO history of dialysis and NO current requirement of dialysis. 3. Based on past history: a. NO previous thoracic/cardiac surgery through median sternotomy. b. NO previous transcatheter cardiac intervention within 30 days before contemplated schedule of coronary artery bypass graft surgery. 4. ONLINE EUROSCORE II and Society of Thoracic Surgeons (STS) scoring predictive of low mortality risk (< 5%)

	DIAGNOSTICS 1. Coronary Angiography: coronary anatomy amenable for CABG and consistent with Class I and IIa indications for CABG surgery and discussed with patient. 2. Current status of myocardial viability consistent with benefit from CABG and discussed with patient.
HEART VALVE REPAIR AND/OR REPLACEMENT FOR VALVULAR HEART DISEASE • Up to Php 810,000 • With Cardiac Rehabilitation › Adult 15,000 › Pediatric 6,500	At least 19 years old EUROscore II and STS score Life expectancy of more than 5 years For patients aged 45 years old and above, no evidence of coronary artery disease based on coronary angiogram (Coronary angiogram should be within 1 year of procedure) No previous history of Valvular Surger Not in decompensated heart failure New York Heart Association (NYHA) Classification IV No other concomitant surgeries (CABG, Permanent Pacemaker Insertion (PPI), aortic root repair) planned with valve surgery No active malignancies No liver cirrhosis No previous cardiac or thoracic surgery

	<i>Mitral Valve Replacement with Tricuspid valve annuloplasty</i> Severe Mitral Stenosis with Tricuspid Regurgitation a. Symptomatic NYHA II b. MVA $\geq 4\text{cm}$ or index TV atulus ≥ 2.1 Severe Primary or Rheumatic Mitral Regurgitation with Tricuspid Regurgitation a. Symptomatic NYHA II b. Left Ventricular End-Systolic Diameter (LVESD) $\geq 4\text{cm}$ c. Left ventricular ejection fraction (LVEF) $>45\%$ d. Moderate to severe tricuspid regurgitation e. Dilated tricuspid valve (TV) annulus $\geq 4\text{cm}$ or index TV annulus ≥ 2.1 <i>Aortic Valve Replacement</i> Severe Aortic Stenosis a. Any aortic stenosis presenting with symptoms of chest pain, syncope and shortness of breath, hypotension on stress testing. b. Asymptomatic with Aortic valve area of $< 1.0\text{ cm}^2$ and gradient of $\geq 40\text{ mmHg}$. Severe Aortic Regurgitation a. Symptomatic NYHA II with LVEF $>55\%$. b. Symptomatic NYHA II-III with LVEF of less than 55% but more than 25%. c. Left ventricular end-systolic dimension of more than 5.0 cm with a stroke volume of more than 25mm/m².
COLORECTAL CANCER Colon Cancer • Stage I to II (Low Risk) Php 150,000 • Stage II to III (High Risk) Php 300,000 Rectal Cancer	1. Normal or with mild systemic disease (ASA I or II). 2. Fully active, able to carry on all pre-disease performance without restriction, OR restricted in physically strenuous activity but ambulatory and able to carry out work of a light or sedentary nature, e.g light house work, office work, OR ambulatory and capable of all self-care but unable to carry out any work activities. Up and about more than 50% of working hours.

• Stage I to II (Low Risk) Php 150,000 • Pre-operative Stage I, with Post-Operative Stage II to III Php 400,000 • Stage II to III Php 400,000	
---	--

Benefit Package and Amount of Benefit	Selections criteria
PREMATURE and SMALL NEWBORN Prevention of Preterm Delivery 1.Prevention of preterm delivery with severe pre-eclampsia/eclampsia - 3,000.00 2.Prevention of preterm delivery, with preterm pre-labor rupture of membrane (pPROM) - 1,500.00 3. Prevention of preterm delivery without pre-eclampsia/eclampsia or rupture of membranes but with labor or vaginal bleeding or multifetal pregnancy - 600.00 4. With coordinated referral and transfer from a lower level of facility - 4,000.00	The following benefits shall be available for pregnant women who are in their 24 to 36 and 6/7 weeks of gestation, at risk of preterm delivery. The packages for the prevention of preterm delivery are availed exclusive of each other, with or without the coordinated referral and transfer package.

Preterm and Small Newborns (24 to < 32 weeks) 1. Essential interventions for 24 to < 32 weeks - 35,000.00 2. Essential intervention with minor ventilator support and Kangaroo Care for 24 weeks to < 32 weeks - 85,000.00 3. Essential interventions with major ventilatory support and Kangaroo Care for 24 weeks to < 32 weeks - 135,000.00	The following benefits shall be available for pregnant women who are in their 24 to 36 and 6/7 weeks of gestation, at risk of preterm delivery. The packages for the prevention of preterm delivery are availed exclusive of each other, with or without the coordinated referral and transfer package.
Preterm and Small Newborns (32 to < 37 weeks) 1. Essential interventions for 32weeks to < 37 weeks - 24,000.00 2. Essential interventions with mechanical ventilation and Kangaroo Care for 32 weeks to < 37 weeks - 71,000.00	The following benefits shall be available for premature newborns who are visually small or very small, 24 weeks to < 37 weeks by fetal aging or 500g to ≤ 2,499g fetal weight
Children with Developmental Disabilities Assessment and discharge assessment ranges from P3,626.00 – P5,276.00 Rehabilitation Therapy Sessions P5,000.00 per set* <i>*Eligible children with developmental disability can only avail of a maximum of nine sets of therapies. Each set of therapies has a maximum of 10 sessions</i>	a. Chronological age must be zero to 17 years and 364 days old; and b. A child presents with functional problems secondary to delays, regressions, or deviations in any of the following developmental domains: cognitive-adaptive, sensorimotor, communication, social, emotional, or behavioral

Children with Mobility Impairment

Requiring assistive devices ranges from P13,110.00 – P163,540.00

Requiring seating device, basic and intermediate wheelchair ranges from P12,730.00 – P29,450.00

Yearly services and replacement of devices ranges from P1,590.00 – P13,690.00

a. General Criteria

- i. Age must be 0 to 17 years and 364 days old;
- ii. Absence of conditions that will compromise safety and functionality with the use of prosthesis, orthosis,
- iii. On physical examination: no fresh or non-healing wound on body part of interest
- iv. At least three months-post-surgery, if acquired amputation

b. With mobility impairment, presenting with any of the following:

- i. Disorders resulting to mobility impairment:

a.) Musculoskeletal conditions characterized with any of the following: limb loss (amputation), limb deficiency, limb deformity and spine deformity (Cobb's angle ≥ 20 degrees and Risser < 4) classified into:

i.) Gross motor function classification system (GMFCS) 1 and 2 for prosthesis and orthoses

ii.) GMFCS 3, 4, and 5 for seating device, wheelchair, prosthesis and orthosis (note: For seating device, a child must be six months to six years & 364 days),

iii.) Talipes equinovarus (clubfoot)

b.) Neuromuscular conditions characterized with any of the following: weakness or paralysis, imbalance, incoordination, sensory deficits classified into:

i.) GMFCS 1 and 2 for prosthesis and orthosis, OR

ii.) GMFCS-3, 4, and 5 for seating device, wheelchair and orthosis

	<table><tr><td data-bbox="868 216 922 476"></td><td data-bbox="922 216 1408 476"> ii. Presence of cardiopulmonary, behavioral or cognitive conditions that impairs a child's mobility </td></tr></table>		ii. Presence of cardiopulmonary, behavioral or cognitive conditions that impairs a child's mobility
	ii. Presence of cardiopulmonary, behavioral or cognitive conditions that impairs a child's mobility		

Children With Visual Disabilities

Package code and rates for initial assessment and intervention

Initial assessment and intervention (i.e. rehabilitation and training) for Category 1 Visual impairment - 25,920.00

Initial assessment and intervention (i.e. electronic assistive device, rehabilitation and training) for Categories 2, 3, and 4 Visual impairment - 31,920.00

Initial assessment and intervention (i.e. electronic assistive device, rehabilitation and training) for Category 5 Visual impairment - 9,070.00

Optical Aid 1: Low Power Distance, Categories 1, 2, 3 and 4 visual impairment eyeglasses + low power optical device - 7,350.00

Optical Aid 2: High power Distance, Categories 1, 2, 3 and 4 visual impairment progressive eyeglasses + high optical device - 13,820.00

Optical Aid 3: Colored Filter, Categories 1, 2, 3 and 4 visual impairment - 2,940.00

White cane, Category 5 visual impairment - 1,000.00

Description for add-on devices*

*These add-on assistive devices are availed of on top of the benefits for initial

a. General Criteria

1. Chronological age must be equal to 0 to 17 years and 364 days old;

2. AND any of the following:

i. The child must have undergone a visual disabilities assessment from an ophthalmologist where the child was categorized into Category 1, 2, 3, 4, or 5 visual disability and determined to need assistive devices with prescribed appropriate rehabilitation plan

ii. Children needing an ocular prosthesis should fulfill the following criteria:

- a. The child has enucleated eye
- b. Other clinical indications determined by ophthalmologists

3. Must be eligible at the time of pre-authorization

assessment and intervention for the Z
Benefits for visual disabilities.

***Description for yearly diagnostics, after the
first year of enrolment***

Yearly Diagnostics for Categories 1, 2, 3
and 4 - 3,220.00

Yearly follow up consultation for Category
5 - 780.00

Description for other benefits

Electronic Aid Replacement done every 5
years - 6,000.00

Ocular Prosthesis, per eye - 20,250.00

** Ocular prosthesis may be availed of
exclusively or with any of the benefits for
visual disabilities if the child fulfills the
inclusion criteria stated in Item VII.1. c of
PhilHealth Circular 2018-0010

Children With Hearing Impairment

Description for assessment and hearing aid provision of children 0 to less than 3 years old at the time of approval of pre-authorization

Assessment and hearing aid provision,
with moderate hearing loss

Assessment: Otoacoustic Emission
Screening and Auditory Brainstem
Response (ABR)

Habilitation: Hearing Aid fitting, hearing aid
device, batteries good for 5 years, ear
mold, hearing aid verification

Ear mold refitting every six months for five
years

53,460.00

Assessment and hearing aid provision,
with severe to profound hearing loss

Assessment: Otoacoustic Emission
Screening and Auditory Brainstem
Response (ABR)

Habilitation: Hearing Aid fitting, hearing aid
device, batteries good for 5 years, ear
mold, hearing aid verification

67,100.00

*Description for assessment and habilitation
of children 3 to less than 6 years old at the
time of pre-authorization*

Assessment and hearing aid provision,
with *moderate hearing loss*

Assessment: Age Appropriate Behavioral
Audiometry

Habilitation: Hearing Aid fitting, hearing aid
device, batteries good for 5 years, ear
mold, hearing aid verification

Ear mold refitting once a year for five year

45,400.00

Assessment and hearing aid provision,
with *severe to profound hearing loss*

Assessment: Age Appropriate Behavioral
Audiometry

Habilitation: Hearing Aid fitting, hearing aid
device, batteries good for 5 years, ear
mold, hearing aid verification

Ear mold refitting once a year for five years

54,100.00

***Description for assessment and habilitation
of children 6 to less than 18 years old at the
time of approval of pre-authorization***

Assessment and habilitation, with
moderate hearing loss

Assessment: Diagnostic Pure Tone
Audiometry

Habilitation: Hearing Aid fitting, hearing aid device, batteries good for 5 years, ear mold, hearing aid verification

Ear mold refitting once a year for three years

43,880.00

Description for speech therapy assessment and sessions

Speech therapy assessment and sessions for *moderate hearing loss*

Include speech evaluation, speech therapy sessions and counselling

22,100.00

Speech therapy assessment and sessions for *severe to profound hearing loss*

Include speech evaluation, speech therapy sessions and counselling

63,420.00

*Description for hearing aid replacement
(The rates mentioned cover the hearing aid, its prescription, fitting, and fitting evaluation for one ear only)*

Replacement of hearing aid for *moderate hearing loss*, 5 to less than 18 years old

Includes hearing aid fitting, hearing aid, batteries good for five years , ear mold and hearing aid fitting verification

43,670.00

Replacement of hearing aid for *severe to profound hearing loss*, 5 to less than 18 years old This is only available to those who have been enrolled prior to the age of six years old and availed of hearing aid. This require a new application for pre-authorization. Includes hearing aid fitting, hearing aid batteries good for five years, ear mold and hearing aid fitting verification 48,670.00

SDG Related

Benefit Package and Amount of Benefit	Services included	Where available	Conditions
Outpatient Malaria Package P1,170.00	Diagnostic malaria smears and other laboratory procedures; drugs and medicines & consultation services, including patient education & counseling.	Initial providers are the accredited facilities for the Outpatient benefit for the indigent members, i.e Rural Health Units (RHUs)	Patients diagnosed with malaria confirmed either through: a. Microscopy-detection of malaria parasites in Giemsa- stained blood smear; or b. Rapid Diagnostic Test (RDT) in areas with no access to microscopy centers or during outbreaks.

Outpatient HIV-AIDS Package P58,500.00 per year (P14,625/quarter)	Drugs and medicines, laboratory examinations, including Cluster Difference 4 (CD4) level determination test and test for monitoring of anti-retro viral drugs (ARV) toxicity and professional fees of providers	DOH-designated treatment hubs	Cases confirmed by STD/AIDS Central Cooperative Laboratory (SACCL) or Research Institute for Tropical Medicine (RITM).
Outpatient Anti-Tuberculosis Treatment through Directly-Observed Treatment Short-course (DOTS) Package P7,800 P4,875 – Intensive phase P2,925 – Maintenance Phase	Diagnostic exams, consultation services, drugs, health education and counseling during treatment	<u>Accredited TB-DOTS Centers</u>	• TB cases that are susceptible to 1st line anti-TB drugs • Covers adult and children under the following registration groups: • New – Retreatment • Relapse • Treatment After Failure • Treatment After Lost to Follow-up (Return After Default) • Previous Treatment Outcome Unknown • Transfer-in

Voluntary Surgical Contraception Procedures P7,800.00	Healthcare facility fee component to cover all applicable health facility charges inclusive of any of the following: • Room and Board • Drugs and medicines used during surgery or confinement • X-ray, laboratory and other ancillary procedures • Supplies used during surgery or confinement • Use of special rooms e.g., operating room, recovery room Physician fee component to cover any of the following: • Family planning counseling and client assessment • Intra-operative services including provision of anesthesia Postoperative consultation within 90 days from day	<u>Accredited hospitals, ambulatory surgical clinics (ASCs) and Primary care facilities (For Non-scalpel vasectomy only)</u>	Vasectomy including non-scalpel vasectomy Ligation or transection of fallopian tube (s), abdominal or vaginal approach
--	--	---	---

	of surgery including dressing changes, local incision care, removal of sutures, management of complications that do not require hospitalization		
--	---	--	--

Animal Bite Treatment Package P5,850.00	i. Rabies vaccine • Purified Vero Cell Rabies Vaccine (PVRV) or • Purified Chick: Embryo Vaccine (PCECV) ii. Rabies Immune Globulin (RIG) • Human Rabies Immune Globulin (HRIG) or • Purified Equine Rabies Immune Globulin (pERIG) iii. Local wound care iv. Tetanus toxoid and anti-tetanus serum (ATS) v. Antibiotics vi. Supplies such as, but not limited to, syringes, cotton, alcohol and other antiseptics	<u>PhilHealth accredited Animal Bite Treatment Centers</u>	This package shall cover the following: a. The cost of providing Post-exposure Prophylaxis (PEP) services. The following are identified as reimbursable PEP service items: i. Rabies vaccine • Purified Vero Cell Rabies Vaccine (PVRV) or • Purified Chick: Embryo Vaccine (PCECV) ii. Rabies Immune Globulin (RIG) • Human Rabies Immune Globulin (HR1G) or • Purified Equine Rubies Immune Globulin (pERIG) iii. Local wound care iv. Tetanus toxoid and anti-tetanus serum (ATS) v. Antibiotics vi. Supplies such as, but not limited to, syringes, cotton, alcohol and other antiseptics b. Dog bites primarily. However, persons bitten by other domestic animals (cats) and
--	--	---	---

			livestock (cows, pigs, horses, goats) as well as wild animals (bats, monkeys) may be covered. c. Category III Rabies exposure i. Trans dermal bite (puncture wounds, lacerations, avulsions) or scratches/abrasions with spontaneous bleeding ii. Exposure to a rabies patient through bites, contamination of mucous membranes (eyes, oral/nasal mucosa, genital/anal Mucous membrane or open skin lesions with body fluids through splattering and mouth-to-mouth Resuscitation iii. Handling of infected carcass or ingestion of raw infected meat iv. Category II Rabies exposure involving the head and neck c. Patients with repeat exposure
--	--	--	---

Documents needed: copy of Member Data Record and [PhilHealth Claim Form 1](#)

Mental Health

Benefit Package and Amount of Benefit	Services included	Where available	Conditions
Outpatient Mental Health Services P9,000.00/year- General P16,000.00/year- Specialty	Screening, assessment, diagnostics, follow-up visits, psychosocial support, essential medicines.	<u>Contracted Health Facilities for Specialized Patient Care for Outpatient Benefit Packages</u>	All Filipinos are eligible to avail provided that they meet the following age criteria: For psychiatric cases: At least 10 years old; For neurologic cases: All ages from children to elderly.

Benefit for Senior Citizens

In hospitals with installed HCI Portal, Senior Citizens only need to present their senior citizen card, MDR or any accepted proof of identity and age. The Hospital shall print a PhilHealth Benefit Eligibility Form (PBEF). A PBEF that says “YES” means that the patient is entitled to the benefits and shall serve as a basis for automatic deduction.

In case the hospital has no HCI portal installed, or the PBEF says “NO”, or the senior citizen was not able to enroll before discharge, the following should be attached to the usual claim documents:

- a. duly accomplished PhilHealth Member Registration Form (PMRF); and
- b. an acceptable proof of status as a senior citizen, including but not limited to the Senior Citizens' Identification Card.