



<<interface>> ReplicService
getReplicas(String, ReplicState[], ReplicSortMode, SortDirection): Observable<Replic[]> validateReplicPassword(string, string): Observable<boolean, null> getReplic(string): Observable<Replic null>

<<interface>> AccountService
getAccountsFull(string, AccountState[], AccountSortMode, SortDirection): Observable<Account[]> getPartialAccount(string): Observable<PartialAccount> getAuthAccount(): Observable<Account null> createAccount(string, string, string, boolean): Observable<Account, Error> updateUsername(string): Observable<Account, UpdateUsernameError> updateEmail(string): Observable<Account, UpdateEmailError>

<<interface>> ReportService
getReports(string, ReportSortMode, SortDirection): Observable<Report[]> markReportClosed(string): Observable<null Error> markReportReviewed(string): Observable<null Error>

<<interface>> ServerConfigService
getServerConfig(): ServerConfig setCreateReplicsGroup(AuthUserGroup): Observable<null Error> setAccessReplicsGroup(AuthUserGroup): Observable<null Error> setCreateReportGroup(AuthUserGroup): Observable<null Error> setReplicLimit(ReplicLimitConfig): Observable<null Error> setReplicLimit(ReplicLimitConfig null): Observable<null Error> setAllowSignup(boolean): Observable<null Error> restart(): Observable<null Error> shutdown(): Observable<null Error>