<<interface>>

```
setToken(String)
```

shutdown(): Observable<void>

getQuotaProgress(): Observable<QuotaProgressResponse>

updateMe(UpdateAccountRequest): Observable<AccountResponse>

getMe(): Observable<AccountResponse>

setServerConfig(ServerCOnfigDto): Observable<AccountResponse>

getServerConfig(): Observable<ServerConfigDto>

updateReport(UUID. ReportState): Observable<ReportResponse>

createReport(CreateReportRequest, UUID): Observable<ReportResponse>

getReports(ReportSortParameter, SortDirectionParameter, UUID, String): Observable<Array<ReportResponse>>

createReplic(CreateReplicRequest): Observable<ReplicResponse>

get Replics (Replic Sort Parameter, Sort Direction Parameter, UUID, UUID, Set < Replic State >, String): Observable < Array < Replic Response >>

requestEmailVerification(boolean): Observable<void>

login(CredentialsReuqest): Observable<AccountWithTokensResponse>

refresh(RefreshRequest): Observable<AccountWithTokensResponse>

 $signup (Create Account Request, \ boolean): \ Observable < Account With Tokens Response >$

submitEmailVerification(SubmitEmailVerificationRequest): Observable<void>

restart(): Observable<void>

getAccountsFull(AccountSortParameter, SortDirectionParameter, UUID, Set<AccountState>, String): Observable<Array<PartialAccountResponse>>

getAccountsPartial(AccountSortParameter, SortDirectionParameter, UUID, String): Observable<Array<PartialAccountResponse>> createAccount(CreateAccountRequest), boolean, boolean): Observable<AccountResponse>