

# **Diagram Documentation**

### Orders

Field	Description	Туре	Default	Other
row_id		int		PK
order_id		varchar(10)		
created_at		datetime		FK
item_id		int		FK
quantity		int		
cust_id		int		FK
cust_firstname		varchar(50)		
cust_lastname		varchar(50)		
delivery		boolean		
add_id		int		FK

#### Customers

Field	Description	Туре	Default	Other
cust_id		int		PK, FK
cust_firstname		varchar(50)		
cust_lastname		varchar(50)		

### Address

Field	Description	Туре	Default	Other
add_id		int		PK, FK
delivery_address1		varchar(200)		
delivery_address2		varchar(200)		NULLABLE
delivery_city		varchar(50)		
delivery_zipcode		varchar(20)		

#### Item

Field	Description	Туре	Default	Other
item_id		int		PK, FK
sku		varchar(20)		FK
item_name		varchar(100)		
item_cat		varchar(100)		
item_size		varchar(10)		
item-price		decimal(10,2)		

QuickDBD-export Page 1 of 3



## Recipe

Field	Description	Туре	Default	Other
row_id		int		PK
recipe_id		varchar(20)		FK
ing_id		varchar(10)		FK
quantity		int		

## Ingredient

Field	Description	Туре	Default	Other
ind_id		varchar(10)		PK, FK
ing_name		varchar(200)		
ing_weight		int		
ing_mass		varchar(20)		
ing_price		decimal(5,2)		

## Inventory

Field	Description	Туре	Default	Other
inv_id		int		PK
item_id		varchar(10)		FK
quantity		int		

### Rota

Field	Description	Туре	Default	Other
row_id		int		PK
rota_id		varchar(20)		
date		datetime		FK
shift_id		varchar(20)		FK
staff_id		vatchar(20)		FK

## Staff

Field	Description	Type Def	ault Other
staff_id		varchar(20)	PK
first_name		varchar(50)	
last_name		varchar(50)	
position		varchar(100)	
hourly_rate		decimal(5,2)	

### Shift

QuickDBD-export Page 2 of 3



### www.quickdatabasediagrams.com

Field	Description	Туре	Default	Other
shift_id		varchar(20)		PK, FK
day_of_week		varchar(10)		
start_time		time		
end_time		time		

QuickDBD-export Page 3 of 3