

# Update List

## Endpoint

**URL:** `/:projectId/lists/:listId`

**Method:** `PATCH`

**Authentication Required:** Yes

## Description

Updates the name of an existing non-root list belonging to the authenticated user.

## Request

### Headers

Header	Type	Required	Description
<code>Authorization</code>	<code>string</code>	Yes	Bearer token for authentication.

### Path Parameters

Parameter	Type	Required	Description
<code>listId</code>	<code>string</code>	Yes	The ID of the list to update.

### Body Parameters

Field	Type	Required	Description
update	object	Yes	Object containing fields to update. Must include name .

## Example Request

```
{
  "update": {
    "name": "Updated List Name"
  }
}
```

## Response

### Success Response (200 OK)

```
{
  "id": "list_abc",
  "projectId": "proj1234",
  "userId": "user_xyz",
  "name": "Updated List Name",
  "parentId": "list_parent",
  "entityIds": [],
  "subLists": [],
  "createdAt": "2024-01-01T00:00:00.000Z",
  "updatedAt": "2024-01-03T00:00:00.000Z"
}
```

### Error Responses

#### Missing Data (400 Bad Request)

```
{
  "error": "Missing list ID or update data",
  "code": "list/missing-data"
}
```

## Blank Name (400 Bad Request)

```
{
  "error": "Cannot set the name to blank",
  "code": "list/blank-name"
}
```

## List Not Found (404 Not Found)

```
{
  "error": "List not found",
  "code": "list/not-found"
}
```

## Server Error (500 Internal Server Error)

```
{
  "error": "Server error",
  "code": "list/server-error",
  "details": "<Error message>"
}
```

---

## Notes

- Only sub-lists (lists with a `parentId`) can be renamed via this endpoint.
- The response includes the updated and populated list.

Last updated on May 11, 2025