

# Update Comment

## Endpoint

---

**URL:** /:projectId/comments/:commentId

**Method:** PATCH

**Authentication Required:** Yes

---

## Description

---

Updates the content of an existing comment. Only the original author or a master client may perform this operation.

---

## Request

---

### Path Parameters

Parameter	Type	Required	Description
commentId	string	Yes	The ID of the comment to update.

### Headers

Header	Type	Required	Description
Authorization	string	Yes	Bearer token for authenticated users.

### Body Parameters

Field	Type	Required	Description
content	string	Yes	The updated comment content.

## Example Request

```
{  
  "content": "Updated comment content."  
}
```

## Response

### Success Response ( 200 OK )

Returns the updated comment:

```
{  
  "id": "comment-123",  
  "entityId": "entity-456",  
  "content": "Updated comment content.",  
  ...  
}
```

## Error Responses

### Missing Data ( 400 Bad Request )

```
{  
  "error": "Missing required data",  
  "code": "comment/invalid-request"  
}
```

### Not Found ( 404 Not Found )

```
{
```

```
"error": "Comment not found",
"code": "comment/not-found"
}
```

## Forbidden ( 403 Forbidden )

```
{
  "error": "You do not have permission to update this comment.",
  "code": "comment/forbidden"
}
```

## Server Error ( 500 Internal Server Error )

```
{
  "error": "Internal server error.",
  "code": "comment/server-error",
  "details": "[error message]"
}
```

## Notes

- Only the author of the comment or a master client can update a comment.
- If the comment doesn't exist or the user isn't authorized, appropriate error responses are returned.

Last updated on May 11, 2025