

Create Sub-List

Endpoint

URL: `/:projectId/lists/:listId/sub-lists`

Method: `POST`

Authentication Required: Yes

Description

Creates a new sub-list (nested list) under the specified parent list.

Request

Path Parameters

Parameter	Type	Required	Description
<code>listId</code>	<code>string</code>	Yes	ID of the parent list to nest under

Headers

Header	Type	Required	Description
<code>Authorization</code>	<code>string</code>	Yes	Bearer token for authentication.

Body Parameters

Field	Type	Required	Description
listName	string	Yes	Name of the new sub-list

Example Request

```
{
  "listName": "Ideas"
}
```

Response

Success Response (201 Created)

```
{
  "id": "list_456",
  "projectId": "proj_123",
  "userId": "user_abc",
  "name": "Ideas",
  "parentId": "list_123",
  "entityIds": [],
  "createdAt": "2024-01-01T00:00:00.000Z",
  "updatedAt": "2024-01-01T00:00:00.000Z"
}
```

Error Responses

Missing Parameters (400 Bad Request)

```
{
  "error": "Missing required parameters in request body",
  "code": "list/missing-parameters"
}
```

Invalid Parent List (400 Bad Request)

```
{
```

```
"error": "Invalid parent list ID for sub-list",  
"code": "list/invalid-parent"  
}
```

Server Error (500 Internal Server Error)

```
{  
  "error": "Server error",  
  "code": "list/server-error",  
  "details": "<Error message>"  
}
```

Notes

- The authenticated user's ID is automatically associated with the new list.
- Only existing parent lists can be used for sub-list creation.
- The response includes the populated list details.

Last updated on May 11, 2025