

Get Single Entity

Endpoint

URL: /:projectId/entities/:entityId

Method: GET

Authentication Required: No

Description

Fetches a single entity by its ID. Publicly accessible.

Request

Path Parameters

Parameter	Type	Required	Description
entityId	string	Yes	ID of the entity to retrieve.

Example Request

```
GET /proj1234/entities/entity_abc
```

Response

Success Response (200 OK)

```
{  
  "id": "entity_abc",  
  "userId": "user_123",  
  "title": "Interesting Thought",  
  "content": "Here's something I've been thinking about...",  
  "keywords": ["thinking"],  
  "createdAt": "2024-01-01T00:00:00.000Z",  
  ...  
}
```

Error Responses

Invalid Entity ID (400 Bad Request)

```
{  
  "error": "Missing a valid entityId in request query.",  
  "code": "entity/invalid-resource-id"  
}
```

Not Found (404 Not Found)

```
{  
  "error": "Entity not found",  
  "code": "entity/not-found"  
}
```

Server Error (500 Internal Server Error)

```
{  
  "error": "Internal server error.",  
  "code": "entity/server-error",  
  "details": "<Error message>"  
}
```

Notes

- No authentication is required.
- Entity score may be updated asynchronously after response is sent.
- Returned entity includes metadata, vote counts, and replies count if available.

Last updated on May 11, 2025

© Replyke 2025