

# Fetch User Suggestions

## Endpoint

---

**URL:** /:projectId/users/suggestions

**Method:** GET

**Authentication Required:** No

---

## Description

---

Fetch a list of up to 5 suggested users based on a query string. Useful for mention systems or user pickers.

---

## Request

---

### Query Parameters

Parameter	Type	Required	Description
query	string	Yes	The input string used to search usernames.

### Headers

*None*

### Body Parameters

*None*

## Example Request

```
GET /proj1234/users/suggestions?query=john
```

## Response

### Success Response (200 OK)

```
[  
  {  
    "id": "67890",  
    "username": "johndoe",  
    "name": "John Doe",  
    "avatar": "https://example.com/avatar.jpg"  
  },  
  {  
    "id": "54321",  
    "username": "johnny",  
    "name": "Johnny Appleseed",  
    "avatar": "https://example.com/avatar2.jpg"  
  }  
]
```

## Error Responses

### Missing or Invalid Query Parameter (400 Bad Request)

```
{  
  "error": "Missing or invalid query parameter",  
  "code": "user/invalid-query"  
}
```

### Server Error (500 Internal Server Error)

```
{  
  "error": "Internal server error",  
  "code": "user/server-error",  
  "details": "<Error message>"
```

# Notes

- Maximum of 5 results are returned.
- Usernames starting with the query are ranked higher.
- Returned user objects exclude sensitive fields (email, hash, etc.).

Last updated on May 11, 2025