Fetch User

Endpoint

URL: `/:projectId/users/:userId`

Method: `GET`

Authentication Required: No

Description

Fetch details of a specific user by their ID.

Request

URL Parameters

Parameter	Type	Required	Description
`userId`	`string`	Yes	The ID of the user to fetch.

Headers

None

Body Parameters

None

Example Request

```
GET /proj1234/users/67890
```

Response

Success Response (200 OK)

```json
{
  "id": "67890",
  "projectId": "12345",
  "foreignId": "user-ref-001",
  "name": "John Doe",
  "username": "johndoe",
  "avatar": "https://example.com/avatar.jpg",
  "bio": "Tech enthusiast and developer.",
  "birthdate": "1995-05-20T00:00:00.000Z",
  "reputation": 120,
  "location": {
    "type": "Point",
    "coordinates": [40.7128, -74.006]
  },
  "metadata": {
    "preferredLanguage": "en",
    "theme": "dark"
  },
  "createdAt": "2024-01-01T12:00:00.000Z",
  "updatedAt": "2024-02-01T12:00:00.000Z"
}
```

Error Responses

Missing or Invalid User ID (400 Bad Request)

```json
{
  "error": "Missing or invalid userId in request parameters",
  "code": "user/invalid-user-id"
}
```

User Not Found (404 Not Found)

```json
{
  "error": "User not found",
  "code": "user/not-found"
}
```

Server Error (500 Internal Server Error)

```json
{
  "error": "Internal server error",
  "code": "user/server-error",
  "details": "<Error message>"
}
```

Notes

- This endpoint excludes sensitive fields such as email, password hash, and secure metadata.
- Useful for displaying public profile information of a user.

Last updated on May 11, 2025